

Table 5.59C Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	91	114	102	135	71	73	118	165
12	2	1	2	2	2	1	3	2
13	1	3	2	1	*	*	2	3
14	5	5	1	4	1	2	5	6
15	5	6	6	6	4	5	7	7
16	8	9	6	8	6	7	10	9
17	7	8	7	9	5	7	9	10
18	11	14	10	9	8	8	13	15
19	11	8	7	7	6	6	11	8
20	9	7	7	11	6	3	10	14
21	11	13	8	13	7	9	12	15
22	9	8	10	12	7	6	12	14
23	10	11	10	13	9	10	12	15
24	11	10	11	7	9	5	12	12
25	8	7	8	8	5	4	10	9
26-29	31	39	33	37	25	26	37	50
30-34	21	36	27	31	14	12	32	46
35-39	44	44	45	50	31	31	55	60
40-44	34	53	42	50	28	39	48	64
45-49	21	39	35	40	15	33	38	46
50-54	33	24	30	68	28	19	36	70
55-59	11	10	15	29	11	10	15	29
60-64	*	40	*	3	*	3	*	40
65 or Older	*	*	19	*	*	*	19	*

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.59D Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.04	0.05	0.04	0.06	0.03	0.03	0.05	0.07
12	0.05	0.02	0.05	0.05	0.05	0.02	0.07	0.05
13	0.01	0.06	0.04	0.01	*	*	0.04	0.06
14	0.12	0.11	0.03	0.08	0.03	0.06	0.12	0.13
15	0.12	0.14	0.14	0.15	0.09	0.12	0.17	0.17
16	0.20	0.22	0.15	0.19	0.13	0.17	0.23	0.23
17	0.18	0.20	0.18	0.23	0.13	0.18	0.22	0.24
18	0.24	0.31	0.21	0.19	0.17	0.17	0.27	0.32
19	0.27	0.20	0.17	0.18	0.16	0.16	0.27	0.21
20	0.22	0.18	0.18	0.27	0.14	0.07	0.25	0.34
21	0.29	0.31	0.20	0.31	0.17	0.23	0.32	0.37
22	0.22	0.20	0.26	0.30	0.18	0.15	0.29	0.34
23	0.26	0.28	0.25	0.33	0.21	0.25	0.30	0.37
24	0.29	0.25	0.30	0.17	0.25	0.13	0.33	0.29
25	0.23	0.19	0.21	0.22	0.14	0.12	0.27	0.26
26-29	0.21	0.25	0.22	0.24	0.17	0.17	0.25	0.32
30-34	0.11	0.18	0.13	0.16	0.07	0.06	0.16	0.24
35-39	0.21	0.21	0.22	0.24	0.15	0.15	0.26	0.29
40-44	0.15	0.23	0.19	0.22	0.12	0.17	0.21	0.28
45-49	0.10	0.18	0.16	0.19	0.07	0.15	0.18	0.21
50-54	0.16	0.12	0.15	0.35	0.14	0.10	0.18	0.36
55-59	0.07	0.06	0.10	0.18	0.07	0.06	0.10	0.18
60-64	*	0.32	*	0.02	*	0.02	*	0.32
65 or Older	*	*	0.06	*	*	*	0.06	*

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.59P Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0369		0.1932		0.2694		0.0370	
12	0.4457		0.6937		0.6549		0.4916	
13	0.1906		0.2930		*		0.6415	
14	0.6365		0.0122		0.1231		0.2474	
15	0.1438		0.3246		0.0833		0.3889	
16	0.7501		0.8084		0.6981		0.4315	
17	0.4432		0.3563		0.3445		0.4380	
18	0.1790		0.4577		0.6242		0.2536	
19	0.6721		0.5098		0.5982		0.4598	
20	0.3724		0.6336		0.1265		0.4688	
21	0.6445		0.0520		0.3720		0.2251	
22	0.9397		0.9656		0.5556		0.7613	
23	0.5611		0.9441		0.5146		0.7885	
24	0.9905		0.2207		0.2688		0.9660	
25	0.8560		0.6923		0.9074		0.6844	
26-29	0.1417		0.3454		0.4433		0.1034	
30-34	0.3480		0.6065		0.5997		0.2528	
35-39	0.3200		0.7613		0.7637		0.4847	
40-44	0.0706		0.6038		0.3011		0.1883	
45-49	0.0095		0.3974		0.0310		0.1703	
50-54	0.4077		0.4112		0.5963		0.6570	
55-59	0.8899		0.5278		0.8899		0.5278	
60-64	*		*		*		*	
65 or Older	*		*		*		*	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.60C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	91	114	102	135	71	73	118	165
AGE								
12-17	14	16	12	15	9	12	17	18
18-25	29	28	26	28	22	19	33	36
26 or Older	84	107	96	131	67	69	110	157
GENDER								
Male	75	87	85	129	60	68	97	143
Female	50	72	55	47	38	27	65	84
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	89	108	97	98	69	69	113	132
White	69	73	73	74	45	47	90	97
Black or African American	50	62	57	58	49	45	59	74
American Indian or Alaska Native	9	3	13	14	9	3	13	14
Native Hawaiian or Other Pacific Islander	*	*	4	*	*	*	4	*
Asian	6	40	6	9	6	*	7	41
Two or More Races	9	11	9	11	8	10	10	12
Hispanic or Latino	21	38	33	94	14	26	36	98

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.60D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.04	0.05	0.04	0.06	0.03	0.03	0.05	0.07
AGE								
12-17	0.05	0.06	0.05	0.06	0.04	0.05	0.07	0.07
18-25	0.09	0.09	0.08	0.09	0.07	0.06	0.10	0.11
26 or Older	0.05	0.06	0.05	0.07	0.04	0.04	0.06	0.09
GENDER								
Male	0.06	0.08	0.07	0.11	0.05	0.06	0.08	0.12
Female	0.04	0.06	0.04	0.04	0.03	0.02	0.05	0.07
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.04	0.05	0.05	0.05	0.03	0.03	0.05	0.06
White	0.04	0.04	0.04	0.04	0.03	0.03	0.05	0.06
Black or African American	0.18	0.22	0.21	0.21	0.18	0.16	0.21	0.26
American Indian or Alaska Native	0.74	0.26	1.00	1.04	0.71	0.25	1.04	1.05
Native Hawaiian or Other Pacific Islander	*	*	0.78	*	*	*	0.78	*
Asian	0.07	0.40	0.06	0.09	0.06	*	0.07	0.41
Two or More Races	0.34	0.43	0.36	0.42	0.33	0.40	0.37	0.45
Hispanic or Latino	0.07	0.12	0.11	0.30	0.05	0.08	0.12	0.32

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.60P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR					
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹	
	2003	2004	2003	2004	2003	2004
TOTAL	0.0369		0.1932		0.2694	0.0370
AGE						
12-17	0.3077		0.1155		0.0953	0.5103
18-25	0.8726		0.7260		0.3470	0.2633
26 or Older	0.0443		0.2775		0.2425	0.0665
GENDER						
Male	0.1423		0.1277		0.1842	0.1017
Female	0.1220		0.7832		0.8806	0.2035
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0642		0.3353		0.4227	0.0742
White	0.4116		0.3725		0.5030	0.3178
Black or African American	0.1234		0.7306		0.7170	0.1782
American Indian or Alaska Native	0.1215		0.4798		0.1807	0.3688
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.3616		0.6681		*	0.2687
Two or More Races	0.4754		0.6807		0.5205	0.6059
Hispanic or Latino	0.2632		0.3797		0.2327	0.2803

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.61C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	91	114	102	135	71	73	118	165
GEOGRAPHIC DIVISION								
Northeast	40	57	45	45	31	34	52	66
New England	17	21	20	19	10	17	24	24
Middle Atlantic	36	53	41	41	30	29	46	62
Midwest	35	40	49	41	28	26	55	52
East North Central	26	28	38	34	17	21	44	41
West North Central	24	29	32	24	22	16	33	33
South	64	77	62	67	52	46	72	95
South Atlantic	56	70	52	57	47	44	60	83
East South Central	26	16	27	22	20	10	31	25
West South Central	18	27	21	28	11	8	27	39
West	36	47	46	100	24	37	53	105
Mountain	18	12	19	14	8	9	25	17
Pacific	31	45	42	99	23	35	47	103
COUNTY TYPE								
Large Metro	77	88	79	117	61	53	92	138
Small Metro	35	56	46	53	20	40	56	66
250K - 1 Mil. Pop.	33	46	41	44	18	30	51	57
< 250K Pop.	15	33	22	31	9	27	25	34
Nonmetro	33	41	44	38	31	27	46	55
Urbanized	29	27	37	26	28	24	38	30
Less Urbanized	14	31	21	28	11	13	23	44
Completely Rural	9	2	10	14	9	1	10	14

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.61D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.04	0.05	0.04	0.06	0.03	0.03	0.05	0.07
GEOGRAPHIC DIVISION								
Northeast	0.09	0.12	0.10	0.10	0.07	0.07	0.11	0.15
New England	0.14	0.17	0.16	0.16	0.08	0.14	0.20	0.20
Middle Atlantic	0.11	0.16	0.12	0.12	0.09	0.09	0.14	0.18
Midwest	0.07	0.07	0.09	0.08	0.05	0.05	0.10	0.10
East North Central	0.07	0.07	0.10	0.09	0.05	0.06	0.12	0.11
West North Central	0.15	0.18	0.20	0.15	0.14	0.10	0.21	0.20
South	0.08	0.09	0.07	0.08	0.06	0.05	0.09	0.11
South Atlantic	0.13	0.15	0.12	0.13	0.11	0.10	0.13	0.18
East South Central	0.19	0.11	0.19	0.15	0.14	0.07	0.22	0.17
West South Central	0.07	0.10	0.08	0.10	0.04	0.03	0.10	0.15
West	0.07	0.09	0.09	0.18	0.05	0.07	0.10	0.19
Mountain	0.12	0.07	0.12	0.09	0.05	0.06	0.16	0.11
Pacific	0.08	0.12	0.11	0.26	0.06	0.09	0.12	0.27
COUNTY TYPE								
Large Metro	0.06	0.07	0.06	0.09	0.05	0.04	0.07	0.11
Small Metro	0.05	0.08	0.07	0.07	0.03	0.06	0.08	0.09
250K - 1 Mil. Pop.	0.07	0.10	0.09	0.09	0.04	0.06	0.11	0.12
< 250K Pop.	0.06	0.13	0.09	0.13	0.04	0.11	0.10	0.14
Nonmetro	0.08	0.10	0.11	0.09	0.08	0.07	0.11	0.13
Urbanized	0.16	0.16	0.21	0.16	0.16	0.14	0.21	0.18
Less Urbanized	0.07	0.15	0.12	0.14	0.06	0.07	0.13	0.22
Completely Rural	0.21	0.06	0.24	0.39	0.21	0.03	0.24	0.39

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.61P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR						
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}
	2003	2004	2003	2004	2003	2004	2003 2004
TOTAL	0.0369		0.1932		0.2694		0.0370
GEOGRAPHIC DIVISION							
Northeast	0.1415		0.2670		0.5112		0.1160
New England	0.1200		0.5661		0.1242		0.4486
Middle Atlantic	0.3332		0.3392		0.9593		0.1673
Midwest	0.3008		0.8629		0.8311		0.7849
East North Central	0.7398		0.9850		0.7680		0.9639
West North Central	0.2372		0.7547		0.9951		0.6019
South	0.2480		0.2908		0.7563		0.0699
South Atlantic	0.2423		0.1514		0.3211		0.1025
East South Central	0.5225		0.6023		0.1920		0.8380
West South Central	0.2879		0.9677		0.3294		0.2390
West	0.5995		0.5567		0.2128		0.6663
Mountain	0.4216		0.1243		0.8133		0.0913
Pacific	0.3703		0.3709		0.2200		0.3818
COUNTY TYPE							
Large Metro	0.4153		0.3601		0.9416		0.1538
Small Metro	0.0159		0.1503		0.0017		0.2176
250K - 1 Mil. Pop.	0.1787		0.4799		0.0415		0.5983
< 250K Pop.	0.0185		0.1187		0.0159		0.1211
Nonmetro	0.2982		0.8773		0.5675		0.2615
Urbanized	0.5671		0.5627		0.7629		0.9687
Less Urbanized	0.2180		0.6127		0.9951		0.1131
Completely Rural	0.3297		0.8504		0.1968		0.6983

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.