

**Table 2.26A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:
Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	172,843	171,827	83,415	83,066	70,757	70,257
AGE						
12-17	8,631	8,249	5,634	5,562	3,610	3,635
18-25	23,723	23,658	17,073	17,481	14,201	14,359
26 or Older	140,489	139,921	60,708	60,023	52,946	52,263
GENDER						
Male	91,731	92,403	48,800	49,326	41,288	41,569
Female	81,112	79,425	34,615	33,740	29,469	28,688
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	154,932	154,505	74,512	73,831	63,671	63,032
White	129,865	129,136	61,538	61,441	52,512	52,518
Black or African American	17,369	17,407	9,335	8,843	8,223	7,647
American Indian or Alaska Native	997	1,078	608	538	525	439
Native Hawaiian or Other Pacific Islander	297	*	206	*	181	*
Asian	4,425	4,463	1,788	1,582	1,344	1,159
Two or More Races	1,979	2,025	1,036	1,192	886	1,056
Hispanic or Latino	17,911	17,322	8,903	9,235	7,086	7,225

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.26B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	72.7 ^b	71.4	35.1	34.5	29.8	29.2
AGE						
12-17	34.5 ^b	32.7	22.5	22.1	14.4	14.4
18-25	74.8 ^a	73.5	53.8	54.3	44.8	44.6
26 or Older	77.6 ^a	76.4	33.5	32.8	29.3	28.5
GENDER						
Male	79.8	79.3	42.4	42.3	35.9	35.7
Female	66.1 ^b	64.0	28.2	27.2	24.0	23.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	74.6	73.8	35.9	35.2	30.6	30.1
White	78.1	77.3	37.0	36.8	31.6	31.4
Black or African American	63.3	62.1	34.0	31.6	30.0	27.3
American Indian or Alaska Native	79.4	83.1	48.4	41.5	41.8	33.8
Native Hawaiian or Other Pacific Islander	60.6	*	42.0	*	37.0	*
Asian	45.3	44.9	18.3	15.9	13.8	11.7
Two or More Races	76.8	79.1	40.2	46.6	34.4	41.3
Hispanic or Latino	59.9 ^b	55.8	29.8	29.8	23.7	23.3

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.27A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	8,631	8,249	5,634	5,562	3,610	3,635
GENDER						
Male	4,609	4,345	3,047	2,921	1,988	1,972
Female	4,022	3,904	2,587	2,640	1,622	1,663
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	7,287	6,980	4,824	4,760	3,193	3,171
White	5,838	5,597	4,011	4,004	2,701	2,706
Black or African American	1,010	956	564	503	328	298
American Indian or Alaska Native	89	*	60	*	47	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	181	148	81	82	40	57
Two or More Races	147	164	93	99	66	68
Hispanic or Latino	1,343	1,269	810	802	417	464
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	3,131	2,932	2,171	2,093	1,484	1,460
Female, White, Not Hispanic	2,707	2,666	1,841	1,911	1,217	1,246
Male, Black, Not Hispanic	537	508	308	282	188	168
Female, Black, Not Hispanic	473	448	256	221	141	130
Male, Hispanic	704	644	430	394	230	246
Female, Hispanic	639	625	380	408	187	218

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.27B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	34.5 ^b	32.7	22.5	22.1	14.4	14.4
GENDER						
Male	36.1 ^b	33.7	23.9	22.7	15.6	15.3
Female	32.9	31.6	21.2	21.4	13.3	13.5
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	34.8 ^a	33.3	23.0	22.7	15.3	15.1
White	37.5	36.1	25.8	25.8	17.4	17.5
Black or African American	27.0	25.1	15.1	13.2	8.8	7.8
American Indian or Alaska Native	50.1	*	34.0	*	26.8	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	18.6	14.8	8.3	8.2	4.1	5.7
Two or More Races	36.7	37.2	23.1	22.5	16.5	15.4
Hispanic or Latino	33.1	30.0	19.9	18.9	10.3	11.0
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	39.2 ^a	37.0	27.2	26.4	18.6	18.4
Female, White, Not Hispanic	35.7	35.2	24.3	25.2	16.0	16.4
Male, Black, Not Hispanic	28.5	26.1	16.4	14.4	9.9	8.6
Female, Black, Not Hispanic	25.5	24.2	13.8	11.9	7.6	7.0
Male, Hispanic	33.9	29.8	20.7	18.2	11.1	11.4
Female, Hispanic	32.1	30.1	19.1	19.7	9.4	10.5

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.28A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	23,723	23,658	17,073	17,481	14,201	14,359
GENDER						
Male	12,662	12,764	9,760	10,063	8,226	8,368
Female	11,061	10,893	7,313	7,418	5,975	5,990
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	19,796	19,922	14,510	14,980	12,146	12,383
White	15,812	15,892	11,839	12,153	9,913	10,124
Black or African American	2,623	2,663	1,714	1,837	1,455	1,509
American Indian or Alaska Native	160	155	131	115	119	95
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	805	838	530	588	404	430
Two or More Races	288	286	214	224	177	178
Hispanic or Latino	3,926	3,736	2,563	2,501	2,055	1,976
EDUCATION						
< High School	5,189	4,910	4,093	3,982	3,635	3,542
High School Graduate	8,133	8,131	6,036	6,110	5,135	5,109
Some College	7,453	7,550	5,101	5,467	4,085	4,302
College Graduate	2,948	3,067	1,842	1,922	1,345	1,405
CURRENT EMPLOYMENT						
Full-Time	11,571	11,785	8,359	8,688	7,131	7,319
Part-Time	5,892	5,710	4,173	4,119	3,257	3,186
Unemployed	2,049	1,954	1,619	1,592	1,416	1,401
Other ¹	4,211	4,209	2,922	3,081	2,397	2,453

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.28B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	74.8 ^a	73.5	53.8	54.3	44.8	44.6
GENDER						
Male	79.5	78.9	61.3	62.2	51.7	51.7
Female	70.0 ^a	68.0	46.3	46.3	37.8	37.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	75.9	75.2	55.7	56.6	46.6	46.8
White	80.5	79.7	60.3	60.9	50.5	50.7
Black or African American	61.3	61.1	40.1	42.2	34.0	34.6
American Indian or Alaska Native	87.6	90.3	71.6	67.2	64.9	55.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	55.7	55.1	36.7	38.7	28.0	28.2
Two or More Races	79.4	81.2	58.9	63.5	48.8	50.6
Hispanic or Latino	69.4 ^a	65.3	45.3	43.7	36.3	34.5
EDUCATION						
< High School	75.5	73.6	59.5	59.7	52.9	53.1
High School Graduate	74.0	73.6	55.0	55.3	46.7	46.2
Some College	75.3 ^a	73.2	51.6	53.0	41.3	41.7
College Graduate	74.2	73.9	46.4	46.3	33.9	33.9
CURRENT EMPLOYMENT						
Full-Time	79.4	77.9	57.4	57.4	49.0	48.4
Part-Time	72.0	70.5	51.0	50.9	39.8	39.3
Unemployed	76.0	75.9	60.1	61.8	52.5	54.4
Other ¹	67.0	65.9	46.5	48.2	38.2	38.4

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.29A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:
Numbers in Thousands, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	140,489	139,921	60,708	60,023	52,946	52,263
GENDER						
Male	74,460	75,294	35,994	36,341	31,074	31,229
Female	66,029	64,628	24,714	23,682	21,872	21,034
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	127,848	127,604	55,178	54,092	48,332	47,478
White	108,215	107,646	45,688	45,284	39,898	39,688
Black or African American	13,735	13,788	7,057	6,503	6,440	5,840
American Indian or Alaska Native	748	839	417	*	359	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3,439	3,476	1,177	912	900	672
Two or More Races	1,544	1,576	730	869	642	810
Hispanic or Latino	12,641	12,318	5,530	5,931	4,614	4,785
EDUCATION						
< High School	22,450 ^a	20,586	12,429	11,496	11,329	10,476
High School Graduate	43,612	43,893	20,713	20,662	19,013	18,646
Some College	34,639	35,427	15,262	15,480	13,244	13,861
College Graduate	39,788	40,015	12,303	12,385	9,360	9,281
CURRENT EMPLOYMENT						
Full-Time	82,705	82,520	39,568	38,906	34,309	33,480
Part-Time	15,438	14,887	5,707	5,318	4,765	4,582
Unemployed	4,280	3,797	2,552	2,346	2,322	2,162
Other ¹	38,065	38,717	12,882	13,453	11,549	12,039

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.29B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	77.6 ^a	76.4	33.5	32.8	29.3	28.5
GENDER						
Male	86.3	86.1	41.7	41.6	36.0	35.7
Female	69.8 ^a	67.6	26.1	24.8	23.1	22.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	79.5	78.8	34.3	33.4	30.1	29.3
White	82.6	81.8	34.9	34.4	30.4	30.2
Black or African American	70.7	69.5	36.3	32.8	33.1 ^a	29.4
American Indian or Alaska Native	83.4	87.2	46.6	*	40.0	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	46.8	46.9	16.0	12.3	12.2	9.1
Two or More Races	85.2	89.2	40.3	49.2	35.5	45.9
Hispanic or Latino	62.7 ^a	58.4	27.4	28.1	22.9	22.7
EDUCATION						
< High School	72.4 ^a	69.0	40.1	38.5	36.5	35.1
High School Graduate	77.7	76.9	36.9	36.2	33.9	32.7
Some College	81.3	79.7	35.8	34.8	31.1	31.2
College Graduate	77.8	77.3	24.0	23.9	18.3	17.9
CURRENT EMPLOYMENT						
Full-Time	80.8 ^a	79.4	38.6	37.4	33.5	32.2
Part-Time	75.5	76.6	27.9	27.4	23.3	23.6
Unemployed	79.4	79.1	47.3	48.9	43.1	45.0
Other ¹	72.2	70.5	24.4	24.5	21.9	21.9

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.30A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:
Numbers in Thousands, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	164,212	163,579	77,781	77,504	67,147	66,622
GENDER						
Male	87,122	88,058	45,753	46,404	39,300	39,597
Female	77,090	75,521	32,027	31,100	27,847	27,025
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	147,644	147,525	69,688	69,071	60,478	59,861
White	124,027	123,538	57,527	57,438	49,811	49,811
Black or African American	16,358	16,451	8,771	8,340	7,895	7,349
American Indian or Alaska Native	908	994	548	*	477	402
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4,244	4,315	1,707	1,500	1,304	1,101
Two or More Races	1,832	1,862	944	1,093	819	988
Hispanic or Latino	16,567	16,053	8,093	8,433	6,669	6,761
EDUCATION						
< High School	27,638 ^a	25,496	16,522	15,478	14,964	14,019
High School Graduate	51,745	52,024	26,750	26,772	24,148	23,755
Some College	42,092	42,977	20,364	20,947	17,329	18,163
College Graduate	42,737	43,082	14,145	14,307	10,705	10,685
CURRENT EMPLOYMENT						
Full-Time	94,276	94,305	47,926	47,594	41,440	40,799
Part-Time	21,331	20,597	9,880	9,437	8,022	7,768
Unemployed	6,329	5,750	4,170	3,938	3,738	3,563
Other ¹	42,276	42,927	15,804	16,535	13,946	14,492

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.30B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	77.2 ^a	76.0	36.6	36.0	31.6	30.9
GENDER						
Male	85.2	85.0	44.8	44.8	38.4	38.2
Female	69.8 ^b	67.6	29.0	27.8	25.2	24.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	79.0	78.3	37.3	36.6	32.4	31.8
White	82.3	81.5	38.2	37.9	33.1	32.9
Black or African American	69.0	68.0	37.0	34.5	33.3	30.4
American Indian or Alaska Native	84.2	87.7	50.8	*	44.2	35.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	48.2	48.3	19.4	16.8	14.8	12.3
Two or More Races	84.2	87.9	43.4	51.6	37.7	46.7
Hispanic or Latino	64.2 ^a	59.9	31.3	31.5	25.8	25.2
EDUCATION						
< High School	72.9 ^a	69.8	43.6	42.4	39.5	38.4
High School Graduate	77.1	76.4	39.8	39.3	36.0	34.9
Some College	80.2	78.5	38.8	38.3	33.0	33.2
College Graduate	77.5	77.0	25.7	25.6	19.4	19.1
CURRENT EMPLOYMENT						
Full-Time	80.6 ^a	79.2	41.0	40.0	35.4	34.3
Part-Time	74.5	74.8	34.5	34.3	28.0	28.2
Unemployed	78.3	78.0	51.6	53.4	46.2	48.3
Other ¹	71.7	70.0	26.8	27.0	23.6	23.6

*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.