

Table 8.8C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Age Group and Geographic Characteristics: 2003 and 2004

Geographic Characteristic	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0	0	0	0	0	0	0	0
GEOGRAPHIC DIVISION								
Northeast	0	0	0	0	0	0	0	0
New England	0	0	0	0	0	0	0	0
Middle Atlantic	0	0	0	0	0	0	0	0
Midwest	0	0	0	0	0	0	0	0
East North Central	0	0	0	0	0	0	0	0
West North Central	0	0	0	0	0	0	0	0
South	0	0	0	0	0	0	0	0
South Atlantic	0	0	0	0	0	0	0	0
East South Central	0	0	0	0	0	0	0	0
West South Central	0	0	0	0	0	0	0	0
West	0	0	0	0	0	0	0	0
Mountain	0	0	0	0	0	0	0	0
Pacific	0	0	0	0	0	0	0	0
COUNTY TYPE								
Large Metro	1,905	1,915	270	238	311	319	1,713	1,710
Small Metro	1,491	1,514	185	193	259	311	1,272	1,297
250K - 1 Mil. Pop.	1,294	1,217	155	160	216	260	1,092	1,035
< 250K Pop.	930	991	106	129	162	194	787	808
Nonmetro	1,051	954	132	128	162	163	942	864
Urbanized	799	632	89	86	140	134	680	541
Less Urbanized	827	792	101	108	118	120	712	668
Completely Rural	479	401	60	42	45	44	403	348

NOTE: To reflect more accurately the effects of the weighting process, standard errors (SEs) for assumed fixed population estimates (i.e., estimates forced to match U.S. Bureau of the Census population projections) are calculated differently from those that appear in prior NSDUH reports. Thus, the 2003 SEs presented here for these domains do not match those previously published.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 8.9C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups and Geographic Characteristics: 2003 and 2004

Geographic Characteristic	Total		YOUTH AND ADULT AGE GROUPS			
			12-17		18 or Older	
	2003	2004	2003	2004	2003	2004
TOTAL	0	0	0	0	0	0
GEOGRAPHIC DIVISION						
Northeast	0	0	0	0	0	0
New England	0	0	0	0	0	0
Middle Atlantic	0	0	0	0	0	0
Midwest	0	0	0	0	0	0
East North Central	0	0	0	0	0	0
West North Central	0	0	0	0	0	0
South	0	0	0	0	0	0
South Atlantic	0	0	0	0	0	0
East South Central	0	0	0	0	0	0
West South Central	0	0	0	0	0	0
West	0	0	0	0	0	0
Mountain	0	0	0	0	0	0
Pacific	0	0	0	0	0	0
COUNTY TYPE						
Large Metro	1,905	1,915	270	238	1,799	1,832
Small Metro	1,491	1,514	185	193	1,390	1,410
250K - 1 Mil. Pop.	1,294	1,217	155	160	1,207	1,134
< 250K Pop.	930	991	106	129	867	905
Nonmetro	1,051	954	132	128	989	895
Urbanized	799	632	89	86	746	586
Less Urbanized	827	792	101	108	768	721
Completely Rural	479	401	60	42	434	373

NOTE: To reflect more accurately the effects of the weighting process, standard errors (SEs) for assumed fixed population estimates (i.e., estimates forced to match U.S. Bureau of the Census population projections) are calculated differently from those that appear in prior NSDUH reports. Thus, the 2003 SEs presented here for these domains do not match those previously published.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 8.10C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Underage and Legal Drinking Age Groups and Geographic Characteristics: 2003 and 2004

Geographic Characteristic	Total		UNDERAGE AND LEGAL DRINKING AGE GROUPS			
			12-20		21 or Older	
	2003	2004	2003	2004	2003	2004
TOTAL	0	0	428	393	2,160	2,140
GEOGRAPHIC DIVISION						
Northeast	0	0	138	149	808	925
New England	0	0	60	71	332	431
Middle Atlantic	0	0	124	131	736	819
Midwest	0	0	166	160	798	791
East North Central	0	0	142	138	691	579
West North Central	0	0	87	80	400	539
South	0	0	301	245	1,387	1,346
South Atlantic	0	0	197	171	1,085	1,090
East South Central	0	0	192	72	543	502
West South Central	0	0	122	161	672	611
West	0	0	214	217	1,204	1,134
Mountain	0	0	89	108	453	475
Pacific	0	0	194	188	1,116	1,029
COUNTY TYPE						
Large Metro	1,905	1,915	357	327	1,774	1,787
Small Metro	1,491	1,514	255	276	1,354	1,370
250K - 1 Mil. Pop.	1,294	1,217	216	221	1,166	1,102
< 250K Pop.	930	991	155	196	834	863
Nonmetro	1,051	954	174	169	969	889
Urbanized	799	632	135	131	719	568
Less Urbanized	827	792	134	135	742	700
Completely Rural	479	401	78	52	420	365

NOTE: To reflect more accurately the effects of the weighting process, standard errors (SEs) for assumed fixed population estimates (i.e., estimates forced to match U.S. Bureau of the Census population projections) are calculated differently from those that appear in prior NSDUH reports. Thus, the 2003 SEs presented here for these domains do not match those previously published.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.