

Table 3.48C Grade Average for the Last Grading Period Completed, by Demographic Characteristics (I), and Selected Substance Use, by Grade Average for the Last Grading Period Completed (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Grade Average for Last Grading Period Completed ¹			
	"D" or Lower		"A," "B," or "C"	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	53	52	272	261
AGE				
12-13	26	26	123	118
14-15	31	32	121	130
16-17	30	30	128	131
GENDER				
Male	41	39	160	157
Female	29	32	163	165
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	43	46	255	241
White	35	40	218	195
Black or African American	24	20	98	98
American Indian or Alaska Native	3	4	16	15
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	9	9	50	58
Two or More Races	5	7	27	26
Hispanic or Latino	30	23	101	99
COUNTY TYPE				
Large Metro	44	39	231	213
Small Metro	25	28	152	164
Nonmetro	20	22	104	103
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	25	24	64	67
Marijuana	23	21	56	54
Illicit Drug Other Than Marijuana ²	15	17	43	47
Cigarettes	24	28	65	74
Alcohol	25	29	84	87
Binge Alcohol ³	20	23	63	70
PAST YEAR				
Illicit Drug ²	32	31	96	98
Marijuana	28	28	78	80
Illicit Drug Other Than Marijuana ²	25	24	73	73
Cigarettes	29	32	84	93
Alcohol	36	38	122	130
LIFETIME				
Illicit Drug ²	35	37	121	118
Marijuana	32	33	92	91
Illicit Drug Other Than Marijuana ²	29	31	98	96
Cigarettes	38	39	119	117
Alcohol	41	43	139	147

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported their school does not give these grades were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.48D Grade Average for the Last Grading Period Completed, by Demographic Characteristics (I), and Selected Substance Use, by Grade Average for the Last Grading Period Completed (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Grade Average for Last Grading Period Completed ¹			
	"D" or Lower		"A," "B," or "C"	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.24	0.23	0.24	0.23
AGE				
12-13	0.38	0.36	0.38	0.36
14-15	0.41	0.40	0.41	0.40
16-17	0.39	0.39	0.39	0.39
GENDER				
Male	0.36	0.34	0.36	0.34
Female	0.27	0.29	0.27	0.29
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.23	0.24	0.23	0.24
White	0.25	0.26	0.25	0.26
Black or African American	0.76	0.63	0.76	0.63
American Indian or Alaska Native	2.33	3.24	2.33	3.24
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.10	1.00	1.10	1.00
Two or More Races	1.43	1.76	1.43	1.76
Hispanic or Latino	0.85	0.65	0.85	0.65
COUNTY TYPE				
Large Metro	0.36	0.32	0.36	0.32
Small Metro	0.38	0.38	0.38	0.38
Nonmetro	0.50	0.54	0.50	0.54
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1.59	1.42	0.30	0.29
Marijuana	1.47	1.29	0.27	0.24
Illicit Drug Other Than Marijuana ²	1.07	1.11	0.21	0.22
Cigarettes	1.59	1.58	0.30	0.33
Alcohol	1.50	1.66	0.36	0.36
Binge Alcohol ³	1.31	1.38	0.29	0.32
PAST YEAR				
Illicit Drug ²	1.80	1.64	0.40	0.40
Marijuana	1.66	1.58	0.35	0.35
Illicit Drug Other Than Marijuana ²	1.58	1.40	0.33	0.32
Cigarettes	1.79	1.72	0.38	0.39
Alcohol	1.84	1.78	0.46	0.45
LIFETIME				
Illicit Drug ²	1.77	1.69	0.46	0.43
Marijuana	1.77	1.70	0.40	0.39
Illicit Drug Other Than Marijuana ²	1.68	1.65	0.41	0.37
Cigarettes	1.87	1.83	0.47	0.45
Alcohol	1.78	1.74	0.50	0.46

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported their school does not give these grades were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.48P Grade Average for the Last Grading Period Completed, by Demographic Characteristics (I), and Selected Substance Use, by Grade Average for the Last Grading Period Completed (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Grade Average for Last Grading Period Completed ¹			
	"D" or Lower		"A," "B," or "C"	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.2012		0.2012	
AGE				
12-13	1.0000		1.0000	
14-15	0.0322		0.0322	
16-17	0.9953		0.9953	
GENDER				
Male	0.8588		0.8588	
Female	0.0184		0.0184	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1585		0.1585	
White	0.0421		0.0421	
Black or African American	0.2116		0.2116	
American Indian or Alaska Native	0.2470		0.2470	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.8825		0.8825	
Two or More Races	0.2264		0.2264	
Hispanic or Latino	0.9684		0.9684	
COUNTY TYPE				
Large Metro	0.8422		0.8422	
Small Metro	0.1397		0.1397	
Nonmetro	0.3213		0.3213	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3724		0.1739	
Marijuana	0.3308		0.3583	
Illicit Drug Other Than Marijuana ²	0.8194		0.4414	
Cigarettes	0.4366		0.7875	
Alcohol	0.6813		0.6558	
Binge Alcohol ³	0.7428		0.4048	
PAST YEAR				
Illicit Drug ²	0.5827		0.2409	
Marijuana	0.9457		0.2176	
Illicit Drug Other Than Marijuana ²	0.5777		0.8444	
Cigarettes	0.3373		0.5842	
Alcohol	0.4172		0.4460	
LIFETIME				
Illicit Drug ²	0.9220		0.5642	
Marijuana	0.8828		0.1725	
Illicit Drug Other Than Marijuana ²	0.6998		0.4509	
Cigarettes	0.8982		0.0314	
Alcohol	0.5769		0.1331	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported their school does not give these grades were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.49C Youths' Feelings about Going to School During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Going to School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Going to School ¹			
	Liked a Lot/Kind of Liked		Didn't Like Very Much/Hated	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	251	235	105	103
AGE				
12-13	114	112	51	49
14-15	117	119	49	60
16-17	117	115	61	59
GENDER				
Male	150	142	75	74
Female	154	152	62	67
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	230	213	94	93
White	190	173	85	86
Black or African American	98	94	29	30
American Indian or Alaska Native	16	14	3	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	51	55	18	20
Two or More Races	26	24	10	15
Hispanic or Latino	101	95	42	44
COUNTY TYPE				
Large Metro	214	193	80	82
Small Metro	134	142	62	62
Nonmetro	97	94	40	42
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	55	56	40	41
Marijuana	49	46	35	37
Illicit Drug Other Than Marijuana ²	35	39	30	31
Cigarettes	57	62	44	46
Alcohol	74	78	49	53
Binge Alcohol ³	55	61	40	46
PAST YEAR				
Illicit Drug ²	82	80	58	58
Marijuana	69	65	47	51
Illicit Drug Other Than Marijuana ²	62	61	47	48
Cigarettes	76	77	51	56
Alcohol	110	114	65	70
LIFETIME				
Illicit Drug ²	107	99	67	67
Marijuana	84	79	53	55
Illicit Drug Other Than Marijuana ²	84	81	60	58
Cigarettes	107	102	69	67
Alcohol	131	130	75	76

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.49D Youths' Feelings about Going to School During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Going to School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Going to School ¹			
	Liked a Lot/Kind of Liked		Didn't Like Very Much/Hated	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.38	0.37	0.38	0.37
AGE				
12-13	0.61	0.60	0.61	0.60
14-15	0.59	0.63	0.59	0.63
16-17	0.68	0.65	0.68	0.65
GENDER				
Male	0.55	0.54	0.55	0.54
Female	0.49	0.51	0.49	0.51
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.40	0.39	0.40	0.39
White	0.46	0.47	0.46	0.47
Black or African American	0.83	0.83	0.83	0.83
American Indian or Alaska Native	2.66	3.92	2.66	3.92
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.02	1.92	2.02	1.92
Two or More Races	2.54	2.90	2.54	2.90
Hispanic or Latino	1.06	1.03	1.06	1.03
COUNTY TYPE				
Large Metro	0.52	0.56	0.52	0.56
Small Metro	0.71	0.65	0.71	0.65
Nonmetro	0.87	0.87	0.87	0.87
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.28	0.29	0.76	0.73
Marijuana	0.26	0.24	0.68	0.68
Illicit Drug Other Than Marijuana ²	0.19	0.21	0.59	0.58
Cigarettes	0.30	0.32	0.83	0.83
Alcohol	0.37	0.38	0.85	0.92
Binge Alcohol ³	0.28	0.32	0.75	0.84
PAST YEAR				
Illicit Drug ²	0.39	0.39	0.96	0.91
Marijuana	0.36	0.33	0.81	0.89
Illicit Drug Other Than Marijuana ²	0.31	0.32	0.88	0.83
Cigarettes	0.39	0.38	0.92	0.92
Alcohol	0.47	0.47	0.99	1.01
LIFETIME				
Illicit Drug ²	0.47	0.44	1.01	0.94
Marijuana	0.41	0.39	0.90	0.91
Illicit Drug Other Than Marijuana ²	0.40	0.38	1.02	0.94
Cigarettes	0.49	0.46	1.07	1.00
Alcohol	0.52	0.49	1.01	1.03

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.49P Youths' Feelings about Going to School During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Going to School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Going to School ¹			
	Liked a Lot/Kind of Liked		Didn't Like Very Much/Hated	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.3199		0.3199	
AGE				
12-13	0.5881		0.5881	
14-15	0.2272		0.2272	
16-17	0.3324		0.3324	
GENDER				
Male	0.6183		0.6183	
Female	0.3404		0.3404	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.3665		0.3665	
White	0.9628		0.9628	
Black or African American	0.1613		0.1613	
American Indian or Alaska Native	0.1763		0.1763	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7176		0.7176	
Two or More Races	0.2713		0.2713	
Hispanic or Latino	0.5912		0.5912	
COUNTY TYPE				
Large Metro	0.6646		0.6646	
Small Metro	0.2140		0.2140	
Nonmetro	0.9812		0.9812	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.0758		0.7846	
Marijuana	0.4099		0.3978	
Illicit Drug Other Than Marijuana ²	0.1162		0.5839	
Cigarettes	0.9814		0.7243	
Alcohol	0.7460		0.8489	
Binge Alcohol ³	0.3448		0.6781	
PAST YEAR				
Illicit Drug ²	0.0421		0.3819	
Marijuana	0.1859		0.9963	
Illicit Drug Other Than Marijuana ²	0.2082		0.3196	
Cigarettes	0.5080		0.7491	
Alcohol	0.3212		0.5214	
LIFETIME				
Illicit Drug ²	0.1935		0.2054	
Marijuana	0.1354		0.9920	
Illicit Drug Other Than Marijuana ²	0.9017		0.1761	
Cigarettes	0.0407		0.3363	
Alcohol	0.0814		0.7699	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.50C How Often Youths Felt in the Past Year That Assigned Schoolwork Was Meaningful and Important, by Demographic Characteristics (I), and Selected Substance Use, by How Often Youths Felt That Assigned Schoolwork Was Meaningful and Important (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Assigned Schoolwork Was Meaningful and Important ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	242	235	109	106
AGE				
12-13	116	113	50	46
14-15	115	119	53	62
16-17	108	111	66	63
GENDER				
Male	145	145	77	72
Female	152	150	65	71
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	221	212	99	94
White	185	169	89	87
Black or African American	95	95	33	30
American Indian or Alaska Native	15	15	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	48	56	18	18
Two or More Races	25	21	11	20
Hispanic or Latino	100	100	41	43
COUNTY TYPE				
Large Metro	203	190	89	85
Small Metro	134	150	62	55
Nonmetro	97	90	38	45
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	55	56	41	43
Marijuana	45	46	37	39
Illicit Drug Other Than Marijuana ²	38	41	27	31
Cigarettes	57	63	41	45
Alcohol	72	71	52	56
Binge Alcohol ³	53	57	40	48
PAST YEAR				
Illicit Drug ²	82	81	56	58
Marijuana	64	68	48	51
Illicit Drug Other Than Marijuana ²	63	60	47	49
Cigarettes	72	79	52	54
Alcohol	105	109	70	76
LIFETIME				
Illicit Drug ²	101	102	68	69
Marijuana	75	79	55	57
Illicit Drug Other Than Marijuana ²	83	83	57	61
Cigarettes	104	102	67	65
Alcohol	124	126	75	83

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.50D How Often Youths Felt in the Past Year That Assigned Schoolwork Was Meaningful and Important, by Demographic Characteristics (I), and Selected Substance Use, by How Often Youths Felt That Assigned Schoolwork Was Meaningful and Important (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Assigned Schoolwork Was Meaningful and Important ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.37	0.38	0.37	0.38
AGE				
12-13	0.60	0.57	0.60	0.57
14-15	0.63	0.65	0.63	0.65
16-17	0.68	0.67	0.68	0.67
GENDER				
Male	0.54	0.54	0.54	0.54
Female	0.52	0.54	0.52	0.54
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.40	0.39	0.40	0.39
White	0.47	0.46	0.47	0.46
Black or African American	0.92	0.85	0.92	0.85
American Indian or Alaska Native	3.25	3.80	3.25	3.80
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.84	1.82	1.84	1.82
Two or More Races	2.56	3.51	2.56	3.51
Hispanic or Latino	1.04	1.11	1.04	1.11
COUNTY TYPE				
Large Metro	0.54	0.57	0.54	0.57
Small Metro	0.71	0.64	0.71	0.64
Nonmetro	0.81	0.87	0.81	0.87
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.30	0.29	0.72	0.74
Marijuana	0.25	0.24	0.66	0.71
Illicit Drug Other Than Marijuana ²	0.21	0.22	0.52	0.56
Cigarettes	0.31	0.33	0.75	0.76
Alcohol	0.37	0.35	0.82	0.87
Binge Alcohol ³	0.29	0.30	0.71	0.81
PAST YEAR				
Illicit Drug ²	0.40	0.40	0.89	0.87
Marijuana	0.33	0.35	0.80	0.85
Illicit Drug Other Than Marijuana ²	0.32	0.31	0.83	0.79
Cigarettes	0.39	0.40	0.90	0.84
Alcohol	0.48	0.45	0.95	0.97
LIFETIME				
Illicit Drug ²	0.46	0.46	0.97	0.98
Marijuana	0.38	0.40	0.90	0.93
Illicit Drug Other Than Marijuana ²	0.40	0.39	0.94	0.92
Cigarettes	0.49	0.47	0.99	0.91
Alcohol	0.52	0.48	0.94	0.97

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.50P How Often Youths Felt in the Past Year That Assigned Schoolwork Was Meaningful and Important, by Demographic Characteristics (I), and Selected Substance Use, by How Often Youths Felt That Assigned Schoolwork Was Meaningful and Important (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Assigned Schoolwork Was Meaningful and Important ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.8885		0.8885	
AGE				
12-13	0.8801		0.8801	
14-15	0.5236		0.5236	
16-17	0.4083		0.4083	
GENDER				
Male	0.2309		0.2309	
Female	0.2835		0.2835	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.9249		0.9249	
White	0.8240		0.8240	
Black or African American	0.7639		0.7639	
American Indian or Alaska Native	0.6636		0.6636	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4583		0.4583	
Two or More Races	0.0158		0.0158	
Hispanic or Latino	0.9927		0.9927	
COUNTY TYPE				
Large Metro	0.8867		0.8867	
Small Metro	0.6253		0.6253	
Nonmetro	0.9388		0.9388	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.0250		0.4833	
Marijuana	0.0819		0.5990	
Illicit Drug Other Than Marijuana ²	0.0894		0.2680	
Cigarettes	0.5659		0.3655	
Alcohol	0.4567		0.3165	
Binge Alcohol ³	0.9207		0.0380	
PAST YEAR				
Illicit Drug ²	0.0786		0.4059	
Marijuana	0.0943		0.4245	
Illicit Drug Other Than Marijuana ²	0.3168		0.3679	
Cigarettes	0.4565		0.3815	
Alcohol	0.2715		0.2794	
LIFETIME				
Illicit Drug ²	0.4428		0.5452	
Marijuana	0.1041		0.7275	
Illicit Drug Other Than Marijuana ²	0.6089		0.5084	
Cigarettes	0.0710		0.2244	
Alcohol	0.1306		0.9075	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.51C Level of Importance Later in Life of Things Learned in School During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Level of Importance Later in Life of Things Learned in School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Importance Later in Life of Things Learned in School ¹			
	Very/Somewhat Important		Very/Somewhat Unimportant	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	264	258	78	71
AGE				
12-13	120	122	32	31
14-15	120	129	38	42
16-17	119	125	49	45
GENDER				
Male	158	156	56	51
Female	162	162	47	47
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	239	235	73	67
White	202	191	63	62
Black or African American	101	100	24	19
American Indian or Alaska Native	16	15	2	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	51	58	14	14
Two or More Races	26	24	11	13
Hispanic or Latino	111	106	26	26
COUNTY TYPE				
Large Metro	224	206	64	59
Small Metro	147	164	41	40
Nonmetro	104	102	26	27
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	61	67	34	29
Marijuana	52	55	29	26
Illicit Drug Other Than Marijuana ²	41	45	22	22
Cigarettes	65	74	31	33
Alcohol	82	85	38	37
Binge Alcohol ³	61	68	30	32
PAST YEAR				
Illicit Drug ²	89	94	43	40
Marijuana	72	78	37	34
Illicit Drug Other Than Marijuana ²	71	69	35	33
Cigarettes	83	93	39	39
Alcohol	117	125	51	50
LIFETIME				
Illicit Drug ²	113	116	48	48
Marijuana	86	92	41	39
Illicit Drug Other Than Marijuana ²	96	91	40	43
Cigarettes	117	120	48	45
Alcohol	138	144	55	55

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.51D Level of Importance Later in Life of Things Learned in School During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Level of Importance Later in Life of Things Learned in School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Importance Later in Life of Things Learned in School ¹			
	Very/Somewhat Important		Very/Somewhat Unimportant	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.30	0.28	0.30	0.28
AGE				
12-13	0.40	0.42	0.40	0.42
14-15	0.46	0.48	0.46	0.48
16-17	0.55	0.55	0.55	0.55
GENDER				
Male	0.43	0.41	0.43	0.41
Female	0.40	0.38	0.40	0.38
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.32	0.32	0.32	0.32
White	0.36	0.38	0.36	0.38
Black or African American	0.71	0.56	0.71	0.56
American Indian or Alaska Native	1.67	2.51	1.67	2.51
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.64	1.50	1.64	1.50
Two or More Races	2.65	2.66	2.65	2.66
Hispanic or Latino	0.73	0.69	0.73	0.69
COUNTY TYPE				
Large Metro	0.43	0.43	0.43	0.43
Small Metro	0.51	0.52	0.51	0.52
Nonmetro	0.60	0.59	0.60	0.59
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.29	0.30	1.10	0.96
Marijuana	0.26	0.25	0.98	0.89
Illicit Drug Other Than Marijuana ²	0.20	0.21	0.79	0.76
Cigarettes	0.32	0.33	1.04	1.06
Alcohol	0.37	0.36	1.10	1.15
Binge Alcohol ³	0.29	0.31	0.98	1.04
PAST YEAR				
Illicit Drug ²	0.39	0.39	1.20	1.18
Marijuana	0.33	0.34	1.13	1.11
Illicit Drug Other Than Marijuana ²	0.32	0.31	1.15	1.04
Cigarettes	0.38	0.41	1.22	1.18
Alcohol	0.46	0.44	1.24	1.23
LIFETIME				
Illicit Drug ²	0.45	0.43	1.27	1.29
Marijuana	0.38	0.39	1.25	1.23
Illicit Drug Other Than Marijuana ²	0.41	0.36	1.21	1.26
Cigarettes	0.47	0.47	1.31	1.23
Alcohol	0.49	0.46	1.22	1.22

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.51P Level of Importance Later in Life of Things Learned in School During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Level of Importance Later in Life of Things Learned in School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Importance Later in Life of Things Learned in School ¹			
	Very/Somewhat Important		Very/Somewhat Unimportant	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.5069		0.5069	
AGE				
12-13	0.5724		0.5724	
14-15	0.8095		0.8095	
16-17	0.6630		0.6630	
GENDER				
Male	0.2705		0.2705	
Female	0.8226		0.8226	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.8554		0.8554	
White	0.8870		0.8870	
Black or African American	0.1115		0.1115	
American Indian or Alaska Native	0.9627		0.9627	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.8599		0.8599	
Two or More Races	0.1452		0.1452	
Hispanic or Latino	0.2448		0.2448	
COUNTY TYPE				
Large Metro	0.1539		0.1539	
Small Metro	0.9886		0.9886	
Nonmetro	0.1666		0.1666	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.1289		0.9710	
Marijuana	0.3326		0.8240	
Illicit Drug Other Than Marijuana ²	0.3635		0.9118	
Cigarettes	0.7827		0.4742	
Alcohol	0.5567		0.1534	
Binge Alcohol ³	0.7887		0.0197	
PAST YEAR				
Illicit Drug ²	0.2072		0.6008	
Marijuana	0.3392		0.9786	
Illicit Drug Other Than Marijuana ²	0.6238		0.6368	
Cigarettes	0.5391		0.2786	
Alcohol	0.3771		0.1756	
LIFETIME				
Illicit Drug ²	0.4829		0.3538	
Marijuana	0.2286		0.9536	
Illicit Drug Other Than Marijuana ²	0.7897		0.1290	
Cigarettes	0.0334		0.9345	
Alcohol	0.1033		0.2775	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.52C How Interesting Courses at School Have Been During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Interesting Courses at School Have Been (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	How Interesting Courses at School Have Been ¹			
	Very/Somewhat Interesting		Very/Somewhat Boring	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	237	233	120	113
AGE				
12-13	112	116	54	54
14-15	109	116	60	68
16-17	110	112	66	64
GENDER				
Male	141	143	81	77
Female	146	149	69	78
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	215	211	108	102
White	180	170	94	92
Black or African American	93	94	36	34
American Indian or Alaska Native	16	*	3	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	48	57	21	23
Two or More Races	23	20	14	16
Hispanic or Latino	102	96	42	49
COUNTY TYPE				
Large Metro	202	187	96	90
Small Metro	131	143	67	66
Nonmetro	92	93	41	45
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	55	59	42	42
Marijuana	46	50	36	36
Illicit Drug Other Than Marijuana ²	35	38	29	33
Cigarettes	55	66	44	44
Alcohol	69	75	52	55
Binge Alcohol ³	52	60	40	47
PAST YEAR				
Illicit Drug ²	79	83	59	59
Marijuana	64	69	49	50
Illicit Drug Other Than Marijuana ²	62	61	47	47
Cigarettes	71	81	54	54
Alcohol	101	110	72	76
LIFETIME				
Illicit Drug ²	99	102	74	69
Marijuana	75	81	58	54
Illicit Drug Other Than Marijuana ²	81	82	62	59
Cigarettes	101	104	72	68
Alcohol	118	126	83	83

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.52D How Interesting Courses at School Have Been During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Interesting Courses at School Have Been (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	How Interesting Courses at School Have Been ¹			
	Very/Somewhat Interesting		Very/Somewhat Boring	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.41	0.40	0.41	0.40
AGE				
12-13	0.63	0.68	0.63	0.68
14-15	0.67	0.71	0.67	0.71
16-17	0.69	0.69	0.69	0.69
GENDER				
Male	0.56	0.56	0.56	0.56
Female	0.52	0.59	0.52	0.59
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.43	0.42	0.43	0.42
White	0.48	0.50	0.48	0.50
Black or African American	0.96	0.95	0.96	0.95
American Indian or Alaska Native	2.68	*	2.68	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.23	2.31	2.23	2.31
Two or More Races	3.08	2.67	3.08	2.67
Hispanic or Latino	1.10	1.21	1.10	1.21
COUNTY TYPE				
Large Metro	0.58	0.59	0.58	0.59
Small Metro	0.75	0.72	0.75	0.72
Nonmetro	0.78	0.93	0.78	0.93
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.30	0.32	0.69	0.67
Marijuana	0.26	0.27	0.61	0.60
Illicit Drug Other Than Marijuana ²	0.20	0.21	0.51	0.55
Cigarettes	0.31	0.35	0.71	0.71
Alcohol	0.36	0.38	0.78	0.83
Binge Alcohol ³	0.29	0.32	0.65	0.75
PAST YEAR				
Illicit Drug ²	0.40	0.41	0.83	0.80
Marijuana	0.35	0.36	0.77	0.74
Illicit Drug Other Than Marijuana ²	0.33	0.32	0.72	0.73
Cigarettes	0.39	0.42	0.82	0.80
Alcohol	0.46	0.47	0.92	0.90
LIFETIME				
Illicit Drug ²	0.47	0.46	0.96	0.84
Marijuana	0.39	0.41	0.89	0.78
Illicit Drug Other Than Marijuana ²	0.41	0.39	0.87	0.81
Cigarettes	0.49	0.50	0.97	0.91
Alcohol	0.50	0.49	0.93	0.89

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.52P How Interesting Courses at School Have Been During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Interesting Courses at School Have Been (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	How Interesting Courses at School Have Been ¹			
	Very/Somewhat Interesting		Very/Somewhat Boring	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.9242		0.9242	
AGE				
12-13	0.1178		0.1178	
14-15	0.3763		0.3763	
16-17	0.5276		0.5276	
GENDER				
Male	0.3068		0.3068	
Female	0.2123		0.2123	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.9836		0.9836	
White	0.6406		0.6406	
Black or African American	0.4210		0.4210	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1974		0.1974	
Two or More Races	0.1080		0.1080	
Hispanic or Latino	0.7002		0.7002	
COUNTY TYPE				
Large Metro	0.5521		0.5521	
Small Metro	0.8642		0.8642	
Nonmetro	0.0767		0.0767	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3391		0.3065	
Marijuana	0.6134		0.3175	
Illicit Drug Other Than Marijuana ²	0.3346		0.9744	
Cigarettes	0.5934		0.4302	
Alcohol	0.3710		0.2951	
Binge Alcohol ³	0.4658		0.3677	
PAST YEAR				
Illicit Drug ²	0.3113		0.6920	
Marijuana	0.4734		0.5616	
Illicit Drug Other Than Marijuana ²	0.9739		0.6560	
Cigarettes	0.7618		0.9337	
Alcohol	0.0740		0.0524	
LIFETIME				
Illicit Drug ²	0.4871		0.7218	
Marijuana	0.2338		0.8155	
Illicit Drug Other Than Marijuana ²	0.4399		0.8184	
Cigarettes	0.0114		0.9650	
Alcohol	0.0221		0.2013	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.53C How Often Teachers Let Youths Know They Were Doing a Good Job with Schoolwork in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Teachers Let Youths Know They Were Doing a Good Job with Schoolwork (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Teachers Let Youths Know They Were Doing a Good Job With Schoolwork ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	245	232	103	103
AGE				
12-13	117	114	48	49
14-15	109	123	58	60
16-17	116	112	60	61
GENDER				
Male	149	143	72	70
Female	146	150	69	68
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	227	208	93	95
White	191	168	86	85
Black or African American	94	95	33	31
American Indian or Alaska Native	16	13	6	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	48	57	20	23
Two or More Races	26	25	10	16
Hispanic or Latino	100	97	42	46
COUNTY TYPE				
Large Metro	204	189	83	79
Small Metro	132	143	61	60
Nonmetro	97	91	36	44
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	60	58	36	39
Marijuana	52	49	30	36
Illicit Drug Other Than Marijuana ²	40	40	25	28
Cigarettes	61	63	39	42
Alcohol	77	78	46	52
Binge Alcohol ³	59	61	36	43
PAST YEAR				
Illicit Drug ²	88	83	53	56
Marijuana	69	70	43	48
Illicit Drug Other Than Marijuana ²	68	62	44	45
Cigarettes	76	79	47	52
Alcohol	111	115	64	71
LIFETIME				
Illicit Drug ²	112	103	62	65
Marijuana	84	82	50	53
Illicit Drug Other Than Marijuana ²	92	82	53	57
Cigarettes	110	105	60	63
Alcohol	130	131	71	79

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.53D How Often Teachers Let Youths Know They Were Doing a Good Job with Schoolwork in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Teachers Let Youths Know They Were Doing a Good Job with Schoolwork (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Teachers Let Youths Know They Were Doing a Good Job With Schoolwork ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.36	0.36	0.36	0.36
AGE				
12-13	0.58	0.60	0.58	0.60
14-15	0.64	0.67	0.64	0.67
16-17	0.67	0.66	0.67	0.66
GENDER				
Male	0.53	0.51	0.53	0.51
Female	0.52	0.51	0.52	0.51
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.39	0.38	0.39	0.38
White	0.47	0.44	0.47	0.44
Black or African American	0.89	0.89	0.89	0.89
American Indian or Alaska Native	4.17	3.41	4.17	3.41
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.12	2.36	2.12	2.36
Two or More Races	2.56	3.28	2.56	3.28
Hispanic or Latino	1.05	1.13	1.05	1.13
COUNTY TYPE				
Large Metro	0.49	0.51	0.49	0.51
Small Metro	0.67	0.63	0.67	0.63
Nonmetro	0.79	0.87	0.79	0.87
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.32	0.30	0.68	0.68
Marijuana	0.28	0.26	0.57	0.63
Illicit Drug Other Than Marijuana ²	0.22	0.21	0.48	0.52
Cigarettes	0.33	0.33	0.70	0.73
Alcohol	0.38	0.38	0.77	0.86
Binge Alcohol ³	0.31	0.33	0.66	0.76
PAST YEAR				
Illicit Drug ²	0.42	0.42	0.90	0.88
Marijuana	0.36	0.36	0.76	0.80
Illicit Drug Other Than Marijuana ²	0.35	0.33	0.81	0.75
Cigarettes	0.40	0.40	0.80	0.87
Alcohol	0.49	0.47	0.93	0.98
LIFETIME				
Illicit Drug ²	0.50	0.47	0.98	0.93
Marijuana	0.42	0.42	0.86	0.88
Illicit Drug Other Than Marijuana ²	0.44	0.40	0.88	0.87
Cigarettes	0.51	0.48	0.88	0.97
Alcohol	0.52	0.51	0.94	0.98

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.53P How Often Teachers Let Youths Know They Were Doing a Good Job with Schoolwork in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Teachers Let Youths Know They Were Doing a Good Job with Schoolwork (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Teachers Let Youths Know They Were Doing a Good Job With Schoolwork ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.8714		0.8714	
AGE				
12-13	0.6029		0.6029	
14-15	0.0420		0.0420	
16-17	0.0611		0.0611	
GENDER				
Male	0.8138		0.8138	
Female	0.6262		0.6262	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6889		0.6889	
White	0.9781		0.9781	
Black or African American	0.2547		0.2547	
American Indian or Alaska Native	0.5781		0.5781	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3366		0.3366	
Two or More Races	0.2967		0.2967	
Hispanic or Latino	0.7264		0.7264	
COUNTY TYPE				
Large Metro	0.4782		0.4782	
Small Metro	0.8065		0.8065	
Nonmetro	0.1748		0.1748	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.1457		0.6452	
Marijuana	0.2438		0.8394	
Illicit Drug Other Than Marijuana ²	0.2705		0.8504	
Cigarettes	0.7227		0.5931	
Alcohol	0.8409		0.7717	
Binge Alcohol ³	0.5614		0.2170	
PAST YEAR				
Illicit Drug ²	0.3607		0.6357	
Marijuana	0.4617		0.5725	
Illicit Drug Other Than Marijuana ²	0.5670		0.7829	
Cigarettes	0.7869		0.4020	
Alcohol	0.4775		0.6509	
LIFETIME				
Illicit Drug ²	0.5810		0.7969	
Marijuana	0.1935		0.9853	
Illicit Drug Other Than Marijuana ²	0.6590		0.4844	
Cigarettes	0.1839		0.0464	
Alcohol	0.1782		0.9777	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.