

Table 5.58C Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME							
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year			
					Dependence or Abuse in the Past Year ¹		No Dependence or Abuse in the Past Year ¹	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	390	412	169	198	173	157	304	296
AGE								
12-17	28	30	24	26	12	12	14	14
18-25	74	71	45	48	37	38	42	37
26 or Older	382	401	160	189	170	152	301	291
GENDER								
Male	339	361	145	176	152	135	254	259
Female	195	192	85	99	73	74	164	142
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	365	351	147	172	165	147	290	261
White	331	307	122	132	142	137	269	234
Black or African American	146	147	70	93	81	46	105	105
American Indian or Alaska Native	26	32	18	21	10	8	17	21
Native Hawaiian or Other Pacific Islander	7	*	6	*	3	3	4	*
Asian	23	53	19	49	13	6	4	22
Two or More Races	54	44	28	23	23	23	42	32
Hispanic or Latino	113	226	79	102	45	58	82	140

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.58D Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME							
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year			
					Dependence or Abuse in the Past Year ¹		No Dependence or Abuse in the Past Year ¹	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.16	0.17	0.07	0.08	0.07	0.07	0.13	0.12
AGE								
12-17	0.11	0.12	0.10	0.10	0.05	0.05	0.05	0.05
18-25	0.23	0.22	0.14	0.15	0.12	0.12	0.13	0.11
26 or Older	0.21	0.22	0.09	0.10	0.09	0.08	0.17	0.16
GENDER								
Male	0.29	0.31	0.13	0.15	0.13	0.12	0.22	0.22
Female	0.16	0.16	0.07	0.08	0.06	0.06	0.13	0.11
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.18	0.17	0.07	0.08	0.08	0.07	0.14	0.12
White	0.20	0.18	0.07	0.08	0.09	0.08	0.16	0.14
Black or African American	0.53	0.52	0.25	0.33	0.30	0.16	0.38	0.38
American Indian or Alaska Native	2.09	2.49	1.47	1.62	0.76	0.64	1.39	1.59
Native Hawaiian or Other Pacific Islander	1.44	*	1.29	*	0.57	0.46	0.78	*
Asian	0.24	0.54	0.20	0.49	0.13	0.06	0.04	0.22
Two or More Races	2.08	1.71	1.07	0.89	0.91	0.89	1.62	1.25
Hispanic or Latino	0.38	0.73	0.26	0.33	0.15	0.19	0.27	0.45

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.58P Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME					
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year	
					Dependence or Abuse in the Past Year ¹	No Dependence or Abuse in the Past Year ¹
	2003	2004	2003	2004	2003	2004
TOTAL	0.2445		0.1086		0.5710	0.0280
AGE						
12-17	0.4874		0.2594		0.7271	0.7250
18-25	0.3246		0.6573		0.8418	0.2796
26 or Older	0.2870		0.1010		0.6065	0.0383
GENDER						
Male	0.3580		0.1360		0.4865	0.0738
Female	0.4297		0.5600		0.9636	0.1645
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0829		0.0475		0.3207	0.0045
White	0.0262		0.3907		0.5690	0.0036
Black or African American	0.6903		0.0522		0.3816	0.6185
American Indian or Alaska Native	0.5949		0.4011		0.9194	0.9138
Native Hawaiian or Other Pacific Islander	*		*		0.5874	*
Asian	0.2895		0.2859		0.0645	0.1467
Two or More Races	0.8034		0.6195		0.9017	0.4905
Hispanic or Latino	0.3775		0.7985		0.1885	0.3097

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.