

**Table 5.56C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status:  
Standard Errors of Numbers in Thousands, 2003 and 2004**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug		Alcohol		Both Illicit Drug and Alcohol		Illicit Drug or Alcohol <sup>1</sup>	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>DEPENDENCE</b>								
None	85	98	106	145	68	82	134	158
Illicit Drug or Alcohol	79	96	91	101	69	80	103	125
Illicit Drug	73	81	64	64	63	62	76	86
Alcohol	44	69	73	95	43	68	78	105
Both Illicit Drug and Alcohol	31	47	32	49	31	46	33	51
<b>DEPENDENCE OR ABUSE</b>								
None	67	92	85	140	49	79	107	150
Illicit Drug or Alcohol	96	100	114	108	86	82	130	136
Illicit Drug	87	88	78	70	77	68	92	94
Alcohol	80	78	108	103	78	72	119	119
Both Illicit Drug and Alcohol	69	62	68	58	66	56	74	68

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.56D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Percentages, 2003 and 2004**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug		Alcohol		Both Illicit Drug and Alcohol		Illicit Drug or Alcohol <sup>1</sup>	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>DEPENDENCE</b>								
None	0.04	0.04	0.05	0.06	0.03	0.04	0.06	0.07
Illicit Drug or Alcohol	0.69	0.80	0.78	0.81	0.61	0.66	0.88	0.98
Illicit Drug	1.52	1.51	1.33	1.23	1.32	1.19	1.56	1.56
Alcohol	0.57	0.81	0.92	1.06	0.56	0.80	0.97	1.15
Both Illicit Drug and Alcohol	2.61	2.79	2.64	2.88	2.60	2.78	2.68	2.93
<b>DEPENDENCE OR ABUSE</b>								
None	0.03	0.04	0.04	0.06	0.02	0.04	0.05	0.07
Illicit Drug or Alcohol	0.43	0.44	0.50	0.46	0.39	0.36	0.56	0.57
Illicit Drug	1.17	1.12	1.06	0.92	1.05	0.90	1.21	1.18
Alcohol	0.43	0.41	0.57	0.52	0.42	0.38	0.62	0.59
Both Illicit Drug and Alcohol	1.95	1.61	1.93	1.54	1.91	1.48	2.03	1.70

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.56P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug		Alcohol		Both Illicit Drug and Alcohol		Illicit Drug or Alcohol <sup>1</sup>	
	2003	2004	2003	2004	2003	2004	2003	2004
DEPENDENCE								
None	0.4241		0.2466		0.5936		0.3750	
Illicit Drug or Alcohol	0.1051		0.9667		0.3682		0.3506	
Illicit Drug	0.4027		0.7824		0.9533		0.5031	
Alcohol	0.1135		0.6899		0.1158		0.4502	
Both Illicit Drug and Alcohol	0.7530		0.9533		0.9296		0.8349	
DEPENDENCE OR ABUSE								
None	0.0680		0.0246		0.0624		0.0579	
Illicit Drug or Alcohol	0.3555		0.3709		0.9974		0.9257	
Illicit Drug	0.5182		0.6306		0.7665		0.5528	
Alcohol	0.8329		0.3009		0.8851		0.5710	
Both Illicit Drug and Alcohol	0.6217		0.3451		0.4510		0.5891	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.57C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2003 and 2004**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug <sup>2</sup>		Alcohol		Both Illicit Drug and Alcohol <sup>2</sup>		Illicit Drug or Alcohol <sup>2,3</sup>	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>2</sup></b>	87	88	78	70	77	68	92	94
Marijuana and Hashish	49	44	44	43	42	41	54	50
Cocaine	63	63	60	51	59	51	65	67
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	12	23	11	19	11	19	13	26
Inhalants	5	*	6	*	4	*	6	*
Nonmedical Use of Psychotherapeutics <sup>4</sup>	39	39	32	34	30	31	40	43
Pain Relievers	29	28	22	25	20	21	31	32
Tranquilizers	*	28	*	*	*	*	22	29
Stimulants	21	24	17	*	17	*	21	27
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	80	78	108	103	78	72	119	119
<b>ILLCIT DRUG OR ALCOHOL<sup>2</sup></b>	96	100	114	108	86	82	130	136
<b>BOTH ILLCIT DRUG AND ALCOHOL<sup>2</sup></b>	69	62	68	58	66	56	74	68

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.57D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2003 and 2004**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug <sup>2</sup>		Alcohol		Both Illicit Drug and Alcohol <sup>2</sup>		Illicit Drug or Alcohol <sup>2,3</sup>	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>2</sup></b>	1.17	1.12	1.06	0.92	1.05	0.90	1.21	1.18
Marijuana and Hashish	1.11	0.97	0.99	0.93	0.97	0.90	1.20	1.07
Cocaine	3.55	3.33	3.42	2.91	3.38	2.89	3.63	3.36
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	3.65	4.47	3.24	3.88	3.17	3.87	3.81	4.89
Inhalants	2.69	*	3.31	*	2.63	*	3.57	*
Nonmedical Use of Psychotherapeutics <sup>4</sup>	1.90	1.77	1.60	1.58	1.51	1.45	1.97	1.93
Pain Relievers	1.93	1.88	1.50	1.70	1.34	1.48	2.11	2.09
Tranquilizers	*	4.51	*	*	*	*	4.77	4.67
Stimulants	4.74	4.65	4.03	*	4.00	*	4.77	4.96
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	0.43	0.41	0.57	0.52	0.42	0.38	0.62	0.59
<b>ILLICIT DRUG OR ALCOHOL<sup>2</sup></b>	0.43	0.44	0.50	0.46	0.39	0.36	0.56	0.57
<b>BOTH ILLICIT DRUG AND ALCOHOL<sup>2</sup></b>	1.95	1.61	1.93	1.54	1.91	1.48	2.03	1.70

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.57P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Past Year Dependence or Abuse <sup>1</sup>	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug <sup>2</sup>		Alcohol		Both Illicit Drug and Alcohol <sup>2</sup>		Illicit Drug or Alcohol <sup>2,3</sup>	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>2</sup></b>	0.5182		0.6306		0.7665		0.5528	
Marijuana and Hashish	0.3175		0.2825		0.4281		0.2225	
Cocaine	0.2567		0.9902		0.8658		0.1764	
Heroin	*		*		*		*	
Hallucinogens	0.9478		0.5778		0.6346		0.7806	
Inhalants	*		*		*		*	
Nonmedical Use of Psychotherapeutics <sup>4</sup>	0.6617		0.8056		0.9588		0.4122	
Pain Relievers	0.2693		0.2749		0.4373		0.1693	
Tranquilizers	*		*		*		1.0000	
Stimulants	0.4041		*		*		0.8428	
Sedatives	*		*		*		*	
<b>ALCOHOL</b>	0.8329		0.3009		0.8851		0.5710	
<b>ILLCIT DRUG OR ALCOHOL<sup>2</sup></b>	0.3555		0.3709		0.9974		0.9257	
<b>BOTH ILLCIT DRUG AND ALCOHOL<sup>2</sup></b>	0.6217		0.3451		0.4510		0.5891	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.