

Table 6.41C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2003	2004	2003	2004	2003	2004
TOTAL	328	357	250	212	215	264
AGE						
18-25	86	82	48	51	67	64
26-49	249	266	186	160	168	196
50 or Older	187	205	143	132	119	156
GENDER						
Male	184	214	125	128	136	169
Female	274	262	210	170	170	189
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	305	332	225	204	206	245
White	280	286	211	189	186	202
Black or African American	101	134	60	68	79	114
Other or Two or More Races	63	67	35	36	52	57
Hispanic or Latino	118	109	88	62	75	89
EDUCATION						
< High School	119	146	87	89	75	114
High School Graduate	160	173	109	118	119	117
Some College	168	170	128	120	122	119
College Graduate	184	187	139	106	120	149
CURRENT EMPLOYMENT						
Full-Time	226	244	165	124	163	200
Part-Time	124	129	88	82	80	91
Unemployed	72	65	40	54	58	40
Other ³	168	187	128	147	112	114

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information are excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 6.41D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2003	2004	2003	2004	2003	2004
TOTAL	0.15	0.16	0.83	0.73	0.12	0.14
AGE						
18-25	0.24	0.23	1.17	1.21	0.22	0.21
26-49	0.24	0.25	1.12	1.00	0.20	0.22
50 or Older	0.23	0.25	1.36	1.31	0.17	0.21
GENDER						
Male	0.18	0.20	1.34	1.31	0.14	0.18
Female	0.24	0.23	1.03	0.88	0.18	0.20
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.16	0.17	0.81	0.76	0.13	0.15
White	0.18	0.19	0.86	0.79	0.15	0.16
Black or African American	0.41	0.53	2.97	3.22	0.36	0.50
Other or Two or More Races	0.50	0.53	3.67	3.65	0.45	0.48
Hispanic or Latino	0.45	0.40	3.81	2.86	0.33	0.35
EDUCATION						
< High School	0.31	0.39	2.09	1.96	0.22	0.34
High School Graduate	0.23	0.25	1.24	1.47	0.20	0.20
Some College	0.31	0.30	1.53	1.39	0.27	0.25
College Graduate	0.33	0.33	1.59	1.36	0.25	0.30
CURRENT EMPLOYMENT						
Full-Time	0.19	0.20	1.11	0.94	0.16	0.18
Part-Time	0.43	0.45	1.94	1.80	0.33	0.38
Unemployed	0.89	0.89	3.63	3.75	0.83	0.66
Other ³	0.28	0.31	1.36	1.47	0.22	0.22

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information are excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 6.41P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²	
			Received	Not Received
	2003	2004	2003	2004
TOTAL	0.9712		0.9354	0.7602
AGE				
18-25	0.6510		0.0280	0.0903
26-49	0.5584		0.9481	0.3859
50 or Older	0.6563		0.5054	0.7591
GENDER				
Male	0.0454		0.2720	0.0856
Female	0.1042		0.5695	0.2577
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.8587		0.6779	0.8101
White	0.8427		0.7787	0.7973
Black or African American	0.3054		0.6527	0.3017
Other or Two or More Races	0.9842		0.9580	0.9398
Hispanic or Latino	0.5610		0.3534	0.8066
EDUCATION				
< High School	0.0645		0.9647	0.0343
High School Graduate	0.8255		0.1898	0.7666
Some College	0.3857		0.8337	0.3642
College Graduate	0.3617		0.2874	0.9583
CURRENT EMPLOYMENT				
Full-Time	0.8021		0.5554	0.1068
Part-Time	0.4151		0.9761	0.1828
Unemployed	0.5054		0.8437	0.8475
Other ³	0.8622		0.6105	0.6915

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information are excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 6.42C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2003	2004	2003	2004	2003	2004
TOTAL	328	357	250	212	215	264
GEOGRAPHIC REGION						
Northeast	116	181	78	79	87	151
Midwest	134	134	104	89	87	87
South	174	216	133	134	114	155
West	214	172	167	113	134	124
COUNTY TYPE						
Large Metro	245	284	168	156	173	214
Small Metro	191	203	161	131	108	141
Nonmetro	123	112	95	81	74	74
FAMILY INCOME						
Less Than \$20,000	152	174	114	122	92	118
\$20,000 - \$49,999	212	200	160	125	142	153
\$50,000 - \$74,999	128	134	81	79	98	103
\$75,000 or More	145	166	101	102	95	121
GOVERNMENT ASSISTANCE³						
Yes	149	153	109	115	104	101
No	286	313	211	187	199	234

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information are excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 6.42D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2003	2004	2003	2004	2003	2004
TOTAL	0.15	0.16	0.83	0.73	0.12	0.14
GEOGRAPHIC REGION						
Northeast	0.29	0.43	1.38	1.47	0.26	0.42
Midwest	0.28	0.27	1.44	1.33	0.21	0.21
South	0.22	0.27	1.25	1.39	0.17	0.22
West	0.41	0.36	2.66	1.59	0.31	0.30
COUNTY TYPE						
Large Metro	0.21	0.24	1.14	1.03	0.17	0.21
Small Metro	0.27	0.30	1.62	1.33	0.20	0.25
Nonmetro	0.33	0.29	1.70	1.55	0.23	0.23
FAMILY INCOME						
Less Than \$20,000	0.35	0.39	1.69	1.64	0.26	0.31
\$20,000 - \$49,999	0.26	0.25	1.46	1.37	0.20	0.22
\$50,000 - \$74,999	0.31	0.33	1.46	1.50	0.28	0.31
\$75,000 or More	0.28	0.28	1.48	1.42	0.21	0.24
GOVERNMENT ASSISTANCE³						
Yes	0.53	0.49	1.93	1.75	0.46	0.40
No	0.15	0.17	0.88	0.82	0.12	0.14

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information are excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 6.42P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²	
			Received	Not Received
	2003	2004	2003	2004
TOTAL	0.9712		0.9354	0.7602
GEOGRAPHIC REGION				
Northeast	0.5424		0.9002	0.3118
Midwest	0.8231		0.9666	0.9397
South	0.2387		0.3748	0.1195
West	0.1133		0.4319	0.0658
COUNTY TYPE				
Large Metro	0.7548		0.9895	0.9664
Small Metro	0.5311		0.8219	0.6752
Nonmetro	0.7045		0.8690	0.8558
FAMILY INCOME				
Less Than \$20,000	0.3337		0.9739	0.1730
\$20,000 - \$49,999	0.5441		0.6428	0.9802
\$50,000 - \$74,999	0.5775		0.7753	0.6824
\$75,000 or More	0.7280		0.3157	0.8688
GOVERNMENT ASSISTANCE³				
Yes	0.6278		0.6270	0.2915
No	0.9477		0.7334	0.4662

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information are excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.