

**Table 5.86C Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	389	431	102	135	370	409	0.54	0.66
<b>AGE</b>								
12-17	50	52	12	15	49	49	0.78	0.91
18-25	110	121	26	28	107	118	0.45	0.48
26 or Older	358	389	96	131	341	367	0.82	1.03
<b>GENDER</b>								
Male	313	331	85	129	303	311	0.68	0.94
Female	207	216	55	47	196	209	0.85	0.72
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	352	393	97	98	334	380	0.58	0.57
White	309	361	73	74	298	350	0.54	0.52
Black or African American	131	134	57	58	122	121	2.98	2.76
American Indian or Alaska Native	27	37	13	14	25	35	*	*
Native Hawaiian or Other Pacific Islander	12	*	4	*	12	14	*	*
Asian	64	61	6	9	63	60	*	*
Two or More Races	36	40	9	11	34	38	*	3.82
Hispanic or Latino	141	165	33	94	137	137	1.32	3.23

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.86D Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.16	0.18	0.04	0.06	0.16	0.17	0.54	0.66
<b>AGE</b>								
12-17	0.20	0.20	0.05	0.06	0.20	0.20	0.78	0.91
18-25	0.35	0.38	0.08	0.09	0.34	0.37	0.45	0.48
26 or Older	0.20	0.21	0.05	0.07	0.19	0.20	0.82	1.03
<b>GENDER</b>								
Male	0.27	0.28	0.07	0.11	0.26	0.27	0.68	0.94
Female	0.17	0.17	0.04	0.04	0.16	0.17	0.85	0.72
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.17	0.19	0.05	0.05	0.16	0.18	0.58	0.57
White	0.19	0.22	0.04	0.04	0.18	0.21	0.54	0.52
Black or African American	0.48	0.48	0.21	0.21	0.44	0.43	2.98	2.76
American Indian or Alaska Native	2.14	2.87	1.00	1.04	1.96	2.68	*	*
Native Hawaiian or Other Pacific Islander	2.49	*	0.78	*	2.35	2.24	*	*
Asian	0.65	0.62	0.06	0.09	0.64	0.61	*	*
Two or More Races	1.39	1.56	0.36	0.42	1.32	1.49	*	3.82
Hispanic or Latino	0.47	0.53	0.11	0.30	0.46	0.44	1.32	3.23

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.86P Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.1145		0.1932		0.2086		0.3483	
AGE								
12-17	0.4338		0.1155		0.7063		0.1539	
18-25	0.6528		0.7260		0.7062		0.8009	
26 or Older	0.1324		0.2775		0.2243		0.4781	
GENDER								
Male	0.0787		0.1277		0.2045		0.2427	
Female	0.6849		0.7832		0.6204		0.6843	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1342		0.3353		0.1927		0.5820	
White	0.0787		0.3725		0.1022		0.7122	
Black or African American	0.6573		0.7306		0.7574		0.8312	
American Indian or Alaska Native	0.7447		0.4798		0.9957		*	
Native Hawaiian or Other Pacific Islander	*		*		0.4120		*	
Asian	0.0601		0.6681		0.0495		*	
Two or More Races	0.2825		0.6807		0.3142		*	
Hispanic or Latino	0.5661		0.3797		0.8538		0.3897	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.87C Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL</b>	298	289	77	85	288	273	0.41	0.43
<b>AGE</b>								
12-17	38	36	10	10	37	35	0.67	0.61
18-25	79	83	17	19	78	81	0.31	0.33
26 or Older	276	268	74	81	268	251	0.64	0.65
<b>GENDER</b>								
Male	239	231	69	76	232	217	0.54	0.57
Female	161	148	34	37	155	143	0.54	0.57
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	273	263	74	69	264	253	0.45	0.41
White	236	234	62	52	230	229	0.46	0.38
Black or African American	93	95	37	41	91	84	1.91	1.98
American Indian or Alaska Native	20	26	9	9	19	24	4.18	*
Native Hawaiian or Other Pacific Islander	11	12	2	*	11	9	*	*
Asian	47	44	4	6	46	43	0.83	1.19
Two or More Races	29	29	6	7	28	28	2.46	2.81
Hispanic or Latino	97	109	23	49	95	96	0.90	1.79

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 5.87D Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL</b>	0.13	0.12	0.03	0.04	0.12	0.11	0.41	0.43
<b>AGE</b>								
12-17	0.15	0.15	0.04	0.04	0.15	0.14	0.67	0.61
18-25	0.25	0.26	0.06	0.06	0.25	0.25	0.31	0.33
26 or Older	0.15	0.15	0.04	0.04	0.15	0.14	0.64	0.65
<b>GENDER</b>								
Male	0.21	0.20	0.06	0.07	0.20	0.19	0.54	0.57
Female	0.13	0.12	0.03	0.03	0.13	0.12	0.54	0.57
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.13	0.13	0.04	0.03	0.13	0.12	0.45	0.41
White	0.14	0.14	0.04	0.03	0.14	0.14	0.46	0.38
Black or African American	0.34	0.34	0.14	0.15	0.34	0.30	1.91	1.98
American Indian or Alaska Native	1.47	2.00	0.64	0.74	1.36	1.87	4.18	*
Native Hawaiian or Other Pacific Islander	1.65	2.17	0.30	*	1.62	1.66	*	*
Asian	0.50	0.45	0.04	0.06	0.49	0.44	0.83	1.19
Two or More Races	1.14	1.13	0.23	0.28	1.11	1.09	2.46	2.81
Hispanic or Latino	0.33	0.36	0.08	0.16	0.32	0.32	0.90	1.79

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 5.87P Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL</b>	0.6196		0.8078		0.5563		0.7054	
<b>AGE</b>								
12-17	0.5169		0.9021		0.5199		0.9780	
18-25	0.7724		0.2231		0.5752		0.1866	
26 or Older	0.6592		0.6117		0.5313		0.5146	
<b>GENDER</b>								
Male	0.8774		0.8862		0.9141		0.9101	
Female	0.4864		0.3105		0.3407		0.2160	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6031		0.4246		0.4387		0.3336	
White	0.3875		0.1309		0.1956		0.0776	
Black or African American	0.4062		0.6274		0.2593		0.3972	
American Indian or Alaska Native	0.4875		0.8858		0.4166		*	
Native Hawaiian or Other Pacific Islander	0.6332		*		0.8094		*	
Asian	0.8811		0.4603		0.9489		0.4656	
Two or More Races	0.8596		0.2920		0.9600		0.3263	
Hispanic or Latino	0.9876		0.3884		0.6680		0.3583	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 5.88C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	387	423	77	82	38	56	67	60	375	413
AGE										
12-17	52	52	8	9	7	5	5	8	51	53
18-25	129	141	21	24	7	13	19	18	126	135
26 or Older	354	372	74	78	37	54	64	57	346	363
GENDER										
Male	318	339	67	66	35	38	56	53	310	332
Female	197	206	43	45	20	33	39	30	193	203

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.88D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.00	0.00	0.44	0.45	0.23	0.31	0.39	0.34	0.44	0.45
AGE										
12-17	0.00	0.00	0.59	0.65	0.48	0.31	0.35	0.57	0.59	0.65
18-25	0.00	0.00	0.38	0.43	0.13	0.24	0.36	0.33	0.38	0.43
26 or Older	0.00	0.00	0.71	0.70	0.36	0.48	0.61	0.51	0.71	0.70
GENDER										
Male	0.00	0.00	0.58	0.54	0.31	0.31	0.49	0.44	0.58	0.54
Female	0.00	0.00	0.75	0.75	0.35	0.56	0.67	0.50	0.75	0.75

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 5.88P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	.	.	0.6574	0.6574	0.1428	0.1428	0.5389	0.5389	0.6574	0.6574
AGE										
12-17	.	.	0.9065	0.9065	0.9900	0.9900	0.8862	0.8862	0.9065	0.9065
18-25	.	.	0.3659	0.3659	0.0307	0.0307	0.8453	0.8453	0.3659	0.3659
26 or Older	.	.	0.8812	0.8812	0.3155	0.3155	0.5309	0.5309	0.8812	0.8812
GENDER										
Male	.	.	0.7920	0.7920	0.5651	0.5651	0.9485	0.9485	0.7920	0.7920
Female	.	.	0.7091	0.7091	0.0812	0.0812	0.3374	0.3374	0.7091	0.7091

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.89C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	313	290	59	58	32	33	48	48	303	284
AGE										
12-17	38	38	5	6	4	4	4	5	38	38
18-25	102	99	14	16	6	8	13	14	101	96
26 or Older	288	262	58	56	31	32	47	45	279	258
GENDER										
Male	249	237	49	46	27	26	40	38	240	233
Female	159	144	33	31	18	19	28	24	153	141

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 5.89D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL</b>	0.00	0.00	0.34	0.33	0.18	0.19	0.28	0.27	0.34	0.33
<b>AGE</b>										
12-17	0.00	0.00	0.37	0.44	0.27	0.29	0.26	0.33	0.37	0.44
18-25	0.00	0.00	0.27	0.29	0.11	0.14	0.24	0.25	0.27	0.29
26 or Older	0.00	0.00	0.54	0.52	0.29	0.30	0.45	0.42	0.54	0.52
<b>GENDER</b>										
Male	0.00	0.00	0.42	0.39	0.23	0.22	0.34	0.33	0.42	0.39
Female	0.00	0.00	0.57	0.52	0.32	0.32	0.49	0.42	0.57	0.52

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 5.89P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL</b>	.		0.5569		0.9276		0.4125		0.5569	
<b>AGE</b>										
12-17	.		0.5302		0.6799		0.6518		0.5302	
18-25	.		0.3924		0.0272		0.6737		0.3924	
26 or Older	.		0.3530		0.6496		0.4221		0.3530	
<b>GENDER</b>										
Male	.		0.8050		0.6076		0.9357		0.8050	
Female	.		0.5030		0.4410		0.1234		0.5030	

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.