

**Table 2.88C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	873	803	463	448	331	323
<b>GEOGRAPHIC DIVISION</b>						
Northeast	330	364	162	192	130	117
New England	159	214	97	107	54	69
Middle Atlantic	286	297	129	161	118	95
Midwest	333	349	202	193	128	152
East North Central	254	284	170	167	110	137
West North Central	216	202	109	97	67	67
South	562	481	282	277	206	212
South Atlantic	448	378	221	216	163	171
East South Central	187	176	111	108	70	74
West South Central	282	239	134	136	105	101
West	473	399	258	224	182	151
Mountain	210	170	104	104	48	80
Pacific	424	363	236	200	176	128
<b>COUNTY TYPE</b>						
Large Metro	651	629	361	355	259	255
Small Metro	469	421	261	246	188	175
250K – 1 Mil. Pop.	340	312	213	198	162	140
< 250K Pop.	301	285	136	143	90	108
Nonmetro	312	287	142	158	93	123
Urbanized	196	181	100	103	68	72
Less Urbanized	231	226	99	107	68	90
Completely Rural	100	88	56	37	23	30

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.88D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.37	0.33	0.19	0.19	0.14	0.13
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.73	0.80	0.36	0.42	0.29	0.26
New England	1.34	1.79	0.82	0.90	0.46	0.58
Middle Atlantic	0.86	0.88	0.39	0.48	0.35	0.28
Midwest	0.62	0.64	0.38	0.36	0.24	0.28
East North Central	0.68	0.75	0.45	0.44	0.29	0.36
West North Central	1.34	1.24	0.68	0.60	0.42	0.41
South	0.66	0.56	0.33	0.32	0.24	0.25
South Atlantic	1.01	0.84	0.50	0.48	0.37	0.38
East South Central	1.31	1.22	0.78	0.75	0.49	0.51
West South Central	1.08	0.90	0.51	0.51	0.40	0.38
West	0.88	0.73	0.48	0.41	0.34	0.28
Mountain	1.35	1.06	0.66	0.65	0.31	0.50
Pacific	1.11	0.94	0.62	0.52	0.46	0.33
<b>COUNTY TYPE</b>						
Large Metro	0.52	0.49	0.29	0.28	0.21	0.20
Small Metro	0.66	0.59	0.37	0.34	0.26	0.24
250K – 1 Mil. Pop.	0.72	0.66	0.45	0.42	0.34	0.30
< 250K Pop.	1.23	1.16	0.56	0.59	0.37	0.44
Nonmetro	0.78	0.71	0.35	0.39	0.23	0.30
Urbanized	1.10	1.09	0.56	0.61	0.38	0.43
Less Urbanized	1.27	1.11	0.54	0.53	0.37	0.44
Completely Rural	2.44	2.48	1.37	1.04	0.57	0.84

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.88P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.1549		0.6675		0.1199	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6387		0.9659		0.6373	
New England	0.1994		0.6360		0.0310	
Middle Atlantic	0.8543		0.7155		0.0612	
Midwest	0.4911		0.9841		0.0017	
East North Central	0.4710		0.9694		0.0287	
West North Central	0.8497		0.9808		0.0099	
South	0.1810		0.6766		0.7582	
South Atlantic	0.1972		0.8583		0.5642	
East South Central	0.4466		0.9583		0.2514	
West South Central	0.2825		0.6007		0.3201	
West	0.8177		0.2343		0.7272	
Mountain	0.8374		0.0443		0.0731	
Pacific	0.7150		0.6146		0.7445	
<b>COUNTY TYPE</b>						
Large Metro	0.1055		0.7252		0.8115	
Small Metro	0.4919		0.5924		0.1887	
250K – 1 Mil. Pop.	0.0904		0.8298		0.9880	
< 250K Pop.	0.3561		0.1710		0.0119	
Nonmetro	0.6267		0.1916		0.0381	
Urbanized	0.7899		0.2992		0.1445	
Less Urbanized	0.8079		0.2539		0.1773	
Completely Rural	0.0572		0.5797		0.7821	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.89C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	82	80	65	67	44	44
<b>GEOGRAPHIC DIVISION</b>						
Northeast	29	31	25	29	16	22
New England	15	13	9	13	6	10
Middle Atlantic	25	28	23	25	14	20
Midwest	35	30	31	26	20	17
East North Central	29	23	26	20	17	14
West North Central	21	19	17	17	11	9
South	52	54	40	42	27	26
South Atlantic	38	42	30	32	20	17
East South Central	21	19	16	13	10	10
West South Central	27	28	22	24	15	16
West	44	41	33	34	23	23
Mountain	21	18	16	16	7	9
Pacific	39	37	29	30	22	21
<b>COUNTY TYPE</b>						
Large Metro	61	60	46	52	32	35
Small Metro	44	45	36	36	24	22
250K – 1 Mil. Pop.	37	33	30	27	20	18
< 250K Pop.	27	27	20	22	16	14
Nonmetro	32	35	26	30	16	20
Urbanized	19	20	16	17	10	11
Less Urbanized	22	27	16	22	11	15
Completely Rural	11	10	8	7	6	4

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.89D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.33	0.32	0.26	0.27	0.17	0.18
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.65	0.68	0.56	0.63	0.35	0.49
New England	1.28	1.14	0.78	1.13	0.50	0.86
Middle Atlantic	0.75	0.83	0.71	0.76	0.43	0.59
Midwest	0.62	0.53	0.54	0.46	0.36	0.30
East North Central	0.71	0.57	0.64	0.51	0.43	0.36
West North Central	1.23	1.15	1.02	0.99	0.63	0.55
South	0.58	0.60	0.45	0.47	0.30	0.28
South Atlantic	0.85	0.91	0.68	0.71	0.45	0.38
East South Central	1.46	1.28	1.10	0.90	0.69	0.69
West South Central	0.92	0.94	0.74	0.81	0.49	0.54
West	0.75	0.69	0.55	0.57	0.39	0.38
Mountain	1.22	1.05	0.91	0.90	0.41	0.49
Pacific	0.94	0.86	0.69	0.71	0.52	0.49
<b>COUNTY TYPE</b>						
Large Metro	0.46	0.45	0.34	0.39	0.24	0.26
Small Metro	0.59	0.58	0.48	0.47	0.33	0.29
250K – 1 Mil. Pop.	0.74	0.64	0.60	0.52	0.40	0.34
< 250K Pop.	1.10	1.08	0.83	0.87	0.66	0.55
Nonmetro	0.76	0.83	0.62	0.71	0.38	0.47
Urbanized	1.04	1.19	0.86	1.02	0.56	0.64
Less Urbanized	1.12	1.24	0.82	1.03	0.56	0.68
Completely Rural	2.43	2.55	1.86	1.74	1.35	1.13

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.89P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.5755		0.5335		0.2087	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3934		0.0838		0.0471	
New England	0.3519		0.1037		0.2384	
Middle Atlantic	0.6495		0.2345		0.1015	
Midwest	0.3258		0.4938		0.4788	
East North Central	0.8426		0.7380		0.8559	
West North Central	0.1692		0.1039		0.2547	
South	0.0352		0.1757		0.4822	
South Atlantic	0.3248		0.5332		0.6031	
East South Central	0.6954		0.4580		0.7616	
West South Central	0.0190		0.2589		0.7208	
West	0.7800		0.3369		0.2525	
Mountain	0.6263		0.2370		0.0174	
Pacific	0.9451		0.6702		0.7700	
<b>COUNTY TYPE</b>						
Large Metro	0.7700		0.1973		0.3708	
Small Metro	0.0420		0.0388		0.6864	
250K – 1 Mil. Pop.	0.1515		0.1590		0.9771	
< 250K Pop.	0.1123		0.0754		0.4871	
Nonmetro	0.3697		0.0670		0.0732	
Urbanized	0.9042		0.6302		0.2967	
Less Urbanized	0.3142		0.0320		0.0853	
Completely Rural	0.8826		0.9534		0.6412	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.90C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	151	152	115	122	84	97
<b>GEOGRAPHIC DIVISION</b>						
Northeast	60	65	55	52	36	37
New England	26	32	23	24	15	19
Middle Atlantic	53	56	50	46	33	32
Midwest	61	60	49	53	35	41
East North Central	49	49	43	43	30	31
West North Central	35	34	24	31	18	28
South	101	90	69	77	56	63
South Atlantic	79	66	49	54	36	45
East South Central	29	34	28	33	22	26
West South Central	56	51	40	44	36	35
West	73	84	52	57	36	48
Mountain	31	31	30	25	22	23
Pacific	66	78	43	50	28	42
<b>COUNTY TYPE</b>						
Large Metro	115	117	91	89	63	72
Small Metro	82	81	62	71	45	55
250K – 1 Mil. Pop.	64	67	49	60	37	44
< 250K Pop.	50	50	35	42	26	32
Nonmetro	47	47	39	40	31	29
Urbanized	32	31	27	26	22	19
Less Urbanized	34	33	30	30	26	22
Completely Rural	14	12	11	12	9	8

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.90D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.48	0.47	0.36	0.38	0.26	0.30
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.07	1.14	0.98	0.92	0.64	0.65
New England	1.79	2.16	1.57	1.63	0.99	1.25
Middle Atlantic	1.27	1.33	1.20	1.09	0.80	0.77
Midwest	0.83	0.80	0.67	0.72	0.47	0.55
East North Central	0.97	0.95	0.85	0.84	0.58	0.60
West North Central	1.56	1.48	1.06	1.36	0.81	1.19
South	0.89	0.78	0.61	0.67	0.49	0.54
South Atlantic	1.41	1.16	0.87	0.94	0.65	0.80
East South Central	1.47	1.73	1.46	1.71	1.15	1.32
West South Central	1.47	1.31	1.05	1.14	0.95	0.90
West	0.99	1.12	0.71	0.76	0.48	0.64
Mountain	1.40	1.35	1.33	1.10	0.97	1.00
Pacific	1.28	1.49	0.84	0.96	0.55	0.81
<b>COUNTY TYPE</b>						
Large Metro	0.69	0.70	0.55	0.53	0.38	0.43
Small Metro	0.80	0.77	0.60	0.67	0.44	0.52
250K – 1 Mil. Pop.	0.96	0.98	0.74	0.87	0.55	0.64
< 250K Pop.	1.41	1.36	0.99	1.12	0.73	0.86
Nonmetro	0.96	0.95	0.80	0.80	0.63	0.58
Urbanized	1.36	1.36	1.14	1.14	0.94	0.84
Less Urbanized	1.57	1.41	1.39	1.31	1.18	0.95
Completely Rural	3.84	3.64	3.10	3.59	2.44	2.52

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 2.90P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.1252		0.0125		0.0009	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5237		0.2530		0.2977	
New England	0.1550		0.5666		0.0284	
Middle Atlantic	0.9512		0.3153		0.7294	
Midwest	0.5526		0.3147		0.0065	
East North Central	0.8465		0.4892		0.0531	
West North Central	0.2343		0.4334		0.0433	
South	0.1149		0.5143		0.3937	
South Atlantic	0.3708		0.3702		0.1954	
East South Central	0.2322		0.1851		0.9252	
West South Central	0.0302		0.2422		0.9803	
West	0.2826		0.0111		0.0144	
Mountain	0.5738		0.0001		0.0001	
Pacific	0.1560		0.4998		0.4611	
<b>COUNTY TYPE</b>						
Large Metro	0.3803		0.2014		0.0056	
Small Metro	0.3371		0.0379		0.0663	
250K – 1 Mil. Pop.	0.4374		0.2396		0.7111	
< 250K Pop.	0.5640		0.0399		0.0031	
Nonmetro	0.2556		0.3375		0.5784	
Urbanized	0.2266		0.7608		0.9849	
Less Urbanized	0.7624		0.2293		0.4348	
Completely Rural	0.8995		0.5856		0.9494	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.91C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	847	769	443	420	332	311
<b>GEOGRAPHIC DIVISION</b>						
Northeast	317	344	148	183	131	113
New England	148	207	82	94	53	74
Middle Atlantic	279	277	124	157	120	87
Midwest	321	338	186	175	120	137
East North Central	245	276	157	154	102	122
West North Central	208	194	100	82	65	60
South	536	458	271	257	209	210
South Atlantic	426	358	216	194	168	167
East South Central	191	169	110	98	66	76
West South Central	263	231	119	136	105	103
West	473	382	255	216	186	145
Mountain	207	170	96	100	48	83
Pacific	426	342	237	192	180	119
<b>COUNTY TYPE</b>						
Large Metro	636	583	352	342	265	244
Small Metro	448	401	238	214	181	168
250K – 1 Mil. Pop.	330	299	201	171	160	130
< 250K Pop.	279	262	117	130	78	110
Nonmetro	301	282	131	145	88	113
Urbanized	187	174	86	94	57	68
Less Urbanized	224	222	95	99	64	82
Completely Rural	102	90	52	30	22	25

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.91D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.47	0.42	0.24	0.23	0.18	0.17
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.90	0.98	0.42	0.52	0.37	0.32
New England	1.60	2.23	0.89	1.02	0.57	0.80
Middle Atlantic	1.08	1.06	0.48	0.60	0.46	0.33
Midwest	0.79	0.82	0.46	0.43	0.29	0.33
East North Central	0.86	0.96	0.55	0.54	0.36	0.43
West North Central	1.71	1.58	0.83	0.67	0.53	0.49
South	0.83	0.70	0.42	0.39	0.32	0.32
South Atlantic	1.24	1.02	0.63	0.56	0.49	0.48
East South Central	1.76	1.54	1.02	0.89	0.61	0.69
West South Central	1.36	1.17	0.62	0.69	0.54	0.52
West	1.17	0.93	0.63	0.53	0.46	0.35
Mountain	1.78	1.42	0.82	0.84	0.41	0.69
Pacific	1.47	1.17	0.82	0.66	0.62	0.41
<b>COUNTY TYPE</b>						
Large Metro	0.66	0.59	0.37	0.35	0.28	0.25
Small Metro	0.83	0.75	0.44	0.40	0.34	0.31
250K – 1 Mil. Pop.	0.93	0.85	0.57	0.48	0.45	0.37
< 250K Pop.	1.51	1.44	0.63	0.71	0.42	0.60
Nonmetro	0.97	0.90	0.42	0.46	0.28	0.36
Urbanized	1.37	1.37	0.63	0.74	0.42	0.54
Less Urbanized	1.60	1.40	0.67	0.62	0.46	0.52
Completely Rural	3.10	3.13	1.58	1.06	0.67	0.89

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.91P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.2386		0.7412		0.6210	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6672		0.4999		0.2755	
New England	0.2150		0.3362		0.1286	
Middle Atlantic	0.8608		0.8227		0.0245	
Midwest	0.3407		0.6737		0.0102	
East North Central	0.4640		0.9041		0.0620	
West North Central	0.5368		0.5040		0.0508	
South	0.3528		0.6853		0.8774	
South Atlantic	0.2538		0.7510		0.7626	
East South Central	0.5508		0.7318		0.2320	
West South Central	0.6665		0.9681		0.3428	
West	0.9414		0.5633		0.6992	
Mountain	0.9577		0.4525		0.7371	
Pacific	0.9074		0.7355		0.5803	
<b>COUNTY TYPE</b>						
Large Metro	0.1042		0.4262		0.5666	
Small Metro	0.7699		0.8956		0.4550	
250K – 1 Mil. Pop.	0.1495		0.6210		0.8622	
< 250K Pop.	0.2080		0.3028		0.0973	
Nonmetro	0.5776		0.4375		0.0894	
Urbanized	0.8957		0.3958		0.1784	
Less Urbanized	0.8597		0.6381		0.3567	
Completely Rural	0.0650		0.6131		0.6575	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.92C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	855	801	456	442	333	323
<b>GEOGRAPHIC DIVISION</b>						
Northeast	327	363	158	189	130	115
New England	156	219	95	103	55	71
Middle Atlantic	285	293	126	160	119	92
Midwest	327	349	198	191	127	150
East North Central	253	286	168	164	109	135
West North Central	207	201	103	98	66	66
South	543	477	277	273	205	212
South Atlantic	429	375	219	211	164	170
East South Central	189	172	108	108	67	75
West South Central	274	240	131	135	103	101
West	469	398	256	222	189	153
Mountain	207	173	105	105	50	80
Pacific	421	359	234	197	182	130
<b>COUNTY TYPE</b>						
Large Metro	645	616	358	350	263	255
Small Metro	457	420	254	241	188	177
250K – 1 Mil. Pop.	332	317	210	195	164	141
< 250K Pop.	293	273	132	141	87	111
Nonmetro	306	284	141	157	91	119
Urbanized	189	180	99	103	66	71
Less Urbanized	228	224	98	104	67	85
Completely Rural	101	87	54	37	22	30

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.92D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.40	0.37	0.21	0.21	0.16	0.15
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.80	0.89	0.39	0.46	0.32	0.28
New England	1.46	2.03	0.89	0.95	0.51	0.66
Middle Atlantic	0.95	0.97	0.42	0.53	0.39	0.31
Midwest	0.68	0.72	0.41	0.39	0.26	0.31
East North Central	0.75	0.84	0.50	0.48	0.32	0.40
West North Central	1.44	1.37	0.72	0.67	0.46	0.45
South	0.72	0.62	0.37	0.35	0.27	0.27
South Atlantic	1.07	0.92	0.55	0.52	0.41	0.42
East South Central	1.48	1.33	0.85	0.83	0.52	0.58
West South Central	1.18	1.02	0.57	0.57	0.44	0.43
West	0.98	0.82	0.53	0.46	0.39	0.31
Mountain	1.49	1.22	0.75	0.74	0.36	0.56
Pacific	1.23	1.04	0.69	0.57	0.53	0.38
<b>COUNTY TYPE</b>						
Large Metro	0.57	0.54	0.32	0.30	0.23	0.22
Small Metro	0.71	0.66	0.40	0.38	0.29	0.28
250K – 1 Mil. Pop.	0.79	0.75	0.50	0.46	0.39	0.33
< 250K Pop.	1.33	1.25	0.60	0.64	0.39	0.51
Nonmetro	0.85	0.78	0.39	0.43	0.25	0.33
Urbanized	1.18	1.20	0.62	0.68	0.41	0.47
Less Urbanized	1.41	1.24	0.60	0.57	0.41	0.47
Completely Rural	2.75	2.74	1.49	1.17	0.60	0.93

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.92P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.1608		0.7294		0.1640	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5975		0.8047		0.4431	
New England	0.1661		0.4987		0.0545	
Middle Atlantic	0.8725		0.8867		0.0309	
Midwest	0.4154		0.9314		0.0017	
East North Central	0.4562		0.9315		0.0261	
West North Central	0.7162		0.7575		0.0118	
South	0.2435		0.8223		0.6928	
South Atlantic	0.2179		0.9286		0.5206	
East South Central	0.4194		0.9676		0.2444	
West South Central	0.3933		0.7277		0.3436	
West	0.8008		0.2765		0.8391	
Mountain	0.8946		0.0742		0.1392	
Pacific	0.7202		0.6417		0.7241	
<b>COUNTY TYPE</b>						
Large Metro	0.0833		0.5894		0.9118	
Small Metro	0.6831		0.3968		0.1717	
250K – 1 Mil. Pop.	0.1321		0.9784		0.9874	
< 250K Pop.	0.2428		0.0925		0.0099	
Nonmetro	0.7333		0.3317		0.0731	
Urbanized	0.7493		0.3312		0.1859	
Less Urbanized	0.9301		0.4807		0.2881	
Completely Rural	0.0623		0.5709		0.7057	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.