

**Table 6.45C Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2003 and 2004**

Substance Use/Dependence or Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>3</sup></b>	574	554	123	122	205	197	111	158	461	463
Marijuana and Hashish	457	450	101	103	148	150	84	147	376	378
Nonmedical Use of Psychotherapeutics <sup>4</sup>	361	348	82	89	147	136	82	76	278	278
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	425	421	98	103	159	153	95	87	341	332
<b>CIGARETTES</b>	956	907	149	142	301	289	149	165	812	800
<b>ALCOHOL</b>	1,725	1,702	208	195	477	455	191	231	1,511	1,514
<b>ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE<sup>3,5</sup></b>	428	454	103	114	166	164	104	134	351	359
Illicit Drug Dependence or Abuse <sup>3,5</sup>	205	213	73	77	81	95	65	79	154	150
Alcohol Dependence or Abuse <sup>5</sup>	397	423	90	98	142	154	94	115	326	334

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

<sup>5</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 6.45D Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2003 and 2004**

Substance Use/Dependence or Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>3</sup></b>	0.25	0.24	1.89	1.97	0.83	0.81	1.83	2.15	0.25	0.24
Marijuana and Hashish	0.21	0.20	1.63	1.77	0.62	0.64	1.50	2.13	0.21	0.20
Nonmedical Use of Psychotherapeutics <sup>4</sup>	0.17	0.16	1.41	1.54	0.62	0.59	1.42	1.26	0.16	0.15
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	0.19	0.19	1.61	1.74	0.66	0.65	1.61	1.37	0.19	0.17
<b>CIGARETTES</b>	0.38	0.36	1.95	2.10	1.13	1.05	2.18	2.14	0.39	0.39
<b>ALCOHOL</b>	0.42	0.41	1.90	1.84	1.16	1.19	1.71	1.84	0.45	0.44
<b>ILLCIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE<sup>3,5</sup></b>	0.19	0.20	1.74	1.85	0.68	0.68	1.67	1.94	0.19	0.19
Illicit Drug Dependence or Abuse <sup>3,5</sup>	0.09	0.10	1.30	1.35	0.35	0.41	1.13	1.25	0.09	0.08
Alcohol Dependence or Abuse <sup>5</sup>	0.18	0.19	1.57	1.65	0.59	0.65	1.57	1.81	0.18	0.18

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

<sup>5</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 6.45P Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Substance Use/Dependence or Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>3</sup></b>	0.5923		0.7027		0.9289		0.3627		0.3259	
Marijuana and Hashish	0.9420		0.5828		0.7673		0.0588		0.4781	
Nonmedical Use of Psychotherapeutics <sup>4</sup>	0.3762		0.5396		0.4326		0.7054		0.4512	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	0.1745		0.4697		0.4325		0.3701		0.2237	
<b>CIGARETTES</b>	0.5391		0.5718		0.7589		0.9973		0.4060	
<b>ALCOHOL</b>	0.7571		0.3678		0.7528		0.9803		0.7074	
<b>ILLCIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE<sup>3,5</sup></b>	0.2635		0.1107		0.0360		0.3228		0.7746	
Illicit Drug Dependence or Abuse <sup>3,5</sup>	0.2373		0.5969		0.0809		0.1423		0.8635	
Alcohol Dependence or Abuse <sup>5</sup>	0.2887		0.1564		0.0490		0.5542		0.9148	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

<sup>5</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 6.46C Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2003 and 2004**

Substance Use/Dependence or Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Unmet Need		No Unmet Need	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>3</sup></b>	574	554	171	206	522	513
Marijuana and Hashish	457	450	135	184	416	416
Nonmedical Use of Psychotherapeutics <sup>4</sup>	361	348	118	125	328	316
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	425	421	141	144	387	382
<b>CIGARETTES</b>	956	907	213	227	903	867
<b>ALCOHOL</b>	1,725	1,702	276	319	1,662	1,645
<b>ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE<sup>3,5</sup></b>	428	454	152	182	392	404
Illicit Drug Dependence or Abuse <sup>3,5</sup>	205	213	102	111	174	185
Alcohol Dependence or Abuse <sup>5</sup>	397	423	135	156	362	380

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

<sup>5</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 6.46D Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2003 and 2004**

Substance Use/Dependence or Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Unmet Need		No Unmet Need	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>3</sup></b>	0.25	0.24	1.32	1.47	0.25	0.24
Marijuana and Hashish	0.21	0.20	1.13	1.40	0.20	0.20
Nonmedical Use of Psychotherapeutics <sup>4</sup>	0.17	0.16	1.00	1.05	0.16	0.15
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	0.19	0.19	1.15	1.14	0.19	0.18
<b>CIGARETTES</b>	0.38	0.36	1.39	1.48	0.38	0.37
<b>ALCOHOL</b>	0.42	0.41	1.22	1.34	0.43	0.42
<b>ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE<sup>3,5</sup></b>	0.19	0.20	1.28	1.38	0.19	0.19
Illicit Drug Dependence or Abuse <sup>3,5</sup>	0.09	0.10	0.89	0.90	0.09	0.09
Alcohol Dependence or Abuse <sup>5</sup>	0.18	0.19	1.18	1.26	0.17	0.18

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

<sup>5</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 6.46P Substance Use and Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Substance Use/Dependence or Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Unmet Need		No Unmet Need	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>3</sup></b>	0.5923		0.3503		0.3811	
Marijuana and Hashish	0.9420		0.0688		0.5755	
Nonmedical Use of Psychotherapeutics <sup>4</sup>	0.3762		0.8443		0.3130	
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	0.1745		0.9203		0.1595	
<b>CIGARETTES</b>	0.5391		0.7430		0.4599	
<b>ALCOHOL</b>	0.7571		0.5502		0.8434	
<b>ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE<sup>3,5</sup></b>	0.2635		0.0687		0.5729	
Illicit Drug Dependence or Abuse <sup>3,5</sup>	0.2373		0.1715		0.5087	
Alcohol Dependence or Abuse <sup>5</sup>	0.2887		0.1629		0.5099	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent substance use and substance dependence or abuse in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling or unmet need information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown treatment/counseling or unmet need information are excluded. Due to revised editing of 2003 and 2004 outpatient mental health treatment/counseling data, these 2003 estimates may differ slightly from 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

<sup>5</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.