

Table 7.13C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	272	285	264	245
Marijuana and Hashish	238	252	200	200
Cocaine	132	104	53	61
Crack	88	63	18	14
Heroin	26	31	10	11
Hallucinogens	55	46	43	34
LSD	15	25	11	8
PCP	12	11	*	13
Ecstasy	38	33	38	29
Inhalants	30	27	32	58
Nonmedical Use of Psychotherapeutics ²	139	145	190	136
Pain Relievers	121	121	155	108
OxyContin [®]	--	32	--	16
Tranquilizers	85	79	83	66
Stimulants	65	66	58	62
Methamphetamine	55	54	43	37
Sedatives	34	41	42	26
ILLICIT DRUG OTHER THAN MARIJUANA¹	181	183	198	163

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.13D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	0.45	0.48	0.15	0.14
Marijuana and Hashish	0.39	0.42	0.11	0.11
Cocaine	0.22	0.17	0.03	0.03
Crack	0.15	0.11	0.01	0.01
Heroin	0.04	0.05	0.01	0.01
Hallucinogens	0.09	0.08	0.02	0.02
LSD	0.02	0.04	0.01	0.00
PCP	0.02	0.02	*	0.01
Ecstasy	0.06	0.06	0.02	0.02
Inhalants	0.05	0.04	0.02	0.03
Nonmedical Use of Psychotherapeutics ²	0.23	0.24	0.11	0.08
Pain Relievers	0.20	0.20	0.09	0.06
OxyContin [®]	--	0.05	--	0.01
Tranquilizers	0.14	0.13	0.05	0.04
Stimulants	0.11	0.11	0.03	0.03
Methamphetamine	0.09	0.09	0.02	0.02
Sedatives	0.06	0.07	0.02	0.01
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.30	0.31	0.11	0.09

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.13P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	0.7568		0.1239	
Marijuana and Hashish	0.7969		0.5925	
Cocaine	0.1351		0.9697	
Crack	0.2809		0.3987	
Heroin	0.3134		0.6637	
Hallucinogens	0.2783		0.5294	
LSD	0.4140		0.2336	
PCP	0.3102		*	
Ecstasy	0.7066		1.0000	
Inhalants	0.8024		0.2711	
Nonmedical Use of Psychotherapeutic ²	0.2308		0.0162	
Pain Relievers	0.2919		0.0136	
OxyContin [®]	--		--	
Tranquilizers	0.2522		0.3950	
Stimulants	0.6325		0.5908	
Methamphetamine	0.8874		0.8323	
Sedatives	0.9670		0.5842	
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.9630		0.0206	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.14C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	36	37	46	50
Marijuana and Hashish	35	36	38	37
Cocaine	14	14	8	5
Crack	7	4	3	2
Heroin	6	4	2	3
Hallucinogens	16	16	12	9
LSD	8	7	6	3
PCP	5	5	3	1
Ecstasy	11	11	5	5
Inhalants	15	14	19	21
Nonmedical Use of Psychotherapeutics ²	25	25	31	29
Pain Relievers	22	24	28	27
OxyContin [®]	--	10	--	3
Tranquilizers	15	12	15	10
Stimulants	15	14	12	11
Methamphetamine	9	10	6	6
Sedatives	7	3	7	5
ILLCIT DRUG OTHER THAN MARIJUANA¹	28	30	36	36

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.14D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	1.17	1.25	0.21	0.22
Marijuana and Hashish	1.14	1.19	0.17	0.17
Cocaine	0.44	0.48	0.04	0.02
Crack	0.23	0.15	0.01	0.01
Heroin	0.19	0.12	0.01	0.01
Hallucinogens	0.53	0.52	0.05	0.04
LSD	0.26	0.23	0.03	0.02
PCP	0.18	0.16	0.01	0.01
Ecstasy	0.35	0.38	0.02	0.02
Inhalants	0.50	0.48	0.09	0.10
Nonmedical Use of Psychotherapeutics ²	0.81	0.85	0.14	0.13
Pain Relievers	0.74	0.79	0.13	0.12
OxyContin [®]	--	0.34	--	0.01
Tranquilizers	0.48	0.40	0.07	0.04
Stimulants	0.48	0.48	0.05	0.05
Methamphetamine	0.29	0.34	0.03	0.03
Sedatives	0.22	0.11	0.03	0.02
ILLCIT DRUG OTHER THAN MARIJUANA¹	0.92	0.99	0.16	0.16

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.14P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	0.5726		0.1166	
Marijuana and Hashish	0.3840		0.8609	
Cocaine	0.9267		0.0105	
Crack	0.1054		0.4438	
Heroin	0.4038		0.4057	
Hallucinogens	0.3767		0.0615	
LSD	0.6008		0.2561	
PCP	0.5423		0.1024	
Ecstasy	0.6534		0.3839	
Inhalants	0.5513		0.8665	
Nonmedical Use of Psychotherapeutic ²	0.6879		0.0853	
Pain Relievers	0.9044		0.1994	
OxyContin [®]	--		--	
Tranquilizers	0.1537		0.0497	
Stimulants	0.2994		0.1918	
Methamphetamine	0.6650		0.3812	
Sedatives	0.0196		0.6950	
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.6923		0.1322	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.15C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	89	94	75	65
Marijuana and Hashish	86	90	70	56
Cocaine	36	39	18	16
Crack	13	13	2	4
Heroin	7	9	1	3
Hallucinogens	34	29	17	16
LSD	10	13	9	7
PCP	10	5	*	1
Ecstasy	21	22	8	10
Inhalants	14	14	12	12
Nonmedical Use of Psychotherapeutics ²	54	54	38	38
Pain Relievers	47	47	34	34
OxyContin [®]	--	19	--	4
Tranquilizers	30	31	17	19
Stimulants	27	30	14	13
Methamphetamine	20	21	8	8
Sedatives	10	8	5	6
ILLCIT DRUG OTHER THAN MARIJUANA¹	63	64	43	44

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.15D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	0.70	0.74	0.39	0.33
Marijuana and Hashish	0.67	0.71	0.37	0.29
Cocaine	0.28	0.30	0.10	0.08
Crack	0.10	0.10	0.01	0.02
Heroin	0.05	0.07	0.01	0.01
Hallucinogens	0.27	0.23	0.09	0.08
LSD	0.07	0.10	0.05	0.03
PCP	0.08	0.04	*	0.01
Ecstasy	0.17	0.17	0.04	0.05
Inhalants	0.11	0.11	0.06	0.06
Nonmedical Use of Psychotherapeutics ²	0.42	0.43	0.20	0.20
Pain Relievers	0.37	0.37	0.18	0.18
OxyContin [®]	--	0.15	--	0.02
Tranquilizers	0.23	0.25	0.09	0.10
Stimulants	0.21	0.23	0.07	0.07
Methamphetamine	0.16	0.16	0.04	0.04
Sedatives	0.07	0.06	0.03	0.03
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.49	0.50	0.23	0.23

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.15P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	0.6037		0.0782	
Marijuana and Hashish	0.8553		0.0141	
Cocaine	0.6505		0.2217	
Crack	0.2319		0.3624	
Heroin	0.2204		0.2839	
Hallucinogens	0.2376		0.5303	
LSD	0.1869		0.5826	
PCP	0.2332		*	
Ecstasy	0.9073		0.7213	
Inhalants	0.3875		0.5853	
Nonmedical Use of Psychotherapeutic ²	0.3172		0.4278	
Pain Relievers	0.3497		0.2987	
OxyContin [®]	--		--	
Tranquilizers	0.5131		0.7175	
Stimulants	0.1045		0.2724	
Methamphetamine	0.9499		0.9798	
Sedatives	0.3720		0.9004	
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.9199		0.2547	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.16C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	244	255	249	224
Marijuana and Hashish	211	218	176	185
Cocaine	124	95	50	59
Crack	87	61	17	13
Heroin	24	30	9	11
Hallucinogens	38	31	37	31
LSD	7	13	*	*
PCP	4	8	*	13
Ecstasy	29	23	36	27
Inhalants	21	18	24	52
Nonmedical Use of Psychotherapeutics ²	127	131	183	126
Pain Relievers	109	110	148	96
OxyContin [®]	--	24	--	15
Tranquilizers	79	69	79	62
Stimulants	56	55	55	59
Methamphetamine	50	48	42	35
Sedatives	32	40	42	25
ILLICIT DRUG OTHER THAN MARIJUANA¹	170	166	192	147

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.16D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	0.55	0.58	0.18	0.16
Marijuana and Hashish	0.47	0.49	0.13	0.13
Cocaine	0.28	0.22	0.04	0.04
Crack	0.20	0.14	0.01	0.01
Heroin	0.05	0.07	0.01	0.01
Hallucinogens	0.09	0.07	0.03	0.02
LSD	0.02	0.03	*	*
PCP	0.01	0.02	*	0.01
Ecstasy	0.06	0.05	0.03	0.02
Inhalants	0.05	0.04	0.02	0.04
Nonmedical Use of Psychotherapeutics ²	0.28	0.30	0.13	0.09
Pain Relievers	0.24	0.25	0.11	0.07
OxyContin [®]	--	0.05	--	0.01
Tranquilizers	0.18	0.16	0.06	0.04
Stimulants	0.13	0.13	0.04	0.04
Methamphetamine	0.11	0.11	0.03	0.03
Sedatives	0.07	0.09	0.03	0.02
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.38	0.37	0.14	0.11

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.16P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	0.5528		0.3961	
Marijuana and Hashish	0.6323		0.8262	
Cocaine	0.0814		0.5047	
Crack	0.2446		0.3474	
Heroin	0.3992		0.9761	
Hallucinogens	0.9341		0.8863	
LSD	0.6152		*	
PCP	0.7376		*	
Ecstasy	0.8051		0.9807	
Inhalants	0.5817		0.1692	
Nonmedical Use of Psychotherapeutic ²	0.3508		0.0371	
Pain Relievers	0.4430		0.0313	
OxyContin [®]	--		--	
Tranquilizers	0.1959		0.5285	
Stimulants	0.9785		0.9589	
Methamphetamine	0.9171		0.9154	
Sedatives	0.6093		0.6021	
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.9685		0.0524	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs

Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.