

**Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	909	969	558	535	404	415
Marijuana and Hashish	868	912	455	451	327	360
Cocaine	565	636	229	205	147	119
Crack	264	280	124	117	91	66
Heroin	205	193	48	56	28	37
Hallucinogens	589	618	147	153	72	58
LSD	494	506	44	47	18	26
PCP	271	298	24	28	13	17
Ecstasy	285	329	105	112	55	47
Inhalants	441	480	83	90	45	64
Nonmedical Use of Psychotherapeutics <sup>2</sup>	641	729	354	353	250	210
Pain Relievers	517	564	299	300	207	170
OxyContin <sup>®</sup>	140	134	--	74	--	36
Tranquilizers	435	490	195	208	118	103
Stimulants	459	466	128	147	93	94
Methamphetamine	369	352	94	112	75	69
Sedatives	325	403	85	72	55	48
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	756	827	420	410	289	255

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.38	0.40	0.23	0.22	0.17	0.17
Marijuana and Hashish	0.37	0.38	0.19	0.19	0.14	0.15
Cocaine	0.24	0.26	0.10	0.09	0.06	0.05
Crack	0.11	0.12	0.05	0.05	0.04	0.03
Heroin	0.09	0.08	0.02	0.02	0.01	0.02
Hallucinogens	0.25	0.26	0.06	0.06	0.03	0.02
LSD	0.21	0.21	0.02	0.02	0.01	0.01
PCP	0.11	0.12	0.01	0.01	0.01	0.01
Ecstasy	0.12	0.14	0.04	0.05	0.02	0.02
Inhalants	0.19	0.20	0.03	0.04	0.02	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.27	0.30	0.15	0.15	0.11	0.09
Pain Relievers	0.22	0.23	0.13	0.12	0.09	0.07
OxyContin <sup>®</sup>	0.06	0.06	--	0.03	--	0.02
Tranquilizers	0.18	0.20	0.08	0.09	0.05	0.04
Stimulants	0.19	0.19	0.05	0.06	0.04	0.04
Methamphetamine	0.16	0.15	0.04	0.05	0.03	0.03
Sedatives	0.14	0.17	0.04	0.03	0.02	0.02
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.32	0.34	0.18	0.17	0.12	0.11

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.1P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.2373		0.4285		0.2576	
Marijuana and Hashish	0.4176		0.9024		0.6243	
Cocaine	0.1760		0.2923		0.1297	
Crack	0.5877		0.4826		0.1928	
Heroin	0.0266		0.2783		0.3277	
Hallucinogens	0.6086		0.6126		0.1840	
LSD	0.0682		0.6707		0.8515	
PCP	0.2767		0.7512		0.6955	
Ecstasy	0.8091		0.1304		0.7311	
Inhalants	0.4574		0.2265		0.4365	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.6481		0.2977		0.2207	
Pain Relievers	0.8008		0.1920		0.2092	
OxyContin <sup>®</sup>	0.2929		--		--	
Tranquilizers	0.3741		0.8788		0.1209	
Stimulants	0.1012		0.4823		0.9027	
Methamphetamine	0.1469		0.4590		0.7557	
Sedatives	0.6097		0.3535		0.6574	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.2179		0.1310		0.0716	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	107	96	91	87	67	67
Marijuana and Hashish	91	87	79	77	60	57
Cocaine	36	33	28	27	16	15
Crack	17	14	13	10	8	5
Heroin	11	12	8	10	6	5
Hallucinogens	48	45	37	36	20	19
LSD	26	24	15	17	10	8
PCP	20	18	12	12	6	5
Ecstasy	32	31	23	23	12	13
Inhalants	68	67	48	45	25	26
Nonmedical Use of Psychotherapeutics <sup>2</sup>	76	70	64	59	42	40
Pain Relievers	70	67	59	56	39	36
OxyContin <sup>®</sup>	20	24	--	18	--	10
Tranquilizers	40	36	33	29	22	15
Stimulants	40	38	30	28	19	19
Methamphetamine	22	24	17	17	11	12
Sedatives	22	23	16	15	10	6
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	97	84	79	71	48	49

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.43	0.38	0.36	0.34	0.27	0.27
Marijuana and Hashish	0.37	0.34	0.31	0.31	0.24	0.23
Cocaine	0.15	0.13	0.11	0.11	0.06	0.06
Crack	0.07	0.06	0.05	0.04	0.03	0.02
Heroin	0.04	0.05	0.03	0.04	0.02	0.02
Hallucinogens	0.19	0.18	0.15	0.14	0.08	0.07
LSD	0.10	0.09	0.06	0.07	0.04	0.03
PCP	0.08	0.07	0.05	0.05	0.02	0.02
Ecstasy	0.13	0.12	0.09	0.09	0.05	0.05
Inhalants	0.27	0.27	0.19	0.18	0.10	0.10
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.30	0.28	0.26	0.23	0.17	0.16
Pain Relievers	0.28	0.27	0.24	0.22	0.15	0.14
OxyContin <sup>®</sup>	0.08	0.09	--	0.07	--	0.04
Tranquilizers	0.16	0.14	0.13	0.12	0.09	0.06
Stimulants	0.16	0.15	0.12	0.11	0.08	0.08
Methamphetamine	0.09	0.09	0.07	0.07	0.04	0.05
Sedatives	0.09	0.09	0.06	0.06	0.04	0.02
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.39	0.33	0.32	0.28	0.19	0.20

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.2P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.3672		0.1100		0.0803	
Marijuana and Hashish	0.2736		0.2853		0.3316	
Cocaine	0.3789		0.4183		0.1917	
Crack	0.1461		0.0454		0.0644	
Heroin	0.8721		0.4001		0.7085	
Hallucinogens	0.1323		0.5433		0.0684	
LSD	0.0106		0.7486		0.2817	
PCP	0.2280		0.3041		0.2236	
Ecstasy	0.0661		0.4924		0.4017	
Inhalants	0.4829		0.5597		0.7747	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.9027		0.3390		0.1073	
Pain Relievers	0.5730		0.4035		0.2709	
OxyContin <sup>®</sup>	0.0865		--		--	
Tranquilizers	0.2207		0.1897		0.0169	
Stimulants	0.0066		0.0533		0.0996	
Methamphetamine	0.3354		0.6092		0.3962	
Sedatives	1.0000		0.9469		0.0624	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.9361		0.2944		0.1391	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	155	165	153	154	128	130
Marijuana and Hashish	157	176	146	152	116	119
Cocaine	107	109	72	80	42	43
Crack	54	50	23	24	13	13
Heroin	37	36	14	15	7	9
Hallucinogens	134	130	77	72	37	33
LSD	108	98	30	27	13	14
PCP	49	42	19	17	10	5
Ecstasy	109	108	50	48	23	23
Inhalants	104	111	39	41	19	18
Nonmedical Use of Psychotherapeutics <sup>2</sup>	135	141	103	110	70	68
Pain Relievers	130	129	97	94	61	60
OxyContin <sup>®</sup>	56	54	--	35	--	19
Tranquilizers	98	98	66	66	36	38
Stimulants	94	97	54	62	30	32
Methamphetamine	65	61	36	38	21	22
Sedatives	37	40	18	18	11	10
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	151	157	127	126	82	82

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.49	0.51	0.48	0.48	0.40	0.40
Marijuana and Hashish	0.50	0.55	0.46	0.47	0.37	0.37
Cocaine	0.34	0.34	0.23	0.25	0.13	0.13
Crack	0.17	0.16	0.07	0.07	0.04	0.04
Heroin	0.12	0.11	0.04	0.05	0.02	0.03
Hallucinogens	0.42	0.40	0.24	0.22	0.12	0.10
LSD	0.34	0.31	0.09	0.08	0.04	0.04
PCP	0.16	0.13	0.06	0.05	0.03	0.02
Ecstasy	0.34	0.34	0.16	0.15	0.07	0.07
Inhalants	0.33	0.34	0.12	0.13	0.06	0.06
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.43	0.44	0.33	0.34	0.22	0.21
Pain Relievers	0.41	0.40	0.30	0.29	0.19	0.19
OxyContin <sup>®</sup>	0.18	0.17	--	0.11	--	0.06
Tranquilizers	0.31	0.31	0.21	0.20	0.11	0.12
Stimulants	0.29	0.30	0.17	0.19	0.09	0.10
Methamphetamine	0.20	0.19	0.11	0.12	0.07	0.07
Sedatives	0.12	0.12	0.06	0.06	0.04	0.03
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.47	0.49	0.40	0.39	0.26	0.26

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.3P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.0586		0.3109		0.1142	
Marijuana and Hashish	0.1148		0.3186		0.0997	
Cocaine	0.6690		0.9596		0.8037	
Crack	0.3312		0.6453		0.1925	
Heroin	0.9122		0.3247		0.1629	
Hallucinogens	0.0010		0.0649		0.1453	
LSD	0.0000		0.5628		0.4752	
PCP	0.0009		0.4286		0.2400	
Ecstasy	0.0418		0.0109		0.9569	
Inhalants	0.0664		0.9634		0.7501	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.8095		0.5653		0.8520	
Pain Relievers	0.3035		0.8556		0.9697	
OxyContin <sup>®</sup>	0.0084		--		--	
Tranquilizers	0.8001		0.6148		0.5397	
Stimulants	0.7503		0.5328		0.3562	
Methamphetamine	0.8859		0.9521		0.9746	
Sedatives	0.3116		0.8846		0.4879	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.1357		0.3860		0.4697	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	874	928	489	473	363	366
Marijuana and Hashish	831	875	387	395	284	312
Cocaine	552	621	207	180	137	110
Crack	257	274	120	112	90	64
Heroin	201	188	45	52	26	35
Hallucinogens	549	583	109	132	54	44
LSD	469	494	28	29	8	13
PCP	262	292	6	18	*	15
Ecstasy	255	286	86	97	46	37
Inhalants	407	448	54	69	32	55
Nonmedical Use of Psychotherapeutics <sup>2</sup>	617	700	331	313	237	187
Pain Relievers	477	529	275	265	193	152
OxyContin <sup>®</sup>	125	120	--	61	--	28
Tranquilizers	414	471	175	189	112	91
Stimulants	447	450	107	125	83	82
Methamphetamine	365	349	85	101	70	60
Sedatives	316	396	81	69	53	47
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	728	788	375	364	274	226

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.48	0.51	0.27	0.26	0.20	0.20
Marijuana and Hashish	0.46	0.48	0.21	0.22	0.16	0.17
Cocaine	0.30	0.34	0.11	0.10	0.08	0.06
Crack	0.14	0.15	0.07	0.06	0.05	0.03
Heroin	0.11	0.10	0.02	0.03	0.01	0.02
Hallucinogens	0.30	0.32	0.06	0.07	0.03	0.02
LSD	0.26	0.27	0.02	0.02	0.00	0.01
PCP	0.14	0.16	0.00	0.01	*	0.01
Ecstasy	0.14	0.16	0.05	0.05	0.03	0.02
Inhalants	0.22	0.24	0.03	0.04	0.02	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.34	0.38	0.18	0.17	0.13	0.10
Pain Relievers	0.26	0.29	0.15	0.14	0.11	0.08
OxyContin <sup>®</sup>	0.07	0.07	--	0.03	--	0.02
Tranquilizers	0.23	0.26	0.10	0.10	0.06	0.05
Stimulants	0.25	0.25	0.06	0.07	0.05	0.04
Methamphetamine	0.20	0.19	0.05	0.06	0.04	0.03
Sedatives	0.17	0.22	0.04	0.04	0.03	0.03
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.40	0.43	0.21	0.20	0.15	0.12

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.4P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.4402		0.7772		0.7090	
Marijuana and Hashish	0.6710		0.6672		0.7831	
Cocaine	0.1528		0.2751		0.1658	
Crack	0.7916		0.6705		0.1664	
Heroin	0.0212		0.4880		0.4760	
Hallucinogens	0.7291		0.4629		0.9933	
LSD	0.3665		0.2897		0.7494	
PCP	0.6476		0.1948		*	
Ecstasy	0.1620		0.8332		0.8829	
Inhalants	0.6570		0.1997		0.3248	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.5784		0.2500		0.2811	
Pain Relievers	0.9214		0.2184		0.2550	
OxyContin <sup>®</sup>	0.7419		--		--	
Tranquilizers	0.4336		0.8103		0.1439	
Stimulants	0.1638		0.3263		0.9160	
Methamphetamine	0.1488		0.3823		0.8462	
Sedatives	0.6777		0.3053		0.9861	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.3268		0.2243		0.1419	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	46	47	35	36	24	24
Marijuana and Hashish	24	24	19	21	11	14
Cocaine	8	6	6	5	3	3
Crack	2	3	2	3	2	3
Heroin	3	4	2	4	*	4
Hallucinogens	13	13	9	11	5	7
LSD	5	7	4	6	3	5
PCP	3	8	2	4	1	3
Ecstasy	8	7	5	6	2	4
Inhalants	36	36	24	24	14	13
Nonmedical Use of Psychotherapeutics <sup>2</sup>	31	32	23	26	15	17
Pain Relievers	29	29	22	24	14	16
OxyContin <sup>®</sup>	2	5	--	3	--	*
Tranquilizers	9	11	8	8	7	5
Stimulants	13	13	9	10	7	6
Methamphetamine	7	8	4	6	3	4
Sedatives	8	11	7	7	2	3
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	43	45	32	33	21	22

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.54	0.57	0.42	0.43	0.28	0.28
Marijuana and Hashish	0.28	0.28	0.23	0.25	0.13	0.16
Cocaine	0.10	0.07	0.07	0.06	0.04	0.04
Crack	0.02	0.04	0.02	0.04	0.02	0.04
Heroin	0.04	0.05	0.03	0.05	*	0.04
Hallucinogens	0.16	0.16	0.11	0.13	0.06	0.08
LSD	0.05	0.09	0.04	0.07	0.03	0.06
PCP	0.03	0.09	0.02	0.05	0.02	0.04
Ecstasy	0.09	0.08	0.06	0.08	0.02	0.04
Inhalants	0.42	0.43	0.29	0.28	0.17	0.15
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.37	0.38	0.27	0.31	0.18	0.20
Pain Relievers	0.34	0.34	0.26	0.29	0.17	0.19
OxyContin <sup>®</sup>	0.03	0.06	--	0.04	--	*
Tranquilizers	0.11	0.13	0.09	0.10	0.08	0.06
Stimulants	0.16	0.16	0.11	0.12	0.08	0.07
Methamphetamine	0.08	0.09	0.05	0.07	0.03	0.05
Sedatives	0.09	0.13	0.08	0.09	0.02	0.04
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.51	0.54	0.38	0.40	0.25	0.26

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.5P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	0.4765		0.8362		0.8847	
Marijuana and Hashish	0.4665		0.2118		0.4112	
Cocaine	0.4006		0.9269		0.3660	
Crack	0.5303		0.5303		0.7402	
Heroin	0.4620		0.3709		*	
Hallucinogens	0.8435		0.4355		0.3453	
LSD	0.1630		0.2445		0.1611	
PCP	0.0233		0.4583		0.6847	
Ecstasy	0.7849		0.3107		0.2718	
Inhalants	0.8701		0.8774		0.3485	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.8954		0.4500		0.8290	
Pain Relievers	0.5095		0.8154		0.9972	
OxyContin <sup>®</sup>	0.1889		--		--	
Tranquilizers	0.3272		0.7000		0.4259	
Stimulants	0.6838		0.6702		0.4737	
Methamphetamine	0.7597		0.7373		0.9446	
Sedatives	0.2591		0.5103		0.3959	
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.6160		0.7416		0.6752	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.6C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	58	55	51	49	37	40
Marijuana and Hashish	49	46	43	41	32	32
Cocaine	18	16	15	12	10	8
Crack	9	8	7	5	4	3
Heroin	6	5	4	3	2	1
Hallucinogens	25	23	20	20	12	9
LSD	15	12	10	9	5	3
PCP	13	9	8	6	0	1
Ecstasy	16	15	12	12	7	4
Inhalants	40	42	30	30	16	17
Nonmedical Use of Psychotherapeutics <sup>2</sup>	41	41	36	34	25	25
Pain Relievers	39	38	34	31	23	24
OxyContin <sup>®</sup>	10	12	--	10	--	7
Tranquilizers	21	20	18	15	13	8
Stimulants	21	22	17	18	10	12
Methamphetamine	12	15	10	12	5	8
Sedatives	13	12	9	9	7	3
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	50	51	43	42	29	30

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.6D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.70	0.64	0.62	0.57	0.44	0.46
Marijuana and Hashish	0.59	0.53	0.52	0.47	0.39	0.37
Cocaine	0.22	0.18	0.18	0.14	0.12	0.09
Crack	0.11	0.09	0.08	0.06	0.05	0.03
Heroin	0.07	0.06	0.05	0.03	0.03	0.01
Hallucinogens	0.30	0.27	0.25	0.23	0.14	0.10
LSD	0.18	0.14	0.12	0.11	0.06	0.04
PCP	0.15	0.11	0.09	0.07	0.00	0.01
Ecstasy	0.19	0.18	0.14	0.14	0.08	0.04
Inhalants	0.49	0.49	0.37	0.35	0.20	0.19
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.49	0.47	0.43	0.39	0.30	0.29
Pain Relievers	0.47	0.44	0.41	0.36	0.27	0.28
OxyContin <sup>®</sup>	0.12	0.14	--	0.12	--	0.08
Tranquilizers	0.25	0.24	0.22	0.18	0.15	0.09
Stimulants	0.25	0.25	0.20	0.20	0.12	0.14
Methamphetamine	0.14	0.17	0.12	0.14	0.06	0.09
Sedatives	0.15	0.14	0.11	0.11	0.08	0.04
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.60	0.59	0.52	0.49	0.35	0.35

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.6P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.7122		0.3234		0.9606	
Marijuana and Hashish	0.2828		0.1834		0.9378	
Cocaine	0.6204		0.1594		0.3801	
Crack	0.4662		0.1870		0.3870	
Heroin	0.2643		0.1678		0.1968	
Hallucinogens	0.2484		0.7128		0.0054	
LSD	0.1914		0.8231		0.1840	
PCP	0.1231		0.1697		1.0000	
Ecstasy	0.1126		0.3932		0.0127	
Inhalants	0.2121		0.4198		0.5382	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.7718		0.5682		0.9923	
Pain Relievers	0.8523		0.5455		0.7596	
OxyContin <sup>®</sup>	0.3610		--		--	
Tranquilizers	0.5039		0.2327		0.1764	
Stimulants	0.3349		0.6199		0.6736	
Methamphetamine	0.2541		0.5579		0.6891	
Sedatives	0.6772		0.8813		0.2225	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.4117		0.7700		0.8145	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.7C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	66	63	62	60	53	48
Marijuana and Hashish	63	63	58	56	48	44
Cocaine	31	28	23	24	13	12
Crack	14	12	10	9	6	3
Heroin	9	10	6	9	6	3
Hallucinogens	36	33	28	27	16	15
LSD	21	18	12	12	8	6
PCP	15	13	9	9	6	4
Ecstasy	26	25	20	19	10	11
Inhalants	38	41	27	27	12	11
Nonmedical Use of Psychotherapeutics <sup>2</sup>	52	50	45	42	30	26
Pain Relievers	47	47	40	39	27	22
OxyContin <sup>®</sup>	17	19	--	14	--	8
Tranquilizers	32	28	26	23	16	12
Stimulants	30	30	22	20	15	13
Methamphetamine	18	18	13	12	9	8
Sedatives	15	16	10	10	7	3
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	60	54	49	47	33	31

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.7D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.80	0.77	0.75	0.74	0.63	0.59
Marijuana and Hashish	0.76	0.77	0.70	0.69	0.57	0.54
Cocaine	0.37	0.34	0.28	0.29	0.15	0.15
Crack	0.17	0.15	0.12	0.10	0.07	0.03
Heroin	0.11	0.12	0.08	0.11	0.07	0.04
Hallucinogens	0.44	0.41	0.34	0.33	0.20	0.19
LSD	0.26	0.22	0.14	0.15	0.09	0.07
PCP	0.18	0.16	0.10	0.11	0.07	0.05
Ecstasy	0.31	0.31	0.24	0.24	0.13	0.14
Inhalants	0.46	0.50	0.32	0.33	0.14	0.14
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.62	0.61	0.54	0.51	0.37	0.32
Pain Relievers	0.57	0.57	0.49	0.47	0.33	0.27
OxyContin <sup>®</sup>	0.20	0.24	--	0.17	--	0.10
Tranquilizers	0.39	0.35	0.31	0.28	0.20	0.15
Stimulants	0.37	0.36	0.27	0.25	0.18	0.16
Methamphetamine	0.21	0.22	0.15	0.15	0.11	0.10
Sedatives	0.18	0.19	0.12	0.12	0.08	0.04
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.72	0.66	0.59	0.58	0.40	0.38

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.7P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.6026		0.1165		0.0289	
Marijuana and Hashish	0.3813		0.4052		0.1402	
Cocaine	0.6528		0.9960		0.4879	
Crack	0.1680		0.0710		0.0383	
Heroin	0.8634		0.2078		0.4910	
Hallucinogens	0.3039		0.4514		0.4517	
LSD	0.0098		0.9269		0.2012	
PCP	0.1938		0.5614		0.1277	
Ecstasy	0.1972		0.6018		0.9608	
Inhalants	0.7177		0.8691		0.6686	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.9422		0.2001		0.0278	
Pain Relievers	0.2657		0.4155		0.0432	
OxyContin <sup>®</sup>	0.2361		--		--	
Tranquilizers	0.1829		0.3463		0.0620	
Stimulants	0.0080		0.0153		0.0273	
Methamphetamine	0.0492		0.1422		0.2037	
Sedatives	0.7014		0.8079		0.0436	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.6494		0.1229		0.0792	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.8C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	96	99	97	95	80	81
Marijuana and Hashish	99	100	96	92	76	76
Cocaine	60	58	41	45	25	25
Crack	32	27	18	15	12	7
Heroin	18	19	9	10	6	5
Hallucinogens	75	67	51	44	28	22
LSD	53	43	21	20	11	10
PCP	29	23	12	11	4	5
Ecstasy	62	51	34	29	15	14
Inhalants	62	58	28	30	14	12
Nonmedical Use of Psychotherapeutics <sup>2</sup>	81	88	65	72	45	46
Pain Relievers	77	82	62	62	41	41
OxyContin <sup>®</sup>	34	33	--	24	--	13
Tranquilizers	55	53	42	36	21	21
Stimulants	53	55	34	40	20	22
Methamphetamine	36	30	21	20	13	12
Sedatives	19	19	11	11	6	5
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	89	97	76	79	53	53

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.8D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.77	0.79	0.77	0.76	0.64	0.64
Marijuana and Hashish	0.79	0.80	0.77	0.74	0.61	0.60
Cocaine	0.48	0.46	0.33	0.36	0.20	0.20
Crack	0.26	0.22	0.14	0.12	0.10	0.06
Heroin	0.15	0.15	0.07	0.08	0.05	0.04
Hallucinogens	0.60	0.53	0.41	0.35	0.22	0.18
LSD	0.43	0.34	0.17	0.16	0.09	0.08
PCP	0.23	0.18	0.10	0.09	0.03	0.04
Ecstasy	0.50	0.40	0.27	0.23	0.12	0.11
Inhalants	0.49	0.46	0.23	0.24	0.11	0.09
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.64	0.70	0.52	0.57	0.36	0.36
Pain Relievers	0.62	0.65	0.49	0.49	0.33	0.33
OxyContin <sup>®</sup>	0.27	0.26	--	0.19	--	0.10
Tranquilizers	0.44	0.43	0.33	0.29	0.17	0.17
Stimulants	0.43	0.44	0.27	0.32	0.16	0.18
Methamphetamine	0.29	0.24	0.17	0.16	0.10	0.10
Sedatives	0.15	0.15	0.09	0.09	0.05	0.04
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.71	0.77	0.61	0.63	0.42	0.42

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.8P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.1855		0.4171		0.0745	
Marijuana and Hashish	0.2163		0.5106		0.0534	
Cocaine	0.4690		0.8555		0.6697	
Crack	0.3187		0.4473		0.7907	
Heroin	0.8022		0.4574		0.9608	
Hallucinogens	0.0000		0.0041		0.0817	
LSD	0.0000		0.5901		0.7551	
PCP	0.0273		0.3862		0.5550	
Ecstasy	0.0000		0.0082		0.2566	
Inhalants	0.0059		0.9311		0.9826	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.6428		0.9644		0.9787	
Pain Relievers	0.7448		0.6497		0.4290	
OxyContin <sup>®</sup>	0.2888		--		--	
Tranquilizers	0.8074		0.4270		0.3670	
Stimulants	0.8321		0.3686		0.0392	
Methamphetamine	0.4758		0.8276		0.5440	
Sedatives	0.3418		0.6433		0.6394	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.1152		0.2032		0.2772	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.9C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	113	121	105	115	88	97
Marijuana and Hashish	114	128	99	113	79	91
Cocaine	87	87	58	61	34	34
Crack	45	44	17	17	5	11
Heroin	30	30	10	11	4	7
Hallucinogens	104	105	52	52	26	24
LSD	88	84	19	18	8	10
PCP	38	34	13	12	10	2
Ecstasy	86	90	38	40	17	19
Inhalants	77	86	25	27	13	14
Nonmedical Use of Psychotherapeutics <sup>2</sup>	99	107	73	78	47	50
Pain Relievers	93	99	68	68	41	45
OxyContin <sup>®</sup>	43	42	--	26	--	14
Tranquilizers	78	78	49	51	28	28
Stimulants	70	71	38	41	23	22
Methamphetamine	52	53	28	31	17	17
Sedatives	30	34	14	14	9	8
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	111	118	88	91	57	62

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.9D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.59	0.61	0.55	0.59	0.46	0.49
Marijuana and Hashish	0.59	0.65	0.52	0.57	0.41	0.46
Cocaine	0.45	0.44	0.30	0.31	0.18	0.17
Crack	0.23	0.22	0.09	0.09	0.03	0.05
Heroin	0.16	0.15	0.05	0.06	0.02	0.04
Hallucinogens	0.54	0.54	0.27	0.27	0.13	0.12
LSD	0.46	0.43	0.10	0.09	0.04	0.05
PCP	0.20	0.17	0.07	0.06	0.05	0.01
Ecstasy	0.45	0.46	0.20	0.20	0.09	0.10
Inhalants	0.40	0.44	0.13	0.14	0.07	0.07
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.52	0.55	0.38	0.40	0.25	0.25
Pain Relievers	0.48	0.50	0.35	0.35	0.21	0.23
OxyContin <sup>®</sup>	0.22	0.21	--	0.13	--	0.07
Tranquilizers	0.41	0.40	0.26	0.26	0.15	0.14
Stimulants	0.36	0.36	0.20	0.21	0.12	0.11
Methamphetamine	0.27	0.27	0.15	0.16	0.09	0.09
Sedatives	0.16	0.17	0.07	0.07	0.05	0.04
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.58	0.60	0.46	0.46	0.30	0.31

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.9P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.1223		0.5381		0.5402	
Marijuana and Hashish	0.2324		0.4674		0.5995	
Cocaine	0.3667		0.8464		0.9971	
Crack	0.5730		0.9353		0.0189	
Heroin	0.8070		0.4700		0.0260	
Hallucinogens	0.2176		0.9699		0.7522	
LSD	0.0263		0.8078		0.4319	
PCP	0.0059		0.7879		0.0761	
Ecstasy	0.5472		0.2958		0.3860	
Inhalants	0.7024		0.8091		0.6607	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.4982		0.3780		0.7473	
Pain Relievers	0.2643		0.8178		0.4617	
OxyContin <sup>®</sup>	0.0096		--		--	
Tranquilizers	0.8481		0.9660		0.8786	
Stimulants	0.7567		0.9191		0.4788	
Methamphetamine	0.5824		0.8231		0.6230	
Sedatives	0.5438		0.8588		0.5996	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.4344		0.9426		0.9927	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.10C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	285	287	233	219	183	182
Marijuana and Hashish	290	284	210	199	153	164
Cocaine	225	214	127	106	70	63
Crack	134	123	55	56	37	33
Heroin	68	62	22	27	14	23
Hallucinogens	239	245	87	87	46	36
LSD	192	211	20	27	5	12
PCP	74	72	6	18	4	15
Ecstasy	184	193	72	68	41	28
Inhalants	188	187	28	35	9	26
Nonmedical Use of Psychotherapeutics <sup>2</sup>	241	249	160	157	116	106
Pain Relievers	214	228	141	137	101	85
OxyContin <sup>®</sup>	76	75	--	40	--	23
Tranquilizers	180	174	82	107	42	61
Stimulants	162	145	62	71	53	46
Methamphetamine	139	125	52	61	44	33
Sedatives	71	80	33	35	26	18
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	279	285	183	177	127	127

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.10D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.82	0.82	0.67	0.62	0.52	0.52
Marijuana and Hashish	0.83	0.81	0.60	0.57	0.44	0.47
Cocaine	0.64	0.61	0.36	0.30	0.20	0.18
Crack	0.38	0.35	0.16	0.16	0.11	0.09
Heroin	0.20	0.18	0.06	0.08	0.04	0.06
Hallucinogens	0.68	0.70	0.25	0.25	0.13	0.10
LSD	0.55	0.60	0.06	0.08	0.02	0.03
PCP	0.21	0.21	0.02	0.05	0.01	0.04
Ecstasy	0.53	0.55	0.21	0.20	0.12	0.08
Inhalants	0.54	0.53	0.08	0.10	0.03	0.08
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.69	0.71	0.46	0.45	0.33	0.30
Pain Relievers	0.61	0.65	0.40	0.39	0.29	0.24
OxyContin <sup>®</sup>	0.22	0.21	--	0.12	--	0.07
Tranquilizers	0.52	0.50	0.24	0.31	0.12	0.17
Stimulants	0.46	0.41	0.18	0.20	0.15	0.13
Methamphetamine	0.40	0.36	0.15	0.17	0.12	0.09
Sedatives	0.20	0.23	0.09	0.10	0.07	0.05
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.80	0.81	0.52	0.51	0.36	0.36

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.10P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.7577		0.6429		0.6532	
Marijuana and Hashish	0.6663		0.5669		0.9112	
Cocaine	0.0547		0.8629		0.6946	
Crack	0.0858		0.7195		0.5309	
Heroin	0.2567		0.4196		0.2586	
Hallucinogens	0.5377		0.7544		0.9500	
LSD	0.9868		0.1523		0.6921	
PCP	0.8185		0.1924		0.3124	
Ecstasy	0.0886		0.5983		0.5914	
Inhalants	0.4886		0.0630		0.0395	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.4430		0.9437		0.6924	
Pain Relievers	0.8394		0.9788		0.7667	
OxyContin <sup>®</sup>	0.3668		--		--	
Tranquilizers	0.6305		0.1879		0.2830	
Stimulants	0.2597		0.2580		0.6425	
Methamphetamine	0.3829		0.3504		0.4926	
Sedatives	0.5285		0.5007		0.9396	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.4904		0.8512		0.6852	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.11C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	793	851	410	397	300	295
Marijuana and Hashish	761	808	305	330	228	242
Cocaine	520	555	153	140	113	87
Crack	220	251	104	92	80	50
Heroin	183	176	40	41	22	27
Hallucinogens	458	509	57	83	28	25
LSD	410	433	20	12	*	*
PCP	253	284	*	*	*	*
Ecstasy	168	176	45	55	23	24
Inhalants	344	397	47	59	31	48
Nonmedical Use of Psychotherapeutics <sup>2</sup>	567	637	278	256	195	150
Pain Relievers	426	457	234	213	157	121
OxyContin <sup>®</sup>	97	89	--	50	--	16
Tranquilizers	366	427	154	144	104	69
Stimulants	412	422	86	101	63	67
Methamphetamine	334	320	66	78	55	50
Sedatives	305	383	75	58	46	43
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	664	705	304	291	227	179

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.11D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.54	0.57	0.28	0.27	0.21	0.20
Marijuana and Hashish	0.52	0.55	0.21	0.22	0.16	0.16
Cocaine	0.36	0.37	0.11	0.09	0.08	0.06
Crack	0.15	0.17	0.07	0.06	0.06	0.03
Heroin	0.13	0.12	0.03	0.03	0.02	0.02
Hallucinogens	0.31	0.34	0.04	0.06	0.02	0.02
LSD	0.28	0.29	0.01	0.01	*	*
PCP	0.17	0.19	*	*	*	*
Ecstasy	0.11	0.12	0.03	0.04	0.02	0.02
Inhalants	0.24	0.27	0.03	0.04	0.02	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.39	0.43	0.19	0.17	0.13	0.10
Pain Relievers	0.29	0.31	0.16	0.14	0.11	0.08
OxyContin <sup>®</sup>	0.07	0.06	--	0.03	--	0.01
Tranquilizers	0.25	0.29	0.11	0.10	0.07	0.05
Stimulants	0.28	0.29	0.06	0.07	0.04	0.05
Methamphetamine	0.23	0.22	0.05	0.05	0.04	0.03
Sedatives	0.21	0.26	0.05	0.04	0.03	0.03
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.45	0.48	0.21	0.20	0.16	0.12

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.11P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.5069		0.9923		0.5236	
Marijuana and Hashish	0.8019		0.3170		0.6313	
Cocaine	0.4553		0.2125		0.1560	
Crack	0.4546		0.7664		0.1961	
Heroin	0.0348		0.7212		0.9685	
Hallucinogens	0.8857		0.3621		0.9724	
LSD	0.3230		0.8628		*	
PCP	0.6672		*		*	
Ecstasy	0.7180		0.6897		0.5639	
Inhalants	0.9188		0.6797		0.9181	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.7922		0.1763		0.1301	
Pain Relievers	0.9646		0.1603		0.2434	
OxyContin <sup>®</sup>	0.2771		--		--	
Tranquilizers	0.5229		0.6162		0.0263	
Stimulants	0.2895		0.6586		0.8120	
Methamphetamine	0.2316		0.6593		0.7785	
Sedatives	0.7912		0.1404		0.9557	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.4591		0.1968		0.0515	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.12C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	902	965	540	519	396	404
Marijuana and Hashish	865	918	437	437	317	349
Cocaine	564	635	225	202	146	119
Crack	263	280	122	115	91	66
Heroin	204	193	47	55	27	36
Hallucinogens	584	613	140	147	68	55
LSD	494	504	41	41	15	22
PCP	270	297	20	25	11	16
Ecstasy	281	326	101	108	53	45
Inhalants	435	471	66	78	37	58
Nonmedical Use of Psychotherapeutics <sup>2</sup>	635	724	351	341	249	203
Pain Relievers	510	559	298	289	205	164
OxyContin <sup>®</sup>	140	133	--	72	--	35
Tranquilizers	433	484	192	203	116	102
Stimulants	457	465	124	142	90	90
Methamphetamine	369	352	93	109	73	67
Sedatives	322	399	83	70	54	48
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	748	820	408	399	286	247

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.12D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.42	0.45	0.25	0.24	0.19	0.19
Marijuana and Hashish	0.41	0.43	0.21	0.20	0.15	0.16
Cocaine	0.27	0.30	0.11	0.09	0.07	0.06
Crack	0.12	0.13	0.06	0.05	0.04	0.03
Heroin	0.10	0.09	0.02	0.03	0.01	0.02
Hallucinogens	0.27	0.28	0.07	0.07	0.03	0.03
LSD	0.23	0.23	0.02	0.02	0.01	0.01
PCP	0.13	0.14	0.01	0.01	0.01	0.01
Ecstasy	0.13	0.15	0.05	0.05	0.03	0.02
Inhalants	0.20	0.22	0.03	0.04	0.02	0.03
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.30	0.34	0.17	0.16	0.12	0.09
Pain Relievers	0.24	0.26	0.14	0.13	0.10	0.08
OxyContin <sup>®</sup>	0.07	0.06	--	0.03	--	0.02
Tranquilizers	0.20	0.22	0.09	0.09	0.05	0.05
Stimulants	0.21	0.22	0.06	0.07	0.04	0.04
Methamphetamine	0.17	0.16	0.04	0.05	0.03	0.03
Sedatives	0.15	0.19	0.04	0.03	0.03	0.02
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.35	0.38	0.19	0.19	0.13	0.11

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.12P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.2754		0.5923		0.3915	
Marijuana and Hashish	0.4823		0.9420		0.7409	
Cocaine	0.1893		0.3314		0.1697	
Crack	0.6451		0.6082		0.2516	
Heroin	0.0267		0.3394		0.2859	
Hallucinogens	0.6838		0.7185		0.4076	
LSD	0.0861		0.7309		0.4823	
PCP	0.3084		0.8107		0.9343	
Ecstasy	0.6502		0.1562		0.8866	
Inhalants	0.3848		0.2558		0.3021	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.6292		0.3762		0.3400	
Pain Relievers	0.8587		0.2465		0.2870	
OxyContin <sup>®</sup>	0.4253		--		--	
Tranquilizers	0.4168		0.9542		0.2558	
Stimulants	0.1561		0.2507		0.8181	
Methamphetamine	0.1634		0.3971		0.8505	
Sedatives	0.6087		0.3354		0.8735	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.2120		0.1745		0.1132	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.13C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	614	625	384	382	284	303
Marijuana and Hashish	604	608	331	327	249	272
Cocaine	449	478	191	161	126	97
Crack	223	218	105	94	79	52
Heroin	159	150	44	45	23	36
Hallucinogens	441	459	121	125	56	53
LSD	384	404	34	39	16	24
PCP	219	230	17	24	11	16
Ecstasy	221	242	88	87	36	43
Inhalants	377	375	65	73	36	44
Nonmedical Use of Psychotherapeutics <sup>2</sup>	468	493	236	238	155	142
Pain Relievers	367	400	207	204	135	113
OxyContin <sup>®</sup>	114	114	--	59	--	25
Tranquilizers	307	346	137	129	71	71
Stimulants	349	332	85	112	59	69
Methamphetamine	297	264	69	89	55	48
Sedatives	259	283	43	45	20	27
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	559	573	283	292	196	184

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.13D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.53	0.54	0.33	0.33	0.25	0.26
Marijuana and Hashish	0.53	0.52	0.29	0.28	0.22	0.23
Cocaine	0.39	0.41	0.17	0.14	0.11	0.08
Crack	0.19	0.19	0.09	0.08	0.07	0.04
Heroin	0.14	0.13	0.04	0.04	0.02	0.03
Hallucinogens	0.38	0.39	0.10	0.11	0.05	0.05
LSD	0.33	0.35	0.03	0.03	0.01	0.02
PCP	0.19	0.20	0.01	0.02	0.01	0.01
Ecstasy	0.19	0.21	0.08	0.07	0.03	0.04
Inhalants	0.33	0.32	0.06	0.06	0.03	0.04
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.41	0.42	0.20	0.20	0.13	0.12
Pain Relievers	0.32	0.34	0.18	0.18	0.12	0.10
OxyContin <sup>®</sup>	0.10	0.10	--	0.05	--	0.02
Tranquilizers	0.27	0.30	0.12	0.11	0.06	0.06
Stimulants	0.30	0.28	0.07	0.10	0.05	0.06
Methamphetamine	0.26	0.23	0.06	0.08	0.05	0.04
Sedatives	0.23	0.24	0.04	0.04	0.02	0.02
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.49	0.49	0.25	0.25	0.17	0.16

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.13P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	0.5435		0.4614		0.7637	
Marijuana and Hashish	0.7493		0.7630		0.7040	
Cocaine	0.2834		0.3177		0.1959	
Crack	0.0900		0.5308		0.1001	
Heroin	0.0346		0.3073		0.1359	
Hallucinogens	0.9368		0.5479		0.9956	
LSD	0.3472		0.3656		0.7668	
PCP	0.2521		0.4634		0.7981	
Ecstasy	0.3469		0.8640		0.1142	
Inhalants	0.3188		0.2094		0.3595	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.6249		0.5632		0.4969	
Pain Relievers	0.6686		0.3113		0.1507	
OxyContin <sup>®</sup>	0.4838		--		--	
Tranquilizers	0.5689		0.4810		0.8583	
Stimulants	0.6678		0.2785		0.6833	
Methamphetamine	0.2389		0.3680		0.1709	
Sedatives	0.6702		0.8737		0.9451	
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.8515		0.3455		0.2750	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.14C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	625	636	329	326	244	238
Marijuana and Hashish	587	588	241	273	178	197
Cocaine	353	357	109	120	64	65
Crack	144	157	59	62	31	37
Heroin	112	99	18	26	14	9
Hallucinogens	348	377	74	70	42	24
LSD	283	283	26	20	8	7
PCP	149	170	14	14	7	*
Ecstasy	165	180	55	53	38	18
Inhalants	231	267	47	63	27	46
Nonmedical Use of Psychotherapeutics <sup>2</sup>	448	474	247	223	175	141
Pain Relievers	365	349	209	189	144	119
OxyContin <sup>®</sup>	76	72	--	43	--	25
Tranquilizers	307	305	139	147	95	70
Stimulants	313	298	85	87	62	60
Methamphetamine	226	204	58	59	41	46
Sedatives	204	261	72	56	50	40
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	527	515	269	240	186	158

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.14D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.51	0.51	0.27	0.26	0.20	0.19
Marijuana and Hashish	0.48	0.47	0.20	0.22	0.14	0.16
Cocaine	0.29	0.29	0.09	0.10	0.05	0.05
Crack	0.12	0.13	0.05	0.05	0.03	0.03
Heroin	0.09	0.08	0.01	0.02	0.01	0.01
Hallucinogens	0.28	0.30	0.06	0.06	0.03	0.02
LSD	0.23	0.23	0.02	0.02	0.01	0.01
PCP	0.12	0.14	0.01	0.01	0.01	*
Ecstasy	0.13	0.15	0.04	0.04	0.03	0.01
Inhalants	0.19	0.22	0.04	0.05	0.02	0.04
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.37	0.38	0.20	0.18	0.14	0.11
Pain Relievers	0.30	0.28	0.17	0.15	0.12	0.10
OxyContin <sup>®</sup>	0.06	0.06	--	0.03	--	0.02
Tranquilizers	0.25	0.25	0.11	0.12	0.08	0.06
Stimulants	0.26	0.24	0.07	0.07	0.05	0.05
Methamphetamine	0.18	0.16	0.05	0.05	0.03	0.04
Sedatives	0.17	0.21	0.06	0.05	0.04	0.03
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.43	0.42	0.22	0.19	0.15	0.13

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.14P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.2702		0.6492		0.1246	
Marijuana and Hashish	0.3820		0.8731		0.7038	
Cocaine	0.3686		0.6533		0.3796	
Crack	0.1680		0.7247		0.8584	
Heroin	0.2258		0.6419		0.2853	
Hallucinogens	0.4387		0.0501		0.0113	
LSD	0.0478		0.5472		0.7989	
PCP	0.7626		0.1100		*	
Ecstasy	0.3577		0.0096		0.0099	
Inhalants	0.9256		0.7543		0.8809	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.2294		0.3212		0.2302	
Pain Relievers	0.9278		0.3493		0.6457	
OxyContin <sup>®</sup>	0.3863		--		--	
Tranquilizers	0.0546		0.6705		0.0619	
Stimulants	0.0577		0.9262		0.8074	
Methamphetamine	0.4146		0.9237		0.2546	
Sedatives	0.1922		0.3081		0.5928	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.1069		0.1599		0.0836	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.15C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	71	67	64	62	47	44
Marijuana and Hashish	63	61	53	53	43	39
Cocaine	24	24	19	20	10	12
Crack	13	10	9	7	7	4
Heroin	8	9	6	8	5	4
Hallucinogens	33	32	25	26	15	15
LSD	19	17	11	13	7	7
PCP	13	13	9	9	5	4
Ecstasy	21	20	15	16	8	10
Inhalants	49	47	33	34	16	16
Nonmedical Use of Psychotherapeutics <sup>2</sup>	49	48	43	39	28	26
Pain Relievers	47	46	40	37	26	24
OxyContin <sup>®</sup>	16	17	--	13	--	7
Tranquilizers	26	22	22	19	14	12
Stimulants	27	24	20	18	13	12
Methamphetamine	16	15	11	12	8	8
Sedatives	16	15	13	10	8	2
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	63	61	53	49	32	32

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.15D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.56	0.52	0.50	0.48	0.37	0.34
Marijuana and Hashish	0.49	0.47	0.42	0.41	0.34	0.30
Cocaine	0.18	0.18	0.15	0.15	0.08	0.09
Crack	0.10	0.08	0.07	0.05	0.05	0.03
Heroin	0.06	0.07	0.05	0.06	0.04	0.03
Hallucinogens	0.26	0.25	0.20	0.20	0.11	0.11
LSD	0.15	0.13	0.09	0.10	0.06	0.05
PCP	0.10	0.10	0.07	0.07	0.04	0.03
Ecstasy	0.16	0.16	0.12	0.12	0.06	0.08
Inhalants	0.39	0.37	0.26	0.26	0.13	0.12
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.38	0.37	0.33	0.30	0.22	0.20
Pain Relievers	0.37	0.36	0.31	0.29	0.20	0.18
OxyContin <sup>®</sup>	0.12	0.13	--	0.10	--	0.05
Tranquilizers	0.20	0.17	0.17	0.14	0.11	0.09
Stimulants	0.21	0.19	0.15	0.14	0.11	0.10
Methamphetamine	0.12	0.12	0.09	0.09	0.06	0.06
Sedatives	0.13	0.12	0.10	0.08	0.06	0.01
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.50	0.47	0.41	0.38	0.25	0.25

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.15P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.6363		0.0999		0.0724	
Marijuana and Hashish	0.6536		0.4814		0.2279	
Cocaine	0.6014		0.9699		0.7760	
Crack	0.0883		0.1338		0.1032	
Heroin	0.4789		0.1524		0.5763	
Hallucinogens	0.8829		0.9845		0.3483	
LSD	0.1904		0.2087		0.6529	
PCP	0.8277		0.6663		0.2971	
Ecstasy	0.5794		0.9173		0.5563	
Inhalants	0.6951		0.5690		0.9788	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.6606		0.0345		0.0758	
Pain Relievers	0.7151		0.0662		0.1448	
OxyContin <sup>®</sup>	0.4857		--		--	
Tranquilizers	0.1637		0.2399		0.0622	
Stimulants	0.0135		0.0736		0.2555	
Methamphetamine	0.2460		0.3334		0.3707	
Sedatives	0.9467		0.5578		0.0048	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.8783		0.1150		0.1934	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.16C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	73	66	64	63	45	50
Marijuana and Hashish	62	59	55	54	39	38
Cocaine	26	24	19	19	12	9
Crack	10	12	9	8	3	3
Heroin	8	8	5	6	4	2
Hallucinogens	35	31	26	26	13	12
LSD	18	16	11	10	7	4
PCP	14	12	8	7	3	3
Ecstasy	24	22	17	17	10	7
Inhalants	45	50	31	34	19	20
Nonmedical Use of Psychotherapeutics <sup>2</sup>	53	49	46	45	31	31
Pain Relievers	50	47	42	43	28	28
OxyContin <sup>®</sup>	13	16	--	13	--	8
Tranquilizers	28	29	24	24	16	12
Stimulants	30	29	23	21	14	14
Methamphetamine	17	19	12	14	8	9
Sedatives	15	15	11	11	6	6
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	66	58	56	52	37	38

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.16D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.60	0.54	0.52	0.51	0.37	0.40
Marijuana and Hashish	0.51	0.48	0.45	0.44	0.32	0.31
Cocaine	0.21	0.19	0.16	0.15	0.10	0.07
Crack	0.08	0.09	0.07	0.06	0.03	0.03
Heroin	0.07	0.06	0.04	0.05	0.03	0.02
Hallucinogens	0.28	0.25	0.22	0.21	0.11	0.10
LSD	0.15	0.13	0.09	0.08	0.06	0.04
PCP	0.12	0.10	0.06	0.06	0.02	0.02
Ecstasy	0.20	0.18	0.14	0.14	0.08	0.06
Inhalants	0.36	0.41	0.25	0.27	0.15	0.16
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.44	0.40	0.38	0.36	0.25	0.25
Pain Relievers	0.41	0.38	0.34	0.35	0.23	0.23
OxyContin <sup>®</sup>	0.10	0.13	--	0.10	--	0.07
Tranquilizers	0.23	0.23	0.19	0.19	0.13	0.09
Stimulants	0.24	0.23	0.19	0.17	0.11	0.11
Methamphetamine	0.14	0.15	0.10	0.11	0.06	0.07
Sedatives	0.12	0.12	0.09	0.09	0.05	0.04
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.54	0.47	0.46	0.43	0.30	0.31

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.16P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.3840		0.5283		0.4285	
Marijuana and Hashish	0.2434		0.3844		0.7954	
Cocaine	0.0797		0.2854		0.0335	
Crack	0.8451		0.1850		0.3833	
Heroin	0.3526		0.6958		0.1856	
Hallucinogens	0.0592		0.4266		0.0997	
LSD	0.0304		0.3668		0.2721	
PCP	0.1520		0.2640		0.5294	
Ecstasy	0.0488		0.4169		0.0652	
Inhalants	0.5535		0.8074		0.6923	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.5546		0.5376		0.6100	
Pain Relievers	0.2585		0.5970		0.8766	
OxyContin <sup>®</sup>	0.1071		--		--	
Tranquilizers	0.6669		0.4816		0.1518	
Stimulants	0.1629		0.3290		0.2034	
Methamphetamine	0.8002		0.8588		0.7586	
Sedatives	0.9475		0.5450		0.8641	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.9746		0.9728		0.4522	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.17C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	103	113	107	108	94	97
Marijuana and Hashish	105	121	104	110	87	91
Cocaine	80	76	55	60	36	34
Crack	42	37	19	19	12	11
Heroin	28	28	11	13	5	7
Hallucinogens	95	93	56	58	29	28
LSD	75	71	25	21	12	13
PCP	40	34	14	16	9	5
Ecstasy	74	74	34	39	14	20
Inhalants	81	82	31	33	16	17
Nonmedical Use of Psychotherapeutics <sup>2</sup>	91	100	73	81	54	51
Pain Relievers	88	93	68	71	46	45
OxyContin <sup>®</sup>	41	41	--	27	--	13
Tranquilizers	68	69	48	43	29	25
Stimulants	65	67	39	41	24	23
Methamphetamine	48	45	25	29	18	15
Sedatives	26	30	12	12	8	8
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	106	108	91	93	63	63

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.17D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.65	0.70	0.67	0.67	0.59	0.60
Marijuana and Hashish	0.66	0.75	0.65	0.68	0.55	0.56
Cocaine	0.50	0.47	0.35	0.37	0.22	0.21
Crack	0.27	0.23	0.12	0.12	0.08	0.07
Heroin	0.18	0.17	0.07	0.08	0.03	0.05
Hallucinogens	0.60	0.57	0.35	0.36	0.18	0.17
LSD	0.47	0.44	0.15	0.13	0.08	0.08
PCP	0.25	0.21	0.09	0.10	0.06	0.03
Ecstasy	0.47	0.46	0.22	0.24	0.09	0.12
Inhalants	0.51	0.51	0.20	0.21	0.10	0.10
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.57	0.62	0.46	0.50	0.34	0.32
Pain Relievers	0.55	0.57	0.43	0.44	0.29	0.28
OxyContin <sup>®</sup>	0.26	0.25	--	0.17	--	0.08
Tranquilizers	0.43	0.43	0.30	0.27	0.18	0.15
Stimulants	0.41	0.42	0.24	0.25	0.15	0.14
Methamphetamine	0.30	0.28	0.16	0.18	0.11	0.09
Sedatives	0.16	0.18	0.08	0.07	0.05	0.05
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.66	0.67	0.57	0.57	0.39	0.39

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.17P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	0.1548		0.4662		0.3704	
Marijuana and Hashish	0.1724		0.2625		0.3366	
Cocaine	0.6848		0.6139		0.5332	
Crack	0.0327		0.5716		0.4192	
Heroin	0.7248		0.4027		0.2157	
Hallucinogens	0.0227		0.4560		0.2804	
LSD	0.0002		0.3679		0.6807	
PCP	0.0042		0.7287		0.4090	
Ecstasy	0.2350		0.3249		0.2493	
Inhalants	0.5223		0.5741		0.4508	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.2549		0.3247		0.4397	
Pain Relievers	0.1280		0.5674		0.4948	
OxyContin <sup>®</sup>	0.1092		--		--	
Tranquilizers	0.7650		0.1724		0.4917	
Stimulants	0.4282		0.5668		0.2014	
Methamphetamine	0.6666		0.7780		0.0680	
Sedatives	0.3802		0.6033		0.3879	
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.6551		0.8788		0.3311	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.18C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: Standard Errors of Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	103	101	93	94	72	74
Marijuana and Hashish	105	105	88	90	64	66
Cocaine	65	65	41	42	22	23
Crack	31	33	13	14	4	6
Heroin	20	22	8	8	4	5
Hallucinogens	82	72	42	35	21	17
LSD	64	57	14	14	4	6
PCP	28	24	10	5	5	2
Ecstasy	70	64	34	26	17	13
Inhalants	62	61	23	22	10	7
Nonmedical Use of Psychotherapeutics <sup>2</sup>	88	85	67	67	40	47
Pain Relievers	81	77	61	57	37	42
OxyContin <sup>®</sup>	33	34	--	22	--	11
Tranquilizers	65	59	41	42	20	25
Stimulants	60	63	35	40	16	21
Methamphetamine	41	41	24	22	9	14
Sedatives	26	27	12	14	7	6
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	98	94	75	72	47	51

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.18D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: Standard Errors of Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.65	0.63	0.59	0.59	0.46	0.46
Marijuana and Hashish	0.66	0.66	0.55	0.56	0.41	0.41
Cocaine	0.41	0.41	0.26	0.26	0.14	0.15
Crack	0.20	0.21	0.08	0.09	0.03	0.04
Heroin	0.13	0.14	0.05	0.05	0.03	0.03
Hallucinogens	0.52	0.45	0.27	0.22	0.13	0.10
LSD	0.40	0.36	0.09	0.09	0.02	0.04
PCP	0.18	0.15	0.06	0.03	0.03	0.01
Ecstasy	0.45	0.40	0.22	0.16	0.11	0.08
Inhalants	0.39	0.38	0.14	0.14	0.06	0.05
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.56	0.53	0.43	0.42	0.25	0.29
Pain Relievers	0.51	0.48	0.39	0.36	0.23	0.26
OxyContin <sup>®</sup>	0.21	0.21	--	0.14	--	0.07
Tranquilizers	0.41	0.37	0.26	0.26	0.12	0.16
Stimulants	0.38	0.39	0.22	0.25	0.10	0.13
Methamphetamine	0.26	0.26	0.15	0.14	0.06	0.09
Sedatives	0.16	0.17	0.08	0.09	0.05	0.04
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.62	0.59	0.47	0.45	0.30	0.32

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.18P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	0.1371		0.4039		0.1085	
Marijuana and Hashish	0.2928		0.7354		0.0910	
Cocaine	0.8190		0.5208		0.6282	
Crack	0.2698		0.9806		0.1364	
Heroin	0.4790		0.6058		0.5142	
Hallucinogens	0.0037		0.0121		0.2544	
LSD	0.0084		0.7329		0.3254	
PCP	0.0726		0.0242		0.3140	
Ecstasy	0.0503		0.0032		0.1773	
Inhalants	0.0137		0.4518		0.4588	
Nonmedical Use of Psychotherapeutics <sup>2</sup>	0.3525		0.7836		0.2177	
Pain Relievers	0.9456		0.2975		0.4689	
OxyContin <sup>®</sup>	0.0089		--		--	
Tranquilizers	0.4415		0.4768		0.0734	
Stimulants	0.7176		0.1175		0.0031	
Methamphetamine	0.4693		0.6791		0.0180	
Sedatives	0.5855		0.4920		0.9472	
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	0.0502		0.0814		0.9756	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.