

Table 1.63C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	517	564	299	300	207	170
AGE						
12-17	70	67	59	56	39	36
18-25	130	129	97	94	61	60
26 or Older	477	529	275	265	193	152
GENDER						
Male	367	400	207	204	135	113
Female	365	349	209	189	144	119
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	489	515	264	282	171	160
White	447	463	237	268	151	144
Black or African American	156	165	90	73	60	58
American Indian or Alaska Native	45	38	18	15	16	9
Native Hawaiian or Other Pacific Islander	12	*	8	21	5	*
Asian	84	93	60	29	51	22
Two or More Races	56	57	16	34	10	17
Hispanic or Latino	186	171	141	87	101	55

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.63D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.22	0.23	0.13	0.12	0.09	0.07
AGE						
12-17	0.28	0.27	0.24	0.22	0.15	0.14
18-25	0.41	0.40	0.30	0.29	0.19	0.19
26 or Older	0.26	0.29	0.15	0.14	0.11	0.08
GENDER						
Male	0.32	0.34	0.18	0.18	0.12	0.10
Female	0.30	0.28	0.17	0.15	0.12	0.10
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.24	0.25	0.13	0.13	0.08	0.08
White	0.27	0.28	0.14	0.16	0.09	0.09
Black or African American	0.57	0.59	0.33	0.26	0.22	0.21
American Indian or Alaska Native	3.56	2.92	1.41	1.17	1.27	0.68
Native Hawaiian or Other Pacific Islander	2.51	*	1.62	3.23	1.08	*
Asian	0.86	0.94	0.61	0.30	0.52	0.22
Two or More Races	2.19	2.21	0.61	1.32	0.37	0.67
Hispanic or Latino	0.62	0.55	0.47	0.28	0.34	0.18

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.63P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.8008		0.1920		0.2092	
AGE						
12-17	0.5730		0.4035		0.2709	
18-25	0.3035		0.8556		0.9697	
26 or Older	0.9214		0.2184		0.2550	
GENDER						
Male	0.6686		0.3113		0.1507	
Female	0.9278		0.3493		0.6457	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5301		0.7608		0.4805	
White	0.5627		0.8077		0.7260	
Black or African American	0.7861		0.1280		0.5708	
American Indian or Alaska Native	0.6425		0.4268		0.2074	
Native Hawaiian or Other Pacific Islander	*		0.4215		*	
Asian	0.5220		0.0925		0.3176	
Two or More Races	0.6094		0.0185		0.1085	
Hispanic or Latino	0.3283		0.0137		0.1409	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.64C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	70	67	59	56	39	36
GENDER						
Male	47	46	40	37	26	24
Female	50	47	42	43	28	28
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	65	64	55	52	34	32
White	56	54	47	47	29	27
Black or African American	26	24	21	20	15	13
American Indian or Alaska Native	4	7	4	5	2	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	11	12	9	9	7	8
Two or More Races	6	11	6	9	5	6
Hispanic or Latino	31	30	25	23	17	18
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	36	36	31	32	20	18
Female, White, Not Hispanic	39	37	33	33	20	20
Male, Black, Not Hispanic	17	16	14	11	8	8
Female, Black, Not Hispanic	18	18	15	16	12	10
Male, Hispanic	21	21	19	16	11	14
Female, Hispanic	24	21	19	18	12	14

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.64D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.28	0.27	0.24	0.22	0.15	0.14
GENDER						
Male	0.37	0.36	0.31	0.29	0.20	0.18
Female	0.41	0.38	0.34	0.35	0.23	0.23
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.31	0.30	0.26	0.25	0.16	0.15
White	0.36	0.35	0.30	0.30	0.18	0.18
Black or African American	0.69	0.63	0.57	0.52	0.40	0.33
American Indian or Alaska Native	2.47	3.99	2.38	2.82	1.41	2.48
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.15	1.20	0.93	0.91	0.68	0.76
Two or More Races	1.55	2.58	1.44	1.94	1.17	1.26
Hispanic or Latino	0.75	0.70	0.62	0.55	0.42	0.42
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.45	0.46	0.38	0.41	0.25	0.23
Female, White, Not Hispanic	0.52	0.48	0.44	0.43	0.26	0.27
Male, Black, Not Hispanic	0.90	0.83	0.75	0.56	0.43	0.42
Female, Black, Not Hispanic	0.97	0.97	0.78	0.88	0.66	0.53
Male, Hispanic	1.03	0.97	0.90	0.73	0.54	0.63
Female, Hispanic	1.20	1.00	0.94	0.88	0.61	0.66

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.64P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.5730		0.4035		0.2709	
GENDER						
Male	0.7151		0.0662		0.1448	
Female	0.2585		0.5970		0.8766	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2973		0.7652		0.2060	
White	0.1869		0.6057		0.4273	
Black or African American	0.1727		0.0354		0.1693	
American Indian or Alaska Native	0.5094		0.8641		0.8739	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6806		0.9782		0.7491	
Two or More Races	0.0086		0.2961		0.9814	
Hispanic or Latino	0.3293		0.1801		0.9726	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.9634		0.8051		0.0891	
Female, White, Not Hispanic	0.0541		0.3400		0.5704	
Male, Black, Not Hispanic	0.2569		0.0298		0.5722	
Female, Black, Not Hispanic	0.4060		0.3712		0.1989	
Male, Hispanic	0.6461		0.1191		0.6954	
Female, Hispanic	0.3684		0.7605		0.7060	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.65C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	130	129	97	94	61	60
GENDER						
Male	88	93	68	71	46	45
Female	81	77	61	57	37	42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	114	115	90	82	57	52
White	101	102	80	75	52	48
Black or African American	34	36	24	24	15	16
American Indian or Alaska Native	8	*	6	4	5	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	25	22	16	15	10	8
Two or More Races	12	12	9	9	4	7
Hispanic or Latino	53	58	34	37	24	27
EDUCATION						
< High School	57	59	44	44	28	31
High School Graduate	78	71	55	45	37	35
Some College	68	76	52	59	31	34
College Graduate	40	41	27	28	15	17
CURRENT EMPLOYMENT						
Full-Time	86	89	62	59	41	37
Part-Time	56	59	45	45	29	28
Unemployed	37	38	28	31	19	22
Other ¹	49	57	34	44	23	28

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.65D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.41	0.40	0.30	0.29	0.19	0.19
GENDER						
Male	0.55	0.57	0.43	0.44	0.29	0.28
Female	0.51	0.48	0.39	0.36	0.23	0.26
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.44	0.43	0.35	0.31	0.22	0.19
White	0.52	0.51	0.41	0.37	0.26	0.24
Black or African American	0.79	0.84	0.56	0.56	0.35	0.37
American Indian or Alaska Native	4.27	*	3.14	2.36	2.68	1.17
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.75	1.42	1.13	1.02	0.73	0.52
Two or More Races	3.28	3.52	2.37	2.48	1.22	1.87
Hispanic or Latino	0.93	1.01	0.61	0.65	0.42	0.47
EDUCATION						
< High School	0.82	0.88	0.64	0.65	0.41	0.46
High School Graduate	0.71	0.65	0.50	0.41	0.34	0.31
Some College	0.69	0.74	0.52	0.58	0.32	0.33
College Graduate	1.01	1.00	0.68	0.68	0.38	0.40
CURRENT EMPLOYMENT						
Full-Time	0.59	0.59	0.42	0.39	0.28	0.24
Part-Time	0.68	0.73	0.55	0.56	0.35	0.35
Unemployed	1.36	1.49	1.05	1.20	0.70	0.85
Other ¹	0.78	0.90	0.55	0.68	0.37	0.44

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.65P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.3035		0.8556		0.9697	
GENDER						
Male	0.1280		0.5674		0.4948	
Female	0.9456		0.2975		0.4689	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3161		0.9315		0.8401	
White	0.5774		0.8156		0.7164	
Black or African American	0.0414		0.0520		0.2464	
American Indian or Alaska Native	*		0.1445		0.0716	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1656		0.1813		0.1882	
Two or More Races	0.1749		0.3122		0.0736	
Hispanic or Latino	0.7588		0.4840		0.7542	
EDUCATION						
< High School	0.7180		0.8567		0.7804	
High School Graduate	0.5676		0.4970		0.4738	
Some College	0.2493		0.4138		0.2192	
College Graduate	0.9264		0.6907		0.8662	
CURRENT EMPLOYMENT						
Full-Time	0.5506		0.3339		0.4598	
Part-Time	0.5848		0.5547		0.8060	
Unemployed	0.2966		0.2768		0.6507	
Other ¹	0.8196		0.3263		0.2854	

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.66C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	477	529	275	265	193	152
GENDER						
Male	347	378	190	185	127	100
Female	343	333	196	166	138	106
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	458	479	237	253	159	145
White	415	433	212	243	139	131
Black or African American	148	159	83	65	57	54
American Indian or Alaska Native	*	32	16	12	15	7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	77	91	58	23	49	19
Two or More Races	56	52	9	30	7	14
Hispanic or Latino	175	158	137	74	95	46
EDUCATION						
< High School	206	203	126	112	88	65
High School Graduate	259	250	151	125	112	73
Some College	244	281	141	134	97	82
College Graduate	260	261	130	130	79	70
CURRENT EMPLOYMENT						
Full-Time	370	421	204	218	114	122
Part-Time	164	159	91	67	68	44
Unemployed	92	119	68	64	59	37
Other ¹	219	219	136	104	114	64

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.66D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.26	0.29	0.15	0.14	0.11	0.08
GENDER						
Male	0.40	0.43	0.22	0.21	0.15	0.11
Female	0.36	0.35	0.21	0.17	0.15	0.11
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.28	0.30	0.15	0.16	0.10	0.09
White	0.32	0.33	0.16	0.18	0.11	0.10
Black or African American	0.76	0.80	0.43	0.33	0.29	0.27
American Indian or Alaska Native	*	3.35	1.75	1.27	1.68	0.76
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.05	1.23	0.79	0.31	0.67	0.25
Two or More Races	3.07	2.97	0.52	1.70	0.37	0.78
Hispanic or Latino	0.87	0.75	0.68	0.35	0.47	0.22
EDUCATION						
< High School	0.66	0.68	0.41	0.38	0.28	0.22
High School Graduate	0.46	0.44	0.27	0.22	0.20	0.13
Some College	0.57	0.63	0.33	0.30	0.23	0.18
College Graduate	0.51	0.50	0.25	0.25	0.16	0.13
CURRENT EMPLOYMENT						
Full-Time	0.36	0.41	0.20	0.21	0.11	0.12
Part-Time	0.80	0.82	0.45	0.35	0.33	0.22
Unemployed	1.71	2.49	1.26	1.33	1.09	0.77
Other ¹	0.42	0.40	0.26	0.19	0.22	0.12

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.66P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.9214		0.2184		0.2550	
GENDER						
Male	0.9193		0.3303		0.3193	
Female	0.7923		0.4077		0.4935	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8079		0.7286		0.6534	
White	0.8002		0.8506		0.9042	
Black or African American	0.6083		0.0911		0.5511	
American Indian or Alaska Native	*		0.8288		0.4353	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3488		0.2065		0.4673	
Two or More Races	0.7997		0.0459		0.3169	
Hispanic or Latino	0.3519		0.0351		0.0816	
EDUCATION						
< High School	0.9758		0.7032		0.6861	
High School Graduate	0.1066		0.3189		0.2479	
Some College	0.9432		0.2071		0.3036	
College Graduate	0.1780		0.8394		0.6409	
CURRENT EMPLOYMENT						
Full-Time	0.7696		0.5993		0.2882	
Part-Time	0.3408		0.0805		0.0300	
Unemployed	0.4023		0.9963		0.7597	
Other ¹	0.3068		0.7583		0.0608	

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.67C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	510	559	298	289	205	164
GENDER						
Male	365	396	205	200	134	111
Female	361	347	209	179	143	115
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	485	511	263	274	170	155
White	441	461	235	261	150	140
Black or African American	153	164	87	70	58	57
American Indian or Alaska Native	44	38	17	13	16	8
Native Hawaiian or Other Pacific Islander	12	*	7	*	5	*
Asian	83	94	59	27	50	20
Two or More Races	56	57	14	33	8	16
Hispanic or Latino	188	166	142	83	100	51
EDUCATION						
< High School	224	220	135	123	94	71
High School Graduate	271	264	160	136	117	82
Some College	253	299	142	152	102	91
College Graduate	269	263	136	135	82	72
CURRENT EMPLOYMENT						
Full-Time	384	436	214	227	122	127
Part-Time	174	168	100	84	73	51
Unemployed	98	126	73	72	61	43
Other ¹	228	226	141	116	116	71

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.67D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.24	0.26	0.14	0.13	0.10	0.08
GENDER						
Male	0.36	0.38	0.20	0.19	0.13	0.11
Female	0.33	0.31	0.19	0.16	0.13	0.10
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.26	0.27	0.14	0.15	0.09	0.08
White	0.29	0.30	0.16	0.17	0.10	0.09
Black or African American	0.65	0.68	0.37	0.29	0.25	0.23
American Indian or Alaska Native	4.09	3.33	1.55	1.17	1.47	0.67
Native Hawaiian or Other Pacific Islander	2.84	*	1.77	*	1.09	*
Asian	0.94	1.06	0.67	0.31	0.57	0.22
Two or More Races	2.59	2.67	0.64	1.57	0.38	0.75
Hispanic or Latino	0.73	0.62	0.55	0.31	0.39	0.19
EDUCATION						
< High School	0.59	0.60	0.36	0.34	0.25	0.20
High School Graduate	0.40	0.39	0.24	0.20	0.17	0.12
Some College	0.48	0.55	0.27	0.28	0.19	0.17
College Graduate	0.49	0.47	0.25	0.24	0.15	0.13
CURRENT EMPLOYMENT						
Full-Time	0.33	0.37	0.18	0.19	0.10	0.11
Part-Time	0.61	0.61	0.35	0.30	0.26	0.18
Unemployed	1.22	1.71	0.90	0.97	0.75	0.58
Other ¹	0.39	0.37	0.24	0.19	0.20	0.12

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.67P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.8587		0.2465		0.2870	
GENDER						
Male	0.6364		0.4988		0.2495	
Female	0.7966		0.2858		0.6648	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.6229		0.8108		0.6449	
White	0.6793		0.8742		0.8446	
Black or African American	0.9522		0.3085		0.7945	
American Indian or Alaska Native	0.5593		0.4523		0.1921	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5592		0.0825		0.2724	
Two or More Races	0.9279		0.0354		0.0920	
Hispanic or Latino	0.4097		0.0251		0.1285	
EDUCATION						
< High School	0.9226		0.7007		0.6440	
High School Graduate	0.1615		0.2307		0.1729	
Some College	0.8152		0.3854		0.5904	
College Graduate	0.1907		0.8812		0.6582	
CURRENT EMPLOYMENT						
Full-Time	0.9246		0.4944		0.4140	
Part-Time	0.5489		0.0955		0.0467	
Unemployed	0.2209		0.5764		0.9632	
Other ¹	0.3247		0.9586		0.1191	

*Low precision; no estimate reported.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.