

**Table 1.98C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	264	280	124	117	91	66
<b>GEOGRAPHIC DIVISION</b>						
Northeast	117	109	43	31	26	24
New England	59	56	11	11	6	6
Middle Atlantic	100	93	41	29	25	23
Midwest	105	116	52	70	29	37
East North Central	77	100	38	54	28	34
West North Central	71	58	35	44	6	15
South	165	176	97	71	76	49
South Atlantic	132	147	86	64	67	44
East South Central	53	58	28	25	25	15
West South Central	82	76	36	18	26	13
West	133	148	37	52	32	6
Mountain	63	67	27	12	24	5
Pacific	118	132	26	51	21	3
<b>COUNTY TYPE</b>						
Large Metro	200	219	91	96	63	55
Small Metro	140	141	52	56	34	28
250K – 1 Mil. Pop.	103	120	35	45	24	19
< 250K Pop.	83	69	37	33	24	20
Nonmetro	101	102	65	37	55	22
Urbanized	61	78	27	26	8	16
Less Urbanized	75	57	57	25	54	15
Completely Rural	30	15	9	8	8	4

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.98D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.11	0.12	0.05	0.05	0.04	0.03
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.26	0.24	0.09	0.07	0.06	0.05
New England	0.50	0.47	0.09	0.09	0.05	0.05
Middle Atlantic	0.30	0.28	0.12	0.09	0.07	0.07
Midwest	0.20	0.21	0.10	0.13	0.05	0.07
East North Central	0.21	0.26	0.10	0.14	0.07	0.09
West North Central	0.44	0.35	0.22	0.27	0.04	0.09
South	0.19	0.20	0.11	0.08	0.09	0.06
South Atlantic	0.30	0.33	0.19	0.14	0.15	0.10
East South Central	0.37	0.40	0.20	0.18	0.18	0.10
West South Central	0.31	0.29	0.14	0.07	0.10	0.05
West	0.25	0.27	0.07	0.10	0.06	0.01
Mountain	0.40	0.42	0.17	0.08	0.15	0.03
Pacific	0.31	0.34	0.07	0.13	0.06	0.01
<b>COUNTY TYPE</b>						
Large Metro	0.16	0.17	0.07	0.07	0.05	0.04
Small Metro	0.20	0.20	0.07	0.08	0.05	0.04
250K – 1 Mil. Pop.	0.22	0.26	0.07	0.10	0.05	0.04
< 250K Pop.	0.34	0.28	0.15	0.13	0.10	0.08
Nonmetro	0.25	0.25	0.16	0.09	0.14	0.06
Urbanized	0.34	0.47	0.15	0.16	0.05	0.10
Less Urbanized	0.41	0.28	0.31	0.12	0.30	0.07
Completely Rural	0.73	0.42	0.22	0.22	0.20	0.10

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.98P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.5877		0.4826		0.1928	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.7117		0.6129		0.5859	
New England	0.5358		0.6808		0.9313	
Middle Atlantic	0.9800		0.5032		0.5587	
Midwest	0.8334		0.3353		0.3845	
East North Central	0.3367		0.1191		0.4603	
West North Central	0.3059		0.6889		0.5947	
South	0.6267		0.1676		0.1925	
South Atlantic	0.5578		0.9251		0.5859	
East South Central	0.0444		0.4577		0.3439	
West South Central	0.1574		0.0040		0.1227	
West	0.1175		0.7643		0.0087	
Mountain	0.1885		0.0775		0.1338	
Pacific	0.2823		0.5903		0.0231	
<b>COUNTY TYPE</b>						
Large Metro	0.2162		0.3338		0.1675	
Small Metro	0.5784		0.8389		0.7837	
250K – 1 Mil. Pop.	0.3238		0.5810		0.8622	
< 250K Pop.	0.6568		0.7059		0.8402	
Nonmetro	0.6473		0.9015		0.7354	
Urbanized	0.1377		0.5987		0.3129	
Less Urbanized	0.5127		0.6363		0.5407	
Completely Rural	0.5873		0.8784		0.6460	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.99C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	17	14	13	10	8	5
<b>GEOGRAPHIC DIVISION</b>						
Northeast	5	6	3	5	1	3
New England	1	4	1	3	0	0
Middle Atlantic	4	4	3	3	1	2
Midwest	7	5	6	4	4	1
East North Central	5	5	4	4	2	1
West North Central	4	1	4	1	3	1
South	10	9	8	6	5	4
South Atlantic	8	6	7	2	4	2
East South Central	2	3	2	2	1	*
West South Central	6	6	4	6	2	3
West	10	8	7	5	4	2
Mountain	6	4	5	2	4	1
Pacific	9	7	5	5	*	2
<b>COUNTY TYPE</b>						
Large Metro	13	11	10	7	7	3
Small Metro	7	8	5	6	2	2
250K – 1 Mil. Pop.	6	7	3	6	2	2
< 250K Pop.	5	4	4	3	2	1
Nonmetro	8	5	6	4	2	3
Urbanized	3	2	3	1	1	*
Less Urbanized	5	5	4	4	2	3
Completely Rural	5	1	3	1	0	*

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.99D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.07	0.06	0.05	0.04	0.03	0.02
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.10	0.13	0.07	0.10	0.02	0.06
New England	0.09	0.31	0.06	0.30	0.03	0.02
Middle Atlantic	0.13	0.13	0.10	0.09	0.02	0.07
Midwest	0.12	0.09	0.10	0.07	0.07	0.02
East North Central	0.13	0.12	0.10	0.10	0.06	0.03
West North Central	0.26	0.08	0.24	0.07	0.20	0.03
South	0.11	0.10	0.09	0.07	0.06	0.04
South Atlantic	0.17	0.13	0.15	0.05	0.10	0.04
East South Central	0.12	0.22	0.10	0.11	0.08	*
West South Central	0.21	0.21	0.15	0.19	0.08	0.10
West	0.18	0.13	0.12	0.09	0.06	0.04
Mountain	0.34	0.23	0.30	0.12	0.21	0.06
Pacific	0.21	0.16	0.12	0.11	*	0.05
<b>COUNTY TYPE</b>						
Large Metro	0.10	0.08	0.08	0.05	0.05	0.02
Small Metro	0.10	0.10	0.07	0.08	0.03	0.03
250K – 1 Mil. Pop.	0.11	0.13	0.06	0.11	0.04	0.04
< 250K Pop.	0.20	0.17	0.15	0.12	0.06	0.05
Nonmetro	0.18	0.12	0.13	0.09	0.04	0.08
Urbanized	0.19	0.12	0.17	0.07	0.06	*
Less Urbanized	0.24	0.21	0.19	0.17	0.08	0.15
Completely Rural	1.07	0.35	0.57	0.23	0.04	*

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.99P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.1461		0.0454		0.0644	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4343		0.5524		0.3774	
New England	0.0673		0.0779		0.5570	
Middle Atlantic	0.8279		0.5188		0.3196	
Midwest	0.0212		0.0832		0.0062	
East North Central	0.6079		0.8266		0.1484	
West North Central	0.0007		0.0112		0.0183	
South	0.3270		0.2219		0.3375	
South Atlantic	0.3865		0.0472		0.4046	
East South Central	0.1786		0.9588		*	
West South Central	0.2294		0.9507		0.8074	
West	0.6767		0.1931		0.7133	
Mountain	0.7056		0.1852		0.3715	
Pacific	0.8054		0.5686		*	
<b>COUNTY TYPE</b>						
Large Metro	0.0421		0.0300		0.0293	
Small Metro	0.1520		0.6646		0.9487	
250K – 1 Mil. Pop.	0.0793		0.3840		0.9021	
< 250K Pop.	0.9932		0.6546		0.7844	
Nonmetro	0.1388		0.2112		0.9932	
Urbanized	0.5952		0.4080		*	
Less Urbanized	0.3800		0.4329		0.5989	
Completely Rural	0.2319		0.4699		*	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.100C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	54	50	23	24	13	13
<b>GEOGRAPHIC DIVISION</b>						
Northeast	17	19	9	10	2	6
New England	7	10	4	8	1	6
Middle Atlantic	15	16	8	6	2	3
Midwest	21	24	10	12	4	8
East North Central	15	17	8	9	3	5
West North Central	15	17	7	7	3	7
South	30	29	13	14	4	7
South Atlantic	21	19	9	12	4	6
East South Central	14	15	5	5	2	3
West South Central	16	15	7	6	1	3
West	36	27	14	12	12	4
Mountain	14	15	8	6	5	3
Pacific	34	23	12	10	11	3
<b>COUNTY TYPE</b>						
Large Metro	40	34	18	13	12	7
Small Metro	30	33	13	17	5	9
250K – 1 Mil. Pop.	26	24	11	12	4	7
< 250K Pop.	16	22	7	12	3	6
Nonmetro	20	20	9	11	3	7
Urbanized	13	12	6	7	2	4
Less Urbanized	13	13	5	8	1	6
Completely Rural	5	6	3	*	*	0

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.100D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.17	0.16	0.07	0.07	0.04	0.04
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.30	0.34	0.16	0.18	0.04	0.11
New England	0.48	0.69	0.27	0.53	0.06	0.37
Middle Atlantic	0.36	0.38	0.19	0.15	0.05	0.08
Midwest	0.28	0.33	0.14	0.16	0.06	0.11
East North Central	0.29	0.34	0.16	0.18	0.06	0.09
West North Central	0.65	0.74	0.29	0.32	0.12	0.29
South	0.26	0.25	0.11	0.12	0.04	0.06
South Atlantic	0.38	0.33	0.16	0.20	0.07	0.10
East South Central	0.73	0.77	0.25	0.26	0.10	0.14
West South Central	0.41	0.39	0.19	0.14	0.02	0.09
West	0.49	0.36	0.19	0.15	0.16	0.05
Mountain	0.62	0.64	0.36	0.26	0.21	0.13
Pacific	0.65	0.45	0.22	0.19	0.20	0.05
<b>COUNTY TYPE</b>						
Large Metro	0.24	0.21	0.11	0.08	0.07	0.04
Small Metro	0.29	0.31	0.13	0.16	0.05	0.09
250K – 1 Mil. Pop.	0.38	0.35	0.17	0.17	0.06	0.10
< 250K Pop.	0.44	0.59	0.21	0.31	0.09	0.17
Nonmetro	0.40	0.40	0.17	0.22	0.05	0.13
Urbanized	0.55	0.53	0.24	0.29	0.10	0.16
Less Urbanized	0.59	0.57	0.24	0.35	0.06	0.24
Completely Rural	1.50	1.99	0.90	*	*	0.02

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.100P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.3312		0.6453		0.1925	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2549		0.3508		0.0385	
New England	0.1230		0.0913		0.0468	
Middle Atlantic	0.5610		0.7822		0.4219	
Midwest	0.7682		0.7156		0.1887	
East North Central	0.4461		0.8923		0.2766	
West North Central	0.7258		0.6742		0.4094	
South	0.9165		0.9239		0.0891	
South Atlantic	0.5492		0.6207		0.4429	
East South Central	0.4543		0.4831		0.3854	
West South Central	0.1721		0.2509		0.0538	
West	0.0366		0.2059		0.1717	
Mountain	0.7257		0.5018		0.4353	
Pacific	0.0125		0.2815		0.2544	
<b>COUNTY TYPE</b>						
Large Metro	0.0548		0.1228		0.7020	
Small Metro	0.7367		0.7677		0.1007	
250K – 1 Mil. Pop.	0.6409		0.8713		0.1587	
< 250K Pop.	0.2035		0.5210		0.3923	
Nonmetro	0.7813		0.4704		0.1086	
Urbanized	0.6490		0.8092		0.3941	
Less Urbanized	0.6548		0.2402		0.1750	
Completely Rural	0.2788		*		*	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.101C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	257	274	120	112	90	64
<b>GEOGRAPHIC DIVISION</b>						
Northeast	117	108	43	30	25	23
New England	60	51	10	6	6	1
Middle Atlantic	101	95	41	30	25	23
Midwest	101	111	49	67	27	34
East North Central	76	95	36	52	27	32
West North Central	66	57	33	43	3	13
South	157	173	94	70	76	49
South Atlantic	127	146	82	62	67	44
East South Central	48	56	29	25	24	14
West South Central	78	73	35	18	26	15
West	133	147	36	47	31	4
Mountain	61	61	26	9	23	4
Pacific	118	133	25	46	21	*
<b>COUNTY TYPE</b>						
Large Metro	199	216	89	93	61	54
Small Metro	135	133	50	50	35	25
250K – 1 Mil. Pop.	98	112	34	40	26	17
< 250K Pop.	83	68	36	30	23	18
Nonmetro	98	100	62	36	55	21
Urbanized	60	77	26	25	8	16
Less Urbanized	75	55	56	24	54	14
Completely Rural	29	12	8	8	8	4

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.101D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.14	0.15	0.07	0.06	0.05	0.03
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.33	0.31	0.12	0.09	0.07	0.06
New England	0.65	0.55	0.10	0.06	0.06	0.01
Middle Atlantic	0.39	0.37	0.16	0.11	0.10	0.09
Midwest	0.25	0.27	0.12	0.16	0.07	0.08
East North Central	0.27	0.33	0.13	0.18	0.10	0.11
West North Central	0.55	0.46	0.28	0.35	0.03	0.10
South	0.24	0.26	0.15	0.11	0.12	0.07
South Atlantic	0.37	0.42	0.24	0.18	0.19	0.13
East South Central	0.44	0.51	0.26	0.22	0.23	0.13
West South Central	0.40	0.37	0.18	0.09	0.14	0.07
West	0.33	0.36	0.09	0.11	0.08	0.01
Mountain	0.52	0.51	0.22	0.08	0.20	0.03
Pacific	0.41	0.46	0.09	0.16	0.07	*
<b>COUNTY TYPE</b>						
Large Metro	0.21	0.22	0.09	0.09	0.06	0.06
Small Metro	0.25	0.25	0.09	0.09	0.06	0.05
250K – 1 Mil. Pop.	0.28	0.32	0.10	0.11	0.07	0.05
< 250K Pop.	0.45	0.37	0.20	0.16	0.13	0.10
Nonmetro	0.32	0.32	0.20	0.11	0.18	0.07
Urbanized	0.44	0.61	0.19	0.20	0.06	0.12
Less Urbanized	0.53	0.35	0.40	0.15	0.38	0.09
Completely Rural	0.87	0.42	0.25	0.26	0.25	0.13

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.101P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.7916		0.6705		0.1664	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5688		0.4014		0.9505	
New England	0.3718		0.2015		0.0466	
Middle Atlantic	0.9172		0.5826		0.6752	
Midwest	0.6796		0.2305		0.3697	
East North Central	0.2428		0.0964		0.4830	
West North Central	0.2924		0.8915		0.4509	
South	0.5978		0.1913		0.1644	
South Atlantic	0.5884		0.9713		0.5752	
East South Central	0.0724		0.3814		0.3117	
West South Central	0.2778		0.0056		0.0872	
West	0.3119		0.8130		0.0318	
Mountain	0.1309		0.1612		0.2191	
Pacific	0.6954		0.3465		*	
<b>COUNTY TYPE</b>						
Large Metro	0.4147		0.6177		0.2618	
Small Metro	0.6711		0.9563		0.4825	
250K – 1 Mil. Pop.	0.2698		0.6003		0.5442	
< 250K Pop.	0.4288		0.5552		0.7013	
Nonmetro	0.6146		0.8805		0.5947	
Urbanized	0.1068		0.5958		0.3741	
Less Urbanized	0.4870		0.5645		0.4386	
Completely Rural	0.5204		0.7742		0.6528	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.102C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	263	280	122	115	91	66
<b>GEOGRAPHIC DIVISION</b>						
Northeast	116	108	43	31	26	24
New England	59	54	11	11	6	6
Middle Atlantic	100	94	41	29	25	23
Midwest	105	116	51	70	28	37
East North Central	78	100	37	54	28	34
West North Central	70	58	35	44	4	15
South	163	176	95	71	76	49
South Atlantic	132	148	83	64	67	44
East South Central	51	58	28	25	25	15
West South Central	82	76	35	17	26	13
West	134	149	37	50	32	6
Mountain	62	67	27	12	24	5
Pacific	119	133	26	48	21	3
<b>COUNTY TYPE</b>						
Large Metro	200	219	90	95	62	54
Small Metro	140	140	51	54	34	28
250K – 1 Mil. Pop.	102	119	34	42	24	19
< 250K Pop.	83	69	37	33	24	20
Nonmetro	99	102	62	37	55	22
Urbanized	61	78	27	26	8	16
Less Urbanized	75	57	56	25	54	15
Completely Rural	29	15	9	8	8	4

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.102D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.12	0.13	0.06	0.05	0.04	0.03
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.28	0.26	0.10	0.08	0.06	0.06
New England	0.55	0.50	0.10	0.10	0.06	0.05
Middle Atlantic	0.33	0.31	0.14	0.10	0.08	0.08
Midwest	0.22	0.24	0.11	0.14	0.06	0.08
East North Central	0.23	0.30	0.11	0.16	0.08	0.10
West North Central	0.49	0.39	0.24	0.30	0.03	0.10
South	0.22	0.23	0.12	0.09	0.10	0.06
South Atlantic	0.33	0.36	0.21	0.16	0.17	0.11
East South Central	0.40	0.44	0.22	0.19	0.19	0.11
West South Central	0.35	0.32	0.15	0.07	0.11	0.06
West	0.28	0.31	0.08	0.10	0.07	0.01
Mountain	0.45	0.47	0.19	0.08	0.17	0.03
Pacific	0.35	0.39	0.08	0.14	0.06	0.01
<b>COUNTY TYPE</b>						
Large Metro	0.18	0.19	0.08	0.08	0.06	0.05
Small Metro	0.22	0.22	0.08	0.08	0.05	0.04
250K – 1 Mil. Pop.	0.24	0.28	0.08	0.10	0.06	0.05
< 250K Pop.	0.38	0.31	0.17	0.15	0.11	0.09
Nonmetro	0.28	0.28	0.17	0.10	0.15	0.06
Urbanized	0.38	0.52	0.17	0.17	0.05	0.11
Less Urbanized	0.46	0.31	0.35	0.14	0.33	0.08
Completely Rural	0.79	0.47	0.24	0.24	0.23	0.11

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.102P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.6451		0.6082		0.2516	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6882		0.5689		0.6305	
New England	0.4819		0.9892		0.9552	
Middle Atlantic	0.9927		0.5441		0.6087	
Midwest	0.7458		0.2771		0.2616	
East North Central	0.3278		0.1153		0.4145	
West North Central	0.3921		0.8342		0.2890	
South	0.5933		0.1986		0.2207	
South Atlantic	0.5319		0.9655		0.6261	
East South Central	0.0494		0.4500		0.3570	
West South Central	0.1830		0.0022		0.1269	
West	0.1302		0.8911		0.0093	
Mountain	0.2022		0.1261		0.1673	
Pacific	0.2999		0.5279		0.0181	
<b>COUNTY TYPE</b>						
Large Metro	0.2552		0.4521		0.2428	
Small Metro	0.6107		0.8626		0.7912	
250K – 1 Mil. Pop.	0.3632		0.6240		0.8558	
< 250K Pop.	0.6827		0.7459		0.8578	
Nonmetro	0.5887		0.9873		0.7344	
Urbanized	0.1352		0.5536		0.2619	
Less Urbanized	0.5461		0.6815		0.5192	
Completely Rural	0.7086		1.0000		0.6588	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.