

Table 5.62C Substances for Which Last or Current Treatment Was Received among Persons Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Substance for Which Last or Current Treatment Was Received ¹ | Total | | AGE GROUP | | | | | |
|---|-------|------|-----------|------|-------|------|-------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| Marijuana | 50 | 56 | 11 | 11 | 18 | 21 | 46 | 50 |
| Cocaine | 51 | 60 | 5 | 4 | 13 | 13 | * | 59 |
| Heroin | 37 | 42 | 1 | 2 | 10 | 8 | 36 | 39 |
| Hallucinogens | 26 | 35 | * | 5 | 11 | 12 | 23 | 32 |
| Inhalants | 15 | 21 | 5 | 4 | 8 | 8 | 12 | 18 |
| Pain Relievers | 34 | 35 | 6 | 5 | 14 | 15 | 31 | 32 |
| Tranquilizers | 31 | 32 | 3 | 4 | 11 | 9 | 29 | 30 |
| Stimulants | 29 | 35 | 4 | 5 | 16 | 13 | 22 | 31 |
| Sedatives | 12 | 24 | * | 2 | 4 | 5 | 10 | 24 |
| Alcohol | 81 | 92 | 10 | 11 | 23 | 23 | 77 | 87 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.62D Substances for Which Last or Current Treatment Was Received among Persons Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

| Substance for Which Last or Current Treatment Was Received ¹ | Total | | AGE GROUP | | | | | |
|---|-------|------|-----------|------|-------|------|-------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| Marijuana | 3.27 | 3.16 | 5.54 | 5.06 | 3.85 | 4.10 | 4.80 | 4.23 |
| Cocaine | 3.55 | 3.22 | 4.19 | 3.43 | 3.25 | 3.16 | * | 4.67 |
| Heroin | 2.69 | 2.59 | 1.16 | 1.31 | 2.76 | 1.92 | 4.02 | 3.59 |
| Hallucinogens | 1.95 | 2.12 | * | 3.68 | 2.80 | 2.93 | 2.74 | 2.97 |
| Inhalants | 1.24 | 1.34 | 3.74 | 3.25 | 2.29 | 2.11 | 1.51 | 1.78 |
| Pain Relievers | 2.62 | 2.17 | 4.46 | 3.91 | 3.36 | 3.41 | 3.74 | 2.94 |
| Tranquilizers | 2.39 | 1.99 | 2.60 | 3.22 | 2.89 | 2.32 | 3.53 | 2.82 |
| Stimulants | 2.26 | 2.13 | 3.48 | 4.18 | 3.96 | 3.09 | 2.77 | 2.89 |
| Sedatives | 0.99 | 1.52 | * | 1.90 | 1.34 | 1.24 | 1.34 | 2.20 |
| Alcohol | 3.15 | 2.94 | 5.95 | 5.36 | 3.95 | 4.09 | 4.53 | 4.00 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.62P Substances for Which Last or Current Treatment Was Received among Persons Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Substance for Which Last or Current Treatment Was Received ¹ | Total | | AGE GROUP | | | | | |
|---|--------|------|-----------|------|--------|------|-------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| Marijuana | 0.3864 | | 0.8331 | | 0.2304 | | 0.8254 | |
| Cocaine | 0.0934 | | 0.7032 | | 0.7458 | | * | |
| Heroin | 0.3476 | | 0.9666 | | 0.3809 | | 0.3912 | |
| Hallucinogens | 0.8331 | | * | | 0.5532 | | 0.5103 | |
| Inhalants | 0.9889 | | 0.9457 | | 0.9323 | | 0.8662 | |
| Pain Relievers | 0.6655 | | 0.9964 | | 0.3774 | | 0.9826 | |
| Tranquilizers | 0.6059 | | 0.3438 | | 0.1596 | | 0.8662 | |
| Stimulants | 0.9444 | | 0.6198 | | 0.1557 | | 0.5265 | |
| Sedatives | 0.4324 | | * | | 0.9234 | | 0.2941 | |
| Alcohol | 0.3929 | | 0.3424 | | 0.1497 | | 0.5139 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.