

**Table 1.93A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	34,891	34,153	5,908	5,658	2,281	2,021
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6,992	6,829	1,162	1,039	453	436
New England	2,063	2,069	319	277	110	133
Middle Atlantic	4,929	4,760	843	762	342	302
Midwest	7,243	6,654	1,239	1,275	409	481
East North Central	4,992	4,761	888	941	313	379
West North Central	2,252 <sup>a</sup>	1,893	351	333	96	103
South	10,265	11,286	2,024	1,987	890	758
South Atlantic	5,671	6,407	1,071	1,140	513	433
East South Central	1,285 <sup>a</sup>	1,585	305	296	100	153
West South Central	3,309	3,295	648	551	277	172
West	10,390	9,384	1,483	1,358	529 <sup>a</sup>	346
Mountain	3,014 <sup>a</sup>	2,513	551	426	211	115
Pacific	7,377	6,871	931	932	319	231
<b>COUNTY TYPE</b>						
Large Metro	20,345	19,550	3,369	3,041	1,368	1,138
Small Metro	10,103	10,023	1,676	1,862	611	637
250K – 1 Mil. Pop.	6,728	6,751	1,083	1,263	411	403
< 250K Pop.	3,375	3,272	593	599	200	233
Nonmetro	4,443	4,580	863	755	301	246
Urbanized	2,252	2,283	443	396	128	144
Less Urbanized	1,820	1,958	384	311	158	95
Completely Rural	370	339	36	48	16	8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.93B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	14.7	14.2	2.5	2.4	1.0	0.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	15.4	15.0	2.6	2.3	1.0	1.0
New England	17.4	17.3	2.7	2.3	0.9	1.1
Middle Atlantic	14.7	14.2	2.5	2.3	1.0	0.9
Midwest	13.5 <sup>a</sup>	12.3	2.3	2.4	0.8	0.9
East North Central	13.3	12.6	2.4	2.5	0.8	1.0
West North Central	14.0 <sup>a</sup>	11.6	2.2	2.0	0.6	0.6
South	12.1	13.1	2.4	2.3	1.0	0.9
South Atlantic	12.8	14.2	2.4	2.5	1.2	1.0
East South Central	9.0 <sup>a</sup>	11.0	2.1	2.1	0.7	1.1
West South Central	12.7	12.4	2.5	2.1	1.1	0.6
West	19.3 <sup>a</sup>	17.2	2.8	2.5	1.0 <sup>a</sup>	0.6
Mountain	19.3 <sup>b</sup>	15.7	3.5	2.7	1.4	0.7
Pacific	19.3	17.8	2.4	2.4	0.8	0.6
<b>COUNTY TYPE</b>						
Large Metro	16.1	15.2	2.7	2.4	1.1	0.9
Small Metro	14.2	14.0	2.3	2.6	0.9	0.9
250K – 1 Mil. Pop.	14.3	14.3	2.3	2.7	0.9	0.9
< 250K Pop.	13.8	13.4	2.4	2.4	0.8	1.0
Nonmetro	11.1	11.3	2.1	1.9	0.7	0.6
Urbanized	12.6	13.7	2.5	2.4	0.7	0.9
Less Urbanized	10.0	9.7	2.1	1.5	0.9	0.5
Completely Rural	9.0	9.5	0.9	1.4	0.4	0.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.94A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	648	611	438	411	153	126
<b>GEOGRAPHIC DIVISION</b>						
Northeast	85	88	59	68	17	25
New England	27	30	19	22	7	8
Middle Atlantic	57	58	40	46	10	17
Midwest	150 <sup>a</sup>	107	107 <sup>a</sup>	76	28	21
East North Central	96	73	71	50	16	12
West North Central	54	34	36	25	11	10
South	224	222	157	160	68	46
South Atlantic	87	101	63	65	25	16
East South Central	26	32	18	22	7	7
West South Central	112	89	76	73	36	23
West	190	193	115	107	41	33
Mountain	90	60	56 <sup>a</sup>	29	20	12
Pacific	100	133	59	78	20	20
<b>COUNTY TYPE</b>						
Large Metro	321	300	201	201	74	58
Small Metro	186	210	130	134	51	43
250K – 1 Mil. Pop.	113	132	79	79	39	22
< 250K Pop.	73	78	51	55	12	22
Nonmetro	141	101	106	75	28	24
Urbanized	66	46	49	35	12	10
Less Urbanized	65	47	49	35	16	13
Completely Rural	11	8	9	5	0	1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.94B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	2.6	2.4	1.8	1.6	0.6	0.5
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.9	1.9	1.3	1.5	0.4	0.6
New England	2.3	2.6	1.6	1.9	0.6	0.7
Middle Atlantic	1.7	1.7	1.2	1.4	0.3	0.5
Midwest	2.6 <sup>a</sup>	1.9	1.9 <sup>a</sup>	1.3	0.5	0.4
East North Central	2.4	1.8	1.8	1.3	0.4	0.3
West North Central	3.2	2.1	2.1	1.5	0.7	0.6
South	2.5	2.5	1.8	1.8	0.8	0.5
South Atlantic	1.9	2.2	1.4	1.4	0.6	0.4
East South Central	1.8	2.2	1.2	1.5	0.5	0.5
West South Central	3.8	3.0	2.6	2.5	1.2	0.8
West	3.2	3.2	2.0	1.8	0.7	0.5
Mountain	5.2 <sup>a</sup>	3.5	3.2 <sup>a</sup>	1.6	1.2	0.7
Pacific	2.4	3.1	1.4	1.8	0.5	0.5
<b>COUNTY TYPE</b>						
Large Metro	2.4	2.2	1.5	1.5	0.6	0.4
Small Metro	2.5	2.7	1.8	1.8	0.7	0.6
250K – 1 Mil. Pop.	2.3	2.6	1.6	1.5	0.8	0.4
< 250K Pop.	3.0	3.1	2.1	2.2	0.5	0.8
Nonmetro	3.3	2.4	2.5	1.8	0.7	0.6
Urbanized	3.5	2.7	2.6	2.1	0.6	0.6
Less Urbanized	3.3	2.2	2.5	1.6	0.8	0.6
Completely Rural	2.4	2.0	2.0	1.3	0.0	0.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.95A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	4,755	4,893	2,098	2,134	696	692
<b>GEOGRAPHIC DIVISION</b>						
Northeast	781	885	436	460	156	174
New England	254	264	136	150	41 <sup>a</sup>	70
Middle Atlantic	526	621	300	309	115	104
Midwest	1,072	1,093	447	482	138	146
East North Central	705	732	310	326	107	91
West North Central	367	361	137	156	31	55
South	1,574	1,595	666	690	216	255
South Atlantic	738	759	323	350	123	144
East South Central	249	272	105	109	22	45
West South Central	586	564	239	231	71	67
West	1,329	1,319	548	502	186 <sup>a</sup>	116
Mountain	463	434	189	154	61	34
Pacific	866	885	359	348	125	83
<b>COUNTY TYPE</b>						
Large Metro	2,505	2,319	1,103	1,036	370	294
Small Metro	1,541 <sup>a</sup>	1,764	670	780	227	283
250K – 1 Mil. Pop.	1,013	1,162	461	515	170	167
< 250K Pop.	528	603	209	265	57 <sup>b</sup>	116
Nonmetro	709	810	324	318	100	114
Urbanized	354	385	184	166	73	64
Less Urbanized	313	372	123	137	20 <sup>b</sup>	51
Completely Rural	41	53	17	14	7	0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.95B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	15.0	15.2	6.6	6.6	2.2	2.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	13.9	15.6	7.7	8.1	2.8	3.1
New England	17.3	17.7	9.3	10.1	2.8 <sup>a</sup>	4.7
Middle Atlantic	12.6	14.8	7.2	7.4	2.8	2.5
Midwest	14.6	14.7	6.1	6.5	1.9	2.0
East North Central	13.9	14.3	6.1	6.4	2.1	1.8
West North Central	16.1	15.6	6.0	6.7	1.3	2.4
South	13.9	13.8	5.9	6.0	1.9	2.2
South Atlantic	13.2	13.3	5.8	6.1	2.2	2.5
East South Central	12.9	13.9	5.4	5.6	1.1	2.3
West South Central	15.4	14.5	6.3	6.0	1.9	1.7
West	17.9	17.5	7.4	6.7	2.5 <sup>a</sup>	1.5
Mountain	20.7	19.0	8.5	6.8	2.7	1.5
Pacific	16.7	16.9	6.9	6.6	2.4	1.6
<b>COUNTY TYPE</b>						
Large Metro	15.1	13.9	6.6	6.2	2.2	1.8
Small Metro	15.1	16.6	6.6	7.4	2.2	2.7
250K – 1 Mil. Pop.	15.2	16.9	6.9	7.5	2.6	2.4
< 250K Pop.	14.9	16.2	5.9	7.1	1.6 <sup>b</sup>	3.1
Nonmetro	14.4	16.4	6.6	6.4	2.0	2.3
Urbanized	15.0	16.7	7.8	7.2	3.1	2.8
Less Urbanized	14.3	16.1	5.6	5.9	0.9 <sup>b</sup>	2.2
Completely Rural	11.3	16.3	4.7	4.4	2.0 <sup>a</sup>	0.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.96A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	29,488	28,649	3,372	3,114	1,431	1,204
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6,127	5,855	667	511	280	237
New England	1,781	1,775	164	105	62	55
Middle Atlantic	4,345	4,080	503	406	218	182
Midwest	6,022	5,454	686	718	243	314
East North Central	4,191	3,957	507	565	189	276
West North Central	1,831 <sup>a</sup>	1,497	178	153	54	37
South	8,467 <sup>a</sup>	9,468	1,200	1,136	606	457
South Atlantic	4,845	5,546	686	725	364	273
East South Central	1,010 <sup>a</sup>	1,281	182	165	71	101
West South Central	2,611	2,641	333	247	170	82
West	8,872	7,871	819	749	302	197
Mountain	2,461 <sup>a</sup>	2,019	306	243	130	69
Pacific	6,411	5,852	513	505	173	128
<b>COUNTY TYPE</b>						
Large Metro	17,519	16,931	2,064	1,803	924	785
Small Metro	8,376	8,049	876	948	334	310
250K – 1 Mil. Pop.	5,602	5,457	542	669	202	215
< 250K Pop.	2,774	2,592	333	279	132	95
Nonmetro	3,593	3,669	432	363	173	108
Urbanized	1,833	1,851	210	195	43	71
Less Urbanized	1,442	1,539	212	139	122	31
Completely Rural	319	279	10	29	8	6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.96B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	16.3	15.6	1.9	1.7	0.8	0.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	17.4	16.6	1.9	1.4	0.8	0.7
New England	19.3	19.1	1.8	1.1	0.7	0.6
Middle Atlantic	16.7	15.7	1.9	1.6	0.8	0.7
Midwest	14.8 <sup>a</sup>	13.3	1.7	1.7	0.6	0.8
East North Central	14.7	13.7	1.8	2.0	0.7	1.0
West North Central	15.1 <sup>a</sup>	12.2	1.5	1.2	0.4	0.3
South	13.1	14.4	1.9	1.7	0.9	0.7
South Atlantic	14.1	15.9	2.0	2.1	1.1	0.8
East South Central	9.3 <sup>a</sup>	11.7	1.7	1.5	0.7	0.9
West South Central	13.5	13.4	1.7	1.3	0.9	0.4
West	21.9 <sup>a</sup>	19.1	2.0	1.8	0.7	0.5
Mountain	21.1 <sup>a</sup>	16.9	2.6	2.0	1.1	0.6
Pacific	22.2	20.1	1.8	1.7	0.6	0.4
<b>COUNTY TYPE</b>						
Large Metro	18.2	17.2	2.1	1.8	1.0	0.8
Small Metro	15.6	15.1	1.6	1.8	0.6	0.6
250K – 1 Mil. Pop.	15.9	15.5	1.5	1.9	0.6	0.6
< 250K Pop.	15.0	14.2	1.8	1.5	0.7	0.5
Nonmetro	11.6	11.7	1.4	1.2	0.6	0.3
Urbanized	13.4	14.6	1.5	1.5	0.3	0.6
Less Urbanized	10.3	9.7	1.5	0.9	0.9	0.2
Completely Rural	9.7	9.7	0.3	1.0	0.3	0.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.97A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	34,243	33,542	5,470	5,247	2,128	1,895
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6,907	6,740	1,103	971	436	411
New England	2,036	2,039	300	255	103	125
Middle Atlantic	4,872	4,702	803	716	333	285
Midwest	7,094	6,547	1,132	1,199	381	460
East North Central	4,896	4,689	817	891	296	367
West North Central	2,198	1,859	315	308	85	93
South	10,041	11,064	1,867	1,826	822	712
South Atlantic	5,584	6,306	1,008	1,075	488	417
East South Central	1,260 <sup>a</sup>	1,553	287	274	93	146
West South Central	3,198	3,206	571	478	241	149
West	10,201	9,191	1,368	1,251	489 <sup>a</sup>	313
Mountain	2,924	2,453	495	398	190	102
Pacific	7,277	6,738	872	853	298	211
<b>COUNTY TYPE</b>						
Large Metro	20,024	19,250	3,168	2,839	1,294	1,079
Small Metro	9,917	9,813	1,546	1,728	561	593
250K – 1 Mil. Pop.	6,615	6,619	1,004	1,184	372	382
< 250K Pop.	3,302	3,195	542	544	189	212
Nonmetro	4,302	4,479	756	680	273	222
Urbanized	2,187	2,236	394	361	116	134
Less Urbanized	1,755	1,911	335	276	142	82
Completely Rural	360	332	27	43	15	7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.97B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	16.1	15.6	2.6	2.4	1.0	0.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	16.9	16.5	2.7	2.4	1.1	1.0
New England	19.0	18.9	2.8	2.4	1.0	1.2
Middle Atlantic	16.2	15.6	2.7	2.4	1.1	0.9
Midwest	14.8 <sup>a</sup>	13.5	2.4	2.5	0.8	0.9
East North Central	14.5	13.8	2.4	2.6	0.9	1.1
West North Central	15.3 <sup>a</sup>	12.7	2.2	2.1	0.6	0.6
South	13.2	14.3	2.5	2.4	1.1	0.9
South Atlantic	14.0	15.5	2.5	2.6	1.2	1.0
East South Central	9.9 <sup>a</sup>	12.0	2.2	2.1	0.7	1.1
West South Central	13.8	13.6	2.5	2.0	1.0	0.6
West	21.3 <sup>a</sup>	18.9	2.9	2.6	1.0 <sup>a</sup>	0.6
Mountain	21.1 <sup>a</sup>	17.2	3.6	2.8	1.4	0.7
Pacific	21.4	19.6	2.6	2.5	0.9	0.6
<b>COUNTY TYPE</b>						
Large Metro	17.8	16.7	2.8	2.5	1.1	0.9
Small Metro	15.5	15.3	2.4	2.7	0.9	0.9
250K – 1 Mil. Pop.	15.8	15.7	2.4	2.8	0.9	0.9
< 250K Pop.	15.0	14.6	2.5	2.5	0.9	1.0
Nonmetro	12.0	12.3	2.1	1.9	0.8	0.6
Urbanized	13.7	14.9	2.5	2.4	0.7	0.9
Less Urbanized	10.8	10.5	2.1	1.5	0.9	0.5
Completely Rural	9.8	10.4	0.7	1.4	0.4	0.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.