

**Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	110,205	110,057	34,993	34,807	19,470	19,071
Marijuana and Hashish	96,611	96,772	25,231	25,451	14,638	14,576
Cocaine	34,891	34,153	5,908	5,658	2,281	2,021
Crack	7,949	7,840	1,406	1,304	604	467
Heroin	3,744 <sup>a</sup>	3,145	314	398	119	166
Hallucinogens	34,363	34,333	3,936	3,878	1,042	929
LSD	24,424	23,398	558	592	133	141
PCP	7,107	6,762	219	210	56	49
Ecstasy	10,904	11,130	2,119	1,915	470	450
Inhalants	22,995	22,798	2,075	2,255	570	638
Nonmedical Use of Psychotherapeutics <sup>2</sup>	47,882	48,013	14,986	14,643	6,336	6,007
Pain Relievers	31,207	31,768	11,671	11,256	4,693	4,404
OxyContin <sup>®</sup>	2,832	3,072	--	1,213	--	325
Tranquilizers	20,220	19,852	5,051	5,068	1,830	1,616
Stimulants	20,798	19,982	2,751	2,918	1,191	1,189
Methamphetamine	12,303	11,726	1,315	1,440	607	583
Sedatives	9,510	9,891	831	737	294	265
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	71,128	70,657	20,305	19,658	8,849	8,247

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	46.4	45.8	14.7	14.5	8.2	7.9
Marijuana and Hashish	40.6	40.2	10.6	10.6	6.2	6.1
Cocaine	14.7	14.2	2.5	2.4	1.0	0.8
Crack	3.3	3.3	0.6	0.5	0.3	0.2
Heroin	1.6 <sup>a</sup>	1.3	0.1	0.2	0.1	0.1
Hallucinogens	14.5	14.3	1.7	1.6	0.4	0.4
LSD	10.3	9.7	0.2	0.2	0.1	0.1
PCP	3.0	2.8	0.1	0.1	0.0	0.0
Ecstasy	4.6	4.6	0.9	0.8	0.2	0.2
Inhalants	9.7	9.5	0.9	0.9	0.2	0.3
Nonmedical Use of Psychotherapeutics <sup>2</sup>	20.1	20.0	6.3	6.1	2.7	2.5
Pain Relievers	13.1	13.2	4.9	4.7	2.0	1.8
OxyContin <sup>®</sup>	1.2	1.3	--	0.5	--	0.1
Tranquilizers	8.5	8.3	2.1	2.1	0.8	0.7
Stimulants	8.8	8.3	1.2	1.2	0.5	0.5
Methamphetamine	5.2	4.9	0.6	0.6	0.3	0.2
Sedatives	4.0	4.1	0.3	0.3	0.1	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	29.9	29.4	8.5	8.2	3.7	3.4

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	7,631	7,566	5,455	5,300	2,811	2,674
Marijuana and Hashish	4,888	4,788	3,745	3,656	1,971	1,909
Cocaine	648	611	438	411	153	126
Crack	157	125	95	63	32	16
Heroin	80	78	36	48	18	15
Hallucinogens	1,250	1,160	778	753	260	211
LSD	397 <sup>a</sup>	313	149	157	51	38
PCP	204	175	89	72	20	11
Ecstasy	603	523	329	310	91	77
Inhalants	2,670	2,762	1,119	1,168	320	312
Nonmedical Use of Psychotherapeutics <sup>2</sup>	3,351	3,394	2,289	2,225	997	914
Pain Relievers	2,798	2,879	1,917	1,865	801	751
OxyContin <sup>®</sup>	254	305	--	194	--	66
Tranquilizers	874	816	586	532	226 <sup>a</sup>	161
Stimulants	1,007 <sup>a</sup>	867	568	496	221	178
Methamphetamine	328	299	174	163	69	57
Sedatives	249	251	131	133	47	26
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	5,319	5,355	3,351	3,269	1,417	1,328

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	30.5	30.0	21.8	21.0	11.2	10.6
Marijuana and Hashish	19.6	19.0	15.0	14.5	7.9	7.6
Cocaine	2.6	2.4	1.8	1.6	0.6	0.5
Crack	0.6	0.5	0.4 <sup>a</sup>	0.3	0.1	0.1
Heroin	0.3	0.3	0.1	0.2	0.1	0.1
Hallucinogens	5.0	4.6	3.1	3.0	1.0	0.8
LSD	1.6 <sup>a</sup>	1.2	0.6	0.6	0.2	0.2
PCP	0.8	0.7	0.4	0.3	0.1	0.0
Ecstasy	2.4	2.1	1.3	1.2	0.4	0.3
Inhalants	10.7	11.0	4.5	4.6	1.3	1.2
Nonmedical Use of Psychotherapeutics <sup>2</sup>	13.4	13.5	9.2	8.8	4.0	3.6
Pain Relievers	11.2	11.4	7.7	7.4	3.2	3.0
OxyContin <sup>®</sup>	1.0	1.2	--	0.8	--	0.3
Tranquilizers	3.5	3.2	2.3	2.1	0.9 <sup>a</sup>	0.6
Stimulants	4.0 <sup>b</sup>	3.4	2.3	2.0	0.9	0.7
Methamphetamine	1.3	1.2	0.7	0.6	0.3	0.2
Sedatives	1.0	1.0	0.5	0.5	0.2	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	21.3	21.2	13.4	13.0	5.7	5.3

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	19,195	19,043	10,976	10,913	6,435	6,239
Marijuana and Hashish	17,103	16,983	9,044	8,963	5,400	5,196
Cocaine	4,755	4,893	2,098	2,134	696	692
Crack	1,193	1,135	275	263	55	80
Heroin	516	529	96	118	25	43
Hallucinogens	7,377 <sup>a</sup>	6,855	2,112	1,944	545	477
LSD	4,450 <sup>b</sup>	3,900	336	317	67	83
PCP	948 <sup>b</sup>	737	117	100	30	17
Ecstasy	4,683	4,439	1,164 <sup>a</sup>	999	230	231
Inhalants	4,729	4,516	662	674	134	144
Nonmedical Use of Psychotherapeutics <sup>2</sup>	9,211	9,392	4,598	4,751	1,913	1,959
Pain Relievers	7,513	7,813	3,803	3,834	1,486	1,504
OxyContin <sup>®</sup>	1,145 <sup>b</sup>	1,376	--	562	--	142
Tranquilizers	3,898	3,919	1,682	1,658	525	566
Stimulants	3,420	3,426	1,114	1,181	400	446
Methamphetamine	1,650	1,688	506	516	185	186
Sedatives	565	627	156	163	58	49
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	12,770	12,630	6,266	6,201	2,665	2,619

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	60.5	59.2	34.6	33.9	20.3	19.4
Marijuana and Hashish	53.9	52.8	28.5	27.8	17.0	16.1
Cocaine	15.0	15.2	6.6	6.6	2.2	2.1
Crack	3.8	3.5	0.9	0.8	0.2	0.3
Heroin	1.6	1.6	0.3	0.4	0.1	0.1
Hallucinogens	23.3 <sup>b</sup>	21.3	6.7	6.0	1.7	1.5
LSD	14.0 <sup>b</sup>	12.1	1.1	1.0	0.2	0.3
PCP	3.0 <sup>b</sup>	2.3	0.4	0.3	0.1	0.1
Ecstasy	14.8 <sup>a</sup>	13.8	3.7 <sup>a</sup>	3.1	0.7	0.7
Inhalants	14.9	14.0	2.1	2.1	0.4	0.4
Nonmedical Use of Psychotherapeutics <sup>2</sup>	29.0	29.2	14.5	14.8	6.0	6.1
Pain Relievers	23.7	24.3	12.0	11.9	4.7	4.7
OxyContin <sup>®</sup>	3.6 <sup>b</sup>	4.3	--	1.7	--	0.4
Tranquilizers	12.3	12.2	5.3	5.2	1.7	1.8
Stimulants	10.8	10.6	3.5	3.7	1.3	1.4
Methamphetamine	5.2	5.2	1.6	1.6	0.6	0.6
Sedatives	1.8	1.9	0.5	0.5	0.2	0.2
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	40.2	39.2	19.7	19.3	8.4	8.1

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	83,380	83,448	18,562	18,594	10,224	10,159
Marijuana and Hashish	74,620	75,001	12,441	12,833	7,267	7,471
Cocaine	29,488	28,649	3,372	3,114	1,431	1,204
Crack	6,599	6,580	1,036	978	517	370
Heroin	3,148 <sup>a</sup>	2,538	182	232	76	108
Hallucinogens	25,736	26,318	1,046	1,182	238	241
LSD	19,577	19,185	73	117	15	20
PCP	5,955	5,851	13	38	*	21
Ecstasy	5,619	6,168	626	606	149	142
Inhalants	15,596	15,521	295	413	117	181
Nonmedical Use of Psychotherapeutics <sup>2</sup>	35,320	35,227	8,099	7,667	3,426	3,134
Pain Relievers	20,896	21,076	5,950	5,556	2,406	2,149
OxyContin <sup>®</sup>	1,433	1,392	--	457	--	118
Tranquilizers	15,447	15,117	2,783	2,878	1,078	889
Stimulants	16,371	15,689	1,068	1,241	570	565
Methamphetamine	10,325	9,739	636	761	353	340
Sedatives	8,696	9,012	544	441	189	190
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	53,040	52,672	10,689	10,189	4,767	4,301

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	46.1	45.6	10.3	10.2	5.6	5.5
Marijuana and Hashish	41.2	41.0	6.9	7.0	4.0	4.1
Cocaine	16.3	15.6	1.9	1.7	0.8	0.7
Crack	3.6	3.6	0.6	0.5	0.3	0.2
Heroin	1.7 <sup>a</sup>	1.4	0.1	0.1	0.0	0.1
Hallucinogens	14.2	14.4	0.6	0.6	0.1	0.1
LSD	10.8	10.5	0.0	0.1	0.0	0.0
PCP	3.3	3.2	0.0	0.0	*	0.0
Ecstasy	3.1	3.4	0.3	0.3	0.1	0.1
Inhalants	8.6	8.5	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2</sup>	19.5	19.2	4.5	4.2	1.9	1.7
Pain Relievers	11.5	11.5	3.3	3.0	1.3	1.2
OxyContin <sup>®</sup>	0.8	0.8	--	0.2	--	0.1
Tranquilizers	8.5	8.3	1.5	1.6	0.6	0.5
Stimulants	9.0	8.6	0.6	0.7	0.3	0.3
Methamphetamine	5.7	5.3	0.4	0.4	0.2	0.2
Sedatives	4.8	4.9	0.3	0.2	0.1	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	29.3	28.8	5.9	5.6	2.6	2.3

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	1,314	1,253	771	774	324	316
Marijuana and Hashish	284	305	197	230	83	96
Cocaine	30	21	17	16	9	5
Crack	2	4	2	4	2	3
Heroin	5	9	2	6	*	5
Hallucinogens	106	102	62	72	19	26
LSD	17	29	11	19	4	12
PCP	8 <sup>a</sup>	27	4	7	2	3
Ecstasy	28	31	16	24	3	7
Inhalants	751	751	338	339	120	100
Nonmedical Use of Psychotherapeutics <sup>2</sup>	566	555	343	365	150	143
Pain Relievers	486	454	297	301	125	124
OxyContin <sup>®</sup>	6	13	--	8	--	*
Tranquilizers	56	69	38	42	21	14
Stimulants	114	105	57	63	31	24
Methamphetamine	32	28	15	17	7	7
Sedatives	47	62	29	35	4	8
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	1,165	1,122	644	653	263	248

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	15.5	15.0	9.1	9.2	3.8	3.8
Marijuana and Hashish	3.4	3.6	2.3	2.8	1.0	1.1
Cocaine	0.4	0.3	0.2	0.2	0.1	0.1
Crack	0.0	0.1	0.0	0.1	0.0	0.0
Heroin	0.1	0.1	0.0	0.1	*	0.1
Hallucinogens	1.3	1.2	0.7	0.9	0.2	0.3
LSD	0.2	0.3	0.1	0.2	0.1	0.1
PCP	0.1 <sup>a</sup>	0.3	0.0	0.1	0.0	0.0
Ecstasy	0.3	0.4	0.2	0.3	0.0	0.1
Inhalants	8.9	9.0	4.0	4.1	1.4	1.2
Nonmedical Use of Psychotherapeutics <sup>2</sup>	6.7	6.6	4.1	4.4	1.8	1.7
Pain Relievers	5.7	5.4	3.5	3.6	1.5	1.5
OxyContin <sup>®</sup>	0.1	0.2	--	0.1	--	*
Tranquilizers	0.7	0.8	0.4	0.5	0.2	0.2
Stimulants	1.3	1.3	0.7	0.8	0.4	0.3
Methamphetamine	0.4	0.3	0.2	0.2	0.1	0.1
Sedatives	0.6	0.7	0.3	0.4	0.1	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	13.8	13.4	7.6	7.8	3.1	3.0

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.6A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	2,501	2,593	1,815	1,831	900	942
Marijuana and Hashish	1,525	1,524	1,217	1,193	597	629
Cocaine	161	157	115	92	42	33
Crack	45	39	29	19	9	5
Heroin	25	18	14	8	5	2
Hallucinogens	357	332	228	229	86 <sup>a</sup>	48
LSD	109	88	54	54	15	7
PCP	75	54	38	26	1	1
Ecstasy	158	129	91	81	27 <sup>a</sup>	9
Inhalants	962	1,085	429	487	116	137
Nonmedical Use of Psychotherapeutics <sup>2</sup>	1,064	1,133	751	759	339	356
Pain Relievers	890	944	630	632	281	306
OxyContin <sup>®</sup>	65	82	--	63	--	28
Tranquilizers	240	231	172	150	69	52
Stimulants	304	289	186	183	59	68
Methamphetamine	85	111	58	70	17	21
Sedatives	85	82	47	47	18	10
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	1,752	1,899	1,119	1,155	487	501

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.6B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	30.3	29.9	22.0	21.1	10.9	10.9
Marijuana and Hashish	18.5	17.6	14.7	13.8	7.2	7.3
Cocaine	2.0	1.8	1.4	1.1	0.5	0.4
Crack	0.5	0.4	0.4	0.2	0.1	0.1
Heroin	0.3	0.2	0.2	0.1	0.1	0.0
Hallucinogens	4.3	3.8	2.8	2.6	1.0 <sup>b</sup>	0.6
LSD	1.3	1.0	0.7	0.6	0.2	0.1
PCP	0.9	0.6	0.5	0.3	0.0	0.0
Ecstasy	1.9	1.5	1.1	0.9	0.3 <sup>a</sup>	0.1
Inhalants	11.7	12.5	5.2	5.6	1.4	1.6
Nonmedical Use of Psychotherapeutics <sup>2</sup>	12.9	13.1	9.1	8.8	4.1	4.1
Pain Relievers	10.8	10.9	7.6	7.3	3.4	3.5
OxyContin <sup>®</sup>	0.8	0.9	--	0.7	--	0.3
Tranquilizers	2.9	2.7	2.1	1.7	0.8	0.6
Stimulants	3.7	3.3	2.3	2.1	0.7	0.8
Methamphetamine	1.0	1.3	0.7	0.8	0.2	0.2
Sedatives	1.0	0.9	0.6	0.5	0.2	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	21.2	21.9	13.5	13.3	5.9	5.8

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.7A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	3,816	3,720	2,869	2,696	1,587 <sup>a</sup>	1,416
Marijuana and Hashish	3,079	2,960	2,330	2,232	1,292	1,184
Cocaine	457	433	307	303	102	88
Crack	109	82	64	40	21 <sup>a</sup>	8
Heroin	49	51	21	34	13	9
Hallucinogens	787	725	488	452	154	136
LSD	271 <sup>b</sup>	196	84	84	31	19
PCP	120	94	46	38	18	7
Ecstasy	416	363	222	205	61	61
Inhalants	957	926	353	342	83	75
Nonmedical Use of Psychotherapeutics <sup>2</sup>	1,721	1,706	1,195	1,101	508 <sup>a</sup>	415
Pain Relievers	1,423	1,481	991	932	395 <sup>a</sup>	321
OxyContin <sup>®</sup>	183	209	--	123	--	37
Tranquilizers	579	516	377	341	136	96
Stimulants	590 <sup>b</sup>	473	325 <sup>a</sup>	250	131 <sup>a</sup>	86
Methamphetamine	211 <sup>a</sup>	159	101	75	45	29
Sedatives	117	108	56	52	24 <sup>a</sup>	9
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	2,401	2,334	1,588	1,461	667	579

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.7B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	46.1	45.5	34.6	32.9	19.2 <sup>a</sup>	17.3
Marijuana and Hashish	37.2	36.2	28.1	27.3	15.6	14.5
Cocaine	5.5	5.3	3.7	3.7	1.2	1.1
Crack	1.3	1.0	0.8	0.5	0.3 <sup>a</sup>	0.1
Heroin	0.6	0.6	0.2	0.4	0.2	0.1
Hallucinogens	9.5	8.9	5.9	5.5	1.9	1.7
LSD	3.3 <sup>b</sup>	2.4	1.0	1.0	0.4	0.2
PCP	1.5	1.1	0.6	0.5	0.2	0.1
Ecstasy	5.0	4.4	2.7	2.5	0.7	0.7
Inhalants	11.6	11.3	4.3	4.2	1.0	0.9
Nonmedical Use of Psychotherapeutics <sup>2</sup>	20.8	20.8	14.4	13.5	6.1 <sup>a</sup>	5.1
Pain Relievers	17.2	18.1	12.0	11.4	4.8 <sup>a</sup>	3.9
OxyContin <sup>®</sup>	2.2	2.6	--	1.5	--	0.5
Tranquilizers	7.0	6.3	4.6	4.2	1.6	1.2
Stimulants	7.1 <sup>b</sup>	5.8	3.9 <sup>a</sup>	3.1	1.6 <sup>a</sup>	1.1
Methamphetamine	2.5 <sup>a</sup>	1.9	1.2	0.9	0.5	0.4
Sedatives	1.4	1.3	0.7	0.6	0.3 <sup>a</sup>	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	29.0	28.5	19.2	17.9	8.0	7.1

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.8A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	7,226	7,039	4,936	4,822	2,922	2,722
Marijuana and Hashish	6,316	6,138	4,134	4,042	2,491	2,281
Cocaine	1,480	1,421	845	835	274	259
Crack	353	311	124	106	32	29
Heroin	135	128	44	55	15	14
Hallucinogens	2,409 <sup>b</sup>	1,953	1,100 <sup>b</sup>	910	290	228
LSD	1,235 <sup>b</sup>	872	193	177	43	48
PCP	323 <sup>a</sup>	241	66	53	10	14
Ecstasy	1,575 <sup>b</sup>	1,181	566 <sup>a</sup>	446	116	92
Inhalants	1,732 <sup>a</sup>	1,492	379	376	80	80
Nonmedical Use of Psychotherapeutics <sup>2</sup>	3,523	3,467	2,082	2,078	869	867
Pain Relievers	2,961	2,999	1,744	1,703	703	657
OxyContin <sup>®</sup>	453	504	--	252	--	61
Tranquilizers	1,342	1,323	708	664	206	232
Stimulants	1,184	1,168	503	550	168 <sup>a</sup>	231
Methamphetamine	496	463	194	187	63	74
Sedatives	163	189	61	68	22	18
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	4,671	4,462	2,812	2,673	1,222	1,140

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.8B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	57.7	56.2	39.4	38.5	23.3	21.7
Marijuana and Hashish	50.4	49.0	33.0	32.3	19.9	18.2
Cocaine	11.8	11.3	6.8	6.7	2.2	2.1
Crack	2.8	2.5	1.0	0.8	0.3	0.2
Heroin	1.1	1.0	0.4	0.4	0.1	0.1
Hallucinogens	19.2 <sup>b</sup>	15.6	8.8 <sup>b</sup>	7.3	2.3	1.8
LSD	9.9 <sup>b</sup>	7.0	1.5	1.4	0.3	0.4
PCP	2.6 <sup>a</sup>	1.9	0.5	0.4	0.1	0.1
Ecstasy	12.6 <sup>b</sup>	9.4	4.5 <sup>b</sup>	3.6	0.9	0.7
Inhalants	13.8 <sup>b</sup>	11.9	3.0	3.0	0.6	0.6
Nonmedical Use of Psychotherapeutics <sup>2</sup>	28.1	27.7	16.6	16.6	6.9	6.9
Pain Relievers	23.6	23.9	13.9	13.6	5.6	5.2
OxyContin <sup>®</sup>	3.6	4.0	--	2.0	--	0.5
Tranquilizers	10.7	10.6	5.7	5.3	1.6	1.9
Stimulants	9.5	9.3	4.0	4.4	1.3 <sup>a</sup>	1.8
Methamphetamine	4.0	3.7	1.5	1.5	0.5	0.6
Sedatives	1.3	1.5	0.5	0.5	0.2	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	37.3	35.6	22.5	21.3	9.8	9.1

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.9A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	11,968	12,004	6,040	6,091	3,512	3,517
Marijuana and Hashish	10,787	10,845	4,911	4,920	2,909	2,914
Cocaine	3,275	3,471	1,252	1,299	422	432
Crack	840	824	151	157	22 <sup>a</sup>	52
Heroin	381	401	52	64	10 <sup>a</sup>	29
Hallucinogens	4,968	4,902	1,012	1,034	255	249
LSD	3,215	3,028	143	140	24	35
PCP	625 <sup>a</sup>	496	51	47	20	2
Ecstasy	3,108	3,258	598	553	114	140
Inhalants	2,996	3,024	283	298	54	64
Nonmedical Use of Psychotherapeutics <sup>2</sup>	5,688	5,926	2,516	2,673	1,044	1,092
Pain Relievers	4,552	4,814	2,059	2,132	782	847
OxyContin <sup>®</sup>	692 <sup>b</sup>	872	--	310	--	80
Tranquilizers	2,556	2,596	974	994	319	334
Stimulants	2,236	2,258	611	632	232	215
Methamphetamine	1,154	1,225	312	329	122	113
Sedatives	401	438	95	94	37	31
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	8,098	8,168	3,453	3,528	1,443	1,479

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.9B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	62.3	61.0	31.4	31.0	18.3	17.9
Marijuana and Hashish	56.2	55.1	25.6	25.0	15.1	14.8
Cocaine	17.1	17.6	6.5	6.6	2.2	2.2
Crack	4.4	4.2	0.8	0.8	0.1 <sup>a</sup>	0.3
Heroin	2.0	2.0	0.3	0.3	0.1 <sup>a</sup>	0.1
Hallucinogens	25.9	24.9	5.3	5.3	1.3	1.3
LSD	16.7 <sup>a</sup>	15.4	0.7	0.7	0.1	0.2
PCP	3.3 <sup>b</sup>	2.5	0.3	0.2	0.1	0.0
Ecstasy	16.2	16.6	3.1	2.8	0.6	0.7
Inhalants	15.6	15.4	1.5	1.5	0.3	0.3
Nonmedical Use of Psychotherapeutics <sup>2</sup>	29.6	30.1	13.1	13.6	5.4	5.6
Pain Relievers	23.7	24.5	10.7	10.8	4.1	4.3
OxyContin <sup>®</sup>	3.6 <sup>b</sup>	4.4	--	1.6	--	0.4
Tranquilizers	13.3	13.2	5.1	5.1	1.7	1.7
Stimulants	11.6	11.5	3.2	3.2	1.2	1.1
Methamphetamine	6.0	6.2	1.6	1.7	0.6	0.6
Sedatives	2.1	2.2	0.5	0.5	0.2	0.2
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	42.2	41.5	18.0	17.9	7.5	7.5

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.10A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	20,018	19,904	6,828	6,683	3,753	3,866
Marijuana and Hashish	17,834	17,666	5,044	4,878	2,939	2,916
Cocaine	6,312	5,696	1,419	1,392	519	483
Crack	1,928	1,599	316	289	142	111
Heroin	584	475	51	79	23	53
Hallucinogens	7,085	7,296	748	787	164	168
LSD	5,266	5,264	45	93	10	15
PCP	694	670	10	35	5	21
Ecstasy	3,251	3,678	468	418	112	86
Inhalants	4,759	4,577	90	173	12 <sup>a</sup>	70
Nonmedical Use of Psychotherapeutics <sup>2</sup>	8,619	8,360	2,945	2,963	1,192	1,256
Pain Relievers	6,289	6,229	2,250	2,246	880	842
OxyContin <sup>®</sup>	613	708	--	220	--	77
Tranquilizers	3,833	3,712	1,023	1,200	297	376
Stimulants	3,143	2,895	429	533	269	237
Methamphetamine	2,153	1,987	284	358	166	129
Sedatives	664	731	117	150	43	46
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	13,181	12,911	3,995	3,950	1,632	1,705

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.10B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	57.3	56.9	19.5	19.1	10.7	11.1
Marijuana and Hashish	51.0	50.5	14.4	13.9	8.4	8.3
Cocaine	18.1	16.3	4.1	4.0	1.5	1.4
Crack	5.5	4.6	0.9	0.8	0.4	0.3
Heroin	1.7	1.4	0.1	0.2	0.1	0.2
Hallucinogens	20.3	20.9	2.1	2.2	0.5	0.5
LSD	15.1	15.0	0.1	0.3	0.0	0.0
PCP	2.0	1.9	0.0	0.1	0.0	0.1
Ecstasy	9.3	10.5	1.3	1.2	0.3	0.2
Inhalants	13.6	13.1	0.3	0.5	0.0 <sup>a</sup>	0.2
Nonmedical Use of Psychotherapeutics <sup>2</sup>	24.7	23.9	8.4	8.5	3.4	3.6
Pain Relievers	18.0	17.8	6.4	6.4	2.5	2.4
OxyContin <sup>®</sup>	1.8	2.0	--	0.6	--	0.2
Tranquilizers	11.0	10.6	2.9	3.4	0.9	1.1
Stimulants	9.0	8.3	1.2	1.5	0.8	0.7
Methamphetamine	6.2	5.7	0.8	1.0	0.5	0.4
Sedatives	1.9	2.1	0.3	0.4	0.1	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	37.7	36.9	11.4	11.3	4.7	4.9

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.11A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	63,362	63,544	11,734	11,911	6,471	6,293
Marijuana and Hashish	56,786	57,335	7,398	7,954	4,329	4,555
Cocaine	23,175	22,953	1,953	1,722	912	721
Crack	4,670	4,981	720	690	375	259
Heroin	2,565 <sup>a</sup>	2,062	131	153	53	55
Hallucinogens	18,651	19,022	298	395	74	73
LSD	14,311	13,922	28	25	*	*
PCP	5,261	5,181	*	*	*	*
Ecstasy	2,368	2,491	158	188	36	56
Inhalants	10,838	10,943	205	240	104	112
Nonmedical Use of Psychotherapeutics <sup>2</sup>	26,701	26,866	5,153	4,704	2,234	1,878
Pain Relievers	14,607	14,847	3,700	3,310	1,526	1,308
OxyContin <sup>®</sup>	820	683	--	236	--	41
Tranquilizers	11,614	11,405	1,760	1,678	781 <sup>a</sup>	513
Stimulants	13,228	12,793	639	708	301	328
Methamphetamine	8,173	7,752	351	403	187	211
Sedatives	8,033	8,281	426	291	146	145
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	39,858	39,761	6,693	6,239	3,135	2,595

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.11B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	43.4	42.9	8.0	8.0	4.4	4.2
Marijuana and Hashish	38.9	38.7	5.1	5.4	3.0	3.1
Cocaine	15.9	15.5	1.3	1.2	0.6	0.5
Crack	3.2	3.4	0.5	0.5	0.3	0.2
Heroin	1.8 <sup>a</sup>	1.4	0.1	0.1	0.0	0.0
Hallucinogens	12.8	12.8	0.2	0.3	0.1	0.0
LSD	9.8	9.4	0.0	0.0	*	*
PCP	3.6	3.5	*	*	*	*
Ecstasy	1.6	1.7	0.1	0.1	0.0	0.0
Inhalants	7.4	7.4	0.1	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2</sup>	18.3	18.1	3.5	3.2	1.5	1.3
Pain Relievers	10.0	10.0	2.5	2.2	1.0	0.9
OxyContin <sup>®</sup>	0.6	0.5	--	0.2	--	0.0
Tranquilizers	8.0	7.7	1.2	1.1	0.5 <sup>a</sup>	0.3
Stimulants	9.1	8.6	0.4	0.5	0.2	0.2
Methamphetamine	5.6	5.2	0.2	0.3	0.1	0.1
Sedatives	5.5	5.6	0.3	0.2	0.1	0.1
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	27.3	26.8	4.6	4.2	2.1	1.8

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.12A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	102,574	102,491	29,538	29,506	16,659	16,397
Marijuana and Hashish	91,723	91,984	21,486	21,796	12,667	12,667
Cocaine	34,243	33,542	5,470	5,247	2,128	1,895
Crack	7,792	7,715	1,310	1,241	572	451
Heroin	3,664 <sup>a</sup>	3,067	278	350	101	151
Hallucinogens	33,113	33,173	3,158	3,125	783	719
LSD	24,027	23,085	409	434	82	103
PCP	6,903	6,587	130	138	35	37
Ecstasy	10,301	10,607	1,790	1,605	379	373
Inhalants	20,325	20,036	956	1,087	250	325
Nonmedical Use of Psychotherapeutics <sup>2</sup>	44,530	44,619	12,697	12,418	5,339	5,093
Pain Relievers	28,409	28,890	9,753	9,391	3,892	3,653
OxyContin <sup>®</sup>	2,579	2,767	--	1,019	--	260
Tranquilizers	19,346	19,036	4,465	4,536	1,604	1,455
Stimulants	19,791	19,115	2,183	2,423	970	1,011
Methamphetamine	11,976	11,427	1,141	1,277	538	526
Sedatives	9,261	9,640	700	604	247	239
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	65,809	65,302	16,954	16,389	7,432	6,920

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.12B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	48.2	47.6	13.9	13.7	7.8	7.6
Marijuana and Hashish	43.1	42.7	10.1	10.1	6.0	5.9
Cocaine	16.1	15.6	2.6	2.4	1.0	0.9
Crack	3.7	3.6	0.6	0.6	0.3	0.2
Heroin	1.7 <sup>a</sup>	1.4	0.1	0.2	0.0	0.1
Hallucinogens	15.6	15.4	1.5	1.5	0.4	0.3
LSD	11.3	10.7	0.2	0.2	0.0	0.0
PCP	3.2	3.1	0.1	0.1	0.0	0.0
Ecstasy	4.8	4.9	0.8	0.7	0.2	0.2
Inhalants	9.6	9.3	0.4	0.5	0.1	0.2
Nonmedical Use of Psychotherapeutics <sup>2</sup>	20.9	20.7	6.0	5.8	2.5	2.4
Pain Relievers	13.4	13.4	4.6	4.4	1.8	1.7
OxyContin <sup>®</sup>	1.2	1.3	--	0.5	--	0.1
Tranquilizers	9.1	8.8	2.1	2.1	0.8	0.7
Stimulants	9.3	8.9	1.0	1.1	0.5	0.5
Methamphetamine	5.6	5.3	0.5	0.6	0.3	0.2
Sedatives	4.4	4.5	0.3	0.3	0.1	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	30.9	30.3	8.0	7.6	3.5	3.2

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.13A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	58,827	59,096	19,820	19,671	11,462	11,492
Marijuana and Hashish	52,415	52,840	15,169	15,223	9,290	9,273
Cocaine	20,988	20,562	3,904	3,704	1,541	1,353
Crack	5,320	4,873	944	867	469	321
Heroin	2,487 <sup>a</sup>	2,060	222	290	73	139
Hallucinogens	20,415	20,631	2,428	2,559	659	668
LSD	15,073	14,745	352	403	96	106
PCP	4,597	4,293	121	143	37	42
Ecstasy	6,125	6,508	1,195	1,190	231	321
Inhalants	14,875	14,557	1,189	1,334	331	388
Nonmedical Use of Psychotherapeutics <sup>2</sup>	24,844	25,503	7,559	7,460	3,123	3,019
Pain Relievers	16,824	17,273	6,121	5,903	2,416	2,187
OxyContin <sup>®</sup>	1,804	1,938	--	741	--	177
Tranquilizers	10,159	10,551	2,498	2,399	818	810
Stimulants	11,273	11,211	1,399	1,563	633	604
Methamphetamine	7,363	6,985	778	889	398	300
Sedatives	5,590	5,499	323	317	99	103
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	38,730	39,091	11,050	10,800	4,830	4,595

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.13B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	51.2	50.7	17.2	16.9	10.0	9.9
Marijuana and Hashish	45.6	45.4	13.2	13.1	8.1	8.0
Cocaine	18.3	17.7	3.4	3.2	1.3	1.2
Crack	4.6	4.2	0.8	0.7	0.4	0.3
Heroin	2.2 <sup>a</sup>	1.8	0.2	0.2	0.1	0.1
Hallucinogens	17.8	17.7	2.1	2.2	0.6	0.6
LSD	13.1	12.7	0.3	0.3	0.1	0.1
PCP	4.0	3.7	0.1	0.1	0.0	0.0
Ecstasy	5.3	5.6	1.0	1.0	0.2	0.3
Inhalants	12.9	12.5	1.0	1.1	0.3	0.3
Nonmedical Use of Psychotherapeutics <sup>2</sup>	21.6	21.9	6.6	6.4	2.7	2.6
Pain Relievers	14.6	14.8	5.3	5.1	2.1	1.9
OxyContin <sup>®</sup>	1.6	1.7	--	0.6	--	0.2
Tranquilizers	8.8	9.1	2.2	2.1	0.7	0.7
Stimulants	9.8	9.6	1.2	1.3	0.6	0.5
Methamphetamine	6.4	6.0	0.7	0.8	0.3	0.3
Sedatives	4.9	4.7	0.3	0.3	0.1	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	33.7	33.6	9.6	9.3	4.2	3.9

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.14A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	51,379	50,961	15,173	15,136	8,008	7,579
Marijuana and Hashish	44,195	43,933	10,061	10,229	5,348	5,303
Cocaine	13,903	13,591	2,004	1,955	739	668
Crack	2,629	2,967	462	437	135	145
Heroin	1,258	1,085	92	108	46	28
Hallucinogens	13,947	13,701	1,507	1,319	383 <sup>a</sup>	262
LSD	9,351	8,653	207	189	37	35
PCP	2,510	2,469	98	68	19	*
Ecstasy	4,779	4,622	924 <sup>a</sup>	725	239 <sup>a</sup>	129
Inhalants	8,120	8,241	886	921	239	249
Nonmedical Use of Psychotherapeutics <sup>2</sup>	23,038	22,510	7,427	7,183	3,213	2,988
Pain Relievers	14,383	14,496	5,549	5,353	2,277	2,217
OxyContin <sup>®</sup>	1,029	1,134	--	472	--	148
Tranquilizers	10,061	9,302	2,553	2,669	1,012	806
Stimulants	9,525	8,770	1,352	1,355	558	585
Methamphetamine	4,941	4,741	537	551	210	282
Sedatives	3,921	4,392	509	420	195	162
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	32,398	31,566	9,255	8,858	4,019	3,652

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.14B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	41.9	41.1	12.4	12.2	6.5	6.1
Marijuana and Hashish	36.0	35.4	8.2	8.2	4.4	4.3
Cocaine	11.3	11.0	1.6	1.6	0.6	0.5
Crack	2.1	2.4	0.4	0.4	0.1	0.1
Heroin	1.0	0.9	0.1	0.1	0.0	0.0
Hallucinogens	11.4	11.0	1.2	1.1	0.3 <sup>a</sup>	0.2
LSD	7.6 <sup>a</sup>	7.0	0.2	0.2	0.0	0.0
PCP	2.0	2.0	0.1	0.1	0.0	*
Ecstasy	3.9	3.7	0.8 <sup>b</sup>	0.6	0.2 <sup>b</sup>	0.1
Inhalants	6.6	6.6	0.7	0.7	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2</sup>	18.8	18.1	6.1	5.8	2.6	2.4
Pain Relievers	11.7	11.7	4.5	4.3	1.9	1.8
OxyContin <sup>®</sup>	0.8	0.9	--	0.4	--	0.1
Tranquilizers	8.2	7.5	2.1	2.2	0.8	0.6
Stimulants	7.8	7.1	1.1	1.1	0.5	0.5
Methamphetamine	4.0	3.8	0.4	0.4	0.2	0.2
Sedatives	3.2	3.5	0.4	0.3	0.2	0.1
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	26.4	25.4	7.5	7.1	3.3	2.9

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.15A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	3,968	3,956	2,776	2,653	1,457	1,360
Marijuana and Hashish	2,569	2,552	1,955	1,918	1,093	1,037
Cocaine	319	339	222	223	70	75
Crack	89	60	47	31	22	9
Heroin	34	43	17	32	8	11
Hallucinogens	618	616	386	389	138	120
LSD	206	174	73	94	27	23
PCP	100	97	44	39	14	7
Ecstasy	257	243	142	141	37	45
Inhalants	1,390	1,429	554	587	139	141
Nonmedical Use of Psychotherapeutics <sup>2</sup>	1,631	1,614	1,088	974	478	413
Pain Relievers	1,391	1,378	930	837	385	337
OxyContin <sup>®</sup>	146	162	--	99	--	29
Tranquilizers	398	353	258	226	111	76
Stimulants	463 <sup>a</sup>	376	250	204	107	87
Methamphetamine	149	125	78	63	32	23
Sedatives	126	128	67	59	27 <sup>b</sup>	4
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	2,711	2,721	1,637	1,537	682	626

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.15B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	31.1	30.7	21.7	20.6	11.4	10.6
Marijuana and Hashish	20.1	19.8	15.3	14.9	8.6	8.1
Cocaine	2.5	2.6	1.7	1.7	0.5	0.6
Crack	0.7	0.5	0.4	0.2	0.2	0.1
Heroin	0.3	0.3	0.1	0.2	0.1	0.1
Hallucinogens	4.8	4.8	3.0	3.0	1.1	0.9
LSD	1.6	1.4	0.6	0.7	0.2	0.2
PCP	0.8	0.8	0.3	0.3	0.1	0.1
Ecstasy	2.0	1.9	1.1	1.1	0.3	0.4
Inhalants	10.9	11.1	4.3	4.6	1.1	1.1
Nonmedical Use of Psychotherapeutics <sup>2</sup>	12.8	12.5	8.5 <sup>a</sup>	7.6	3.7	3.2
Pain Relievers	10.9	10.7	7.3	6.5	3.0	2.6
OxyContin <sup>®</sup>	1.1	1.3	--	0.8	--	0.2
Tranquilizers	3.1	2.7	2.0	1.8	0.9	0.6
Stimulants	3.6 <sup>a</sup>	2.9	2.0	1.6	0.8	0.7
Methamphetamine	1.2	1.0	0.6	0.5	0.3	0.2
Sedatives	1.0	1.0	0.5	0.5	0.2 <sup>b</sup>	0.0
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	21.2	21.1	12.8	11.9	5.3	4.9

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.16A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	3,663	3,610	2,679	2,648	1,355	1,314
Marijuana and Hashish	2,318	2,236	1,790	1,738	878	872
Cocaine	330	272	216	188	83 <sup>a</sup>	51
Crack	68	66	48	32	10	6
Heroin	45	35	19	16	10	4
Hallucinogens	632	543	392	364	122	91
LSD	191 <sup>a</sup>	139	76	63	23	15
PCP	104	77	44	33	6	4
Ecstasy	346	280	188	169	54	32
Inhalants	1,281	1,333	565	581	181	171
Nonmedical Use of Psychotherapeutics <sup>2</sup>	1,721	1,780	1,201	1,251	518	501
Pain Relievers	1,407	1,500	987	1,028	416	414
OxyContin <sup>®</sup>	108	143	--	95	--	37
Tranquilizers	476	464	328	307	115	86
Stimulants	544	492	318	291	114	91
Methamphetamine	179	174	95	99	37	34
Sedatives	123	123	64	75	20	22
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	2,607	2,634	1,714	1,732	735	702

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.16B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	30.0	29.3	21.9	21.5	11.1	10.6
Marijuana and Hashish	19.0	18.1	14.6	14.1	7.2	7.1
Cocaine	2.7	2.2	1.8	1.5	0.7 <sup>a</sup>	0.4
Crack	0.6	0.5	0.4	0.3	0.1	0.1
Heroin	0.4	0.3	0.2	0.1	0.1	0.0
Hallucinogens	5.2	4.4	3.2	3.0	1.0	0.7
LSD	1.6 <sup>a</sup>	1.1	0.6	0.5	0.2	0.1
PCP	0.8	0.6	0.4	0.3	0.1	0.0
Ecstasy	2.8 <sup>a</sup>	2.3	1.5	1.4	0.4	0.3
Inhalants	10.5	10.8	4.6	4.7	1.5	1.4
Nonmedical Use of Psychotherapeutics <sup>2</sup>	14.1	14.4	9.8	10.1	4.2	4.1
Pain Relievers	11.5	12.2	8.1	8.3	3.4	3.4
OxyContin <sup>®</sup>	0.9	1.2	--	0.8	--	0.3
Tranquilizers	3.9	3.8	2.7	2.5	0.9	0.7
Stimulants	4.4	4.0	2.6	2.4	0.9	0.7
Methamphetamine	1.5	1.4	0.8	0.8	0.3	0.3
Sedatives	1.0	1.0	0.5	0.6	0.2	0.2
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	21.3	21.4	14.0	14.0	6.0	5.7

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.17A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	10,125	10,054	6,150	6,130	3,828	3,766
Marijuana and Hashish	9,104	9,022	5,257	5,166	3,340	3,271
Cocaine	2,777	2,867	1,313	1,376	454	430
Crack	738	622	174	161	40	54
Heroin	325	315	60	77	14	27
Hallucinogens	4,156	3,915	1,325	1,284	367	329
LSD	2,642 <sup>b</sup>	2,289	242	215	57	65
PCP	609 <sup>b</sup>	461	74	83	23	14
Ecstasy	2,473	2,386	646	604	119	149
Inhalants	2,892	2,864	420	452	95	114
Nonmedical Use of Psychotherapeutics <sup>2</sup>	4,880	5,112	2,461	2,611	1,083	1,043
Pain Relievers	4,160	4,422	2,100	2,191	839	809
OxyContin <sup>®</sup>	724	828	--	334	--	81
Tranquilizers	2,078	2,141	907	831	303	281
Stimulants	1,845	1,799	627	606	255	218
Methamphetamine	926	912	299	294	137	97
Sedatives	300	340	80	73	34	25
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	6,880	6,918	3,515	3,591	1,563	1,500

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.17B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	63.6	62.2	38.6	37.9	24.0	23.3
Marijuana and Hashish	57.2	55.8	33.0	31.9	21.0	20.2
Cocaine	17.4	17.7	8.2	8.5	2.9	2.7
Crack	4.6 <sup>a</sup>	3.8	1.1	1.0	0.3	0.3
Heroin	2.0	1.9	0.4	0.5	0.1	0.2
Hallucinogens	26.1 <sup>a</sup>	24.2	8.3	7.9	2.3	2.0
LSD	16.6 <sup>b</sup>	14.2	1.5	1.3	0.4	0.4
PCP	3.8 <sup>b</sup>	2.8	0.5	0.5	0.1	0.1
Ecstasy	15.5	14.8	4.1	3.7	0.7	0.9
Inhalants	18.2	17.7	2.6	2.8	0.6	0.7
Nonmedical Use of Psychotherapeutics <sup>2</sup>	30.7	31.6	15.5	16.1	6.8	6.4
Pain Relievers	26.1	27.3	13.2	13.5	5.3	5.0
OxyContin <sup>®</sup>	4.5	5.1	--	2.1	--	0.5
Tranquilizers	13.1	13.2	5.7	5.1	1.9	1.7
Stimulants	11.6	11.1	3.9	3.7	1.6	1.4
Methamphetamine	5.8	5.6	1.9	1.8	0.9	0.6
Sedatives	1.9	2.1	0.5	0.4	0.2	0.2
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	43.2	42.8	22.1	22.2	9.8	9.3

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.18A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: Numbers in Thousands, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLCIT DRUG<sup>1</sup></b>	9,070	8,989	4,826	4,783	2,607	2,473
Marijuana and Hashish	7,999	7,961	3,788	3,797	2,059	1,925
Cocaine	1,978	2,026	784	758	242	262
Crack	455	512	100	101	15	26
Heroin	191	214	36	42	11	15
Hallucinogens	3,221 <sup>a</sup>	2,940	787 <sup>a</sup>	659	177	148
LSD	1,808 <sup>a</sup>	1,611	95	102	10	17
PCP	339	276	43 <sup>a</sup>	17	8	2
Ecstasy	2,210	2,052	518 <sup>b</sup>	395	111	83
Inhalants	1,837 <sup>a</sup>	1,652	242	222	39	30
Nonmedical Use of Psychotherapeutics <sup>2</sup>	4,330	4,280	2,137	2,141	830	916
Pain Relievers	3,353	3,391	1,703	1,643	647	695
OxyContin <sup>®</sup>	421 <sup>b</sup>	547	--	228	--	61
Tranquilizers	1,820	1,778	775	827	223	285
Stimulants	1,575	1,627	487	576	145 <sup>b</sup>	228
Methamphetamine	724	776	206	222	48 <sup>a</sup>	89
Sedatives	264	287	76	90	24	24
<b>ILLCIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	5,890	5,712	2,751	2,610	1,102	1,119

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.18B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: Percentages, 2003 and 2004**

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>ILLICIT DRUG<sup>1</sup></b>	57.4	56.1	30.5	29.9	16.5	15.4
Marijuana and Hashish	50.6	49.7	24.0	23.7	13.0	12.0
Cocaine	12.5	12.6	5.0	4.7	1.5	1.6
Crack	2.9	3.2	0.6	0.6	0.1	0.2
Heroin	1.2	1.3	0.2	0.3	0.1	0.1
Hallucinogens	20.4 <sup>b</sup>	18.3	5.0 <sup>a</sup>	4.1	1.1	0.9
LSD	11.4 <sup>b</sup>	10.1	0.6	0.6	0.1	0.1
PCP	2.1	1.7	0.3 <sup>a</sup>	0.1	0.0	0.0
Ecstasy	14.0	12.8	3.3 <sup>b</sup>	2.5	0.7	0.5
Inhalants	11.6 <sup>a</sup>	10.3	1.5	1.4	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2</sup>	27.4	26.7	13.5	13.4	5.2	5.7
Pain Relievers	21.2	21.2	10.8	10.3	4.1	4.3
OxyContin <sup>®</sup>	2.7 <sup>b</sup>	3.4	--	1.4	--	0.4
Tranquilizers	11.5	11.1	4.9	5.2	1.4	1.8
Stimulants	10.0	10.2	3.1	3.6	0.9 <sup>b</sup>	1.4
Methamphetamine	4.6	4.8	1.3	1.4	0.3 <sup>a</sup>	0.6
Sedatives	1.7	1.8	0.5	0.6	0.2	0.1
<b>ILLICIT DRUG OTHER THAN MARIJUANA<sup>1</sup></b>	37.3	35.6	17.4	16.3	7.0	7.0

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.<sup>2</sup> Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.