

Table 3.58C How Often Parents Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Checked Whether Youths' Homework Was Done (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Checked Whether Youths' Homework Was Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	245	238	109	101
AGE				
12-13	122	122	38	36
14-15	113	119	56	59
16-17	107	111	70	64
GENDER				
Male	154	147	64	65
Female	144	148	78	73
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	227	215	96	91
White	192	179	81	79
Black or African American	94	90	34	35
American Indian or Alaska Native	15	13	5	4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	45	54	26	26
Two or More Races	26	22	9	16
Hispanic or Latino	98	97	49	42
COUNTY TYPE				
Large Metro	208	191	91	80
Small Metro	139	151	51	54
Nonmetro	92	93	40	41
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	54	56	45	44
Marijuana	44	49	40	37
Illicit Drug Other Than Marijuana ²	36	37	31	31
Cigarettes	56	62	44	44
Alcohol	69	72	53	55
Binge Alcohol ³	51	56	44	46
PAST YEAR				
Illicit Drug ²	79	83	61	56
Marijuana	62	69	54	48
Illicit Drug Other Than Marijuana ²	63	62	47	46
Cigarettes	73	79	53	53
Alcohol	105	112	72	69
LIFETIME				
Illicit Drug ²	103	104	70	62
Marijuana	77	81	59	53
Illicit Drug Other Than Marijuana ²	84	85	59	53
Cigarettes	105	101	70	66
Alcohol	120	131	78	74

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.58D How Often Parents Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Checked Whether Youths' Homework Was Done (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Checked Whether Youths' Homework Was Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.39	0.36	0.39	0.36
AGE				
12-13	0.49	0.47	0.49	0.47
14-15	0.65	0.63	0.65	0.63
16-17	0.71	0.68	0.71	0.68
GENDER				
Male	0.49	0.49	0.49	0.49
Female	0.58	0.55	0.58	0.55
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.41	0.38	0.41	0.38
White	0.45	0.45	0.45	0.45
Black or African American	0.95	0.90	0.95	0.90
American Indian or Alaska Native	3.69	2.62	3.69	2.62
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.61	2.45	2.61	2.45
Two or More Races	2.17	2.91	2.17	2.91
Hispanic or Latino	1.22	1.03	1.22	1.03
COUNTY TYPE				
Large Metro	0.59	0.53	0.59	0.53
Small Metro	0.60	0.63	0.60	0.63
Nonmetro	0.77	0.84	0.77	0.84
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.29	0.29	0.81	0.82
Marijuana	0.24	0.26	0.74	0.72
Illicit Drug Other Than Marijuana ²	0.20	0.20	0.58	0.62
Cigarettes	0.31	0.32	0.79	0.84
Alcohol	0.35	0.35	0.89	0.95
Binge Alcohol ³	0.28	0.30	0.78	0.88
PAST YEAR				
Illicit Drug ²	0.40	0.39	0.99	0.96
Marijuana	0.33	0.35	0.93	0.84
Illicit Drug Other Than Marijuana ²	0.33	0.31	0.82	0.86
Cigarettes	0.38	0.39	0.89	0.92
Alcohol	0.47	0.46	0.99	1.00
LIFETIME				
Illicit Drug ²	0.47	0.44	1.04	0.97
Marijuana	0.40	0.40	0.96	0.91
Illicit Drug Other Than Marijuana ²	0.40	0.39	0.99	0.95
Cigarettes	0.49	0.47	1.00	1.04
Alcohol	0.50	0.50	0.89	0.99

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.58P How Often Parents Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Checked Whether Youths' Homework Was Done (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Parents Checked Whether Youths' Homework Was Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0052		0.0052	
AGE				
12-13	0.0805		0.0805	
14-15	0.0865		0.0865	
16-17	0.1091		0.1091	
GENDER				
Male	0.1589		0.1589	
Female	0.0089		0.0089	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0267		0.0267	
White	0.0125		0.0125	
Black or African American	0.8529		0.8529	
American Indian or Alaska Native	0.3228		0.3228	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1202		0.1202	
Two or More Races	0.0012		0.0012	
Hispanic or Latino	0.0787		0.0787	
COUNTY TYPE				
Large Metro	0.0012		0.0012	
Small Metro	0.7445		0.7445	
Nonmetro	0.8017		0.8017	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3097		0.6189	
Marijuana	0.4342		0.8254	
Illicit Drug Other Than Marijuana ²	0.7726		0.5389	
Cigarettes	0.9817		0.5749	
Alcohol	0.8185		0.3848	
Binge Alcohol ³	0.4878		0.1554	
PAST YEAR				
Illicit Drug ²	0.4350		0.9912	
Marijuana	0.8020		0.5333	
Illicit Drug Other Than Marijuana ²	0.8276		0.8134	
Cigarettes	0.9962		0.7783	
Alcohol	0.8342		0.6323	
LIFETIME				
Illicit Drug ²	0.7689		0.6838	
Marijuana	0.5271		0.5797	
Illicit Drug Other Than Marijuana ²	0.3627		0.6520	
Cigarettes	0.1309		0.3352	
Alcohol	0.2562		0.6196	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.59C How Often Parents Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Provided Help with Youths' Homework (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Provided Help with Youths' Homework ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	253	244	100	97
AGE				
12-13	123	122	34	39
14-15	115	123	49	54
16-17	104	113	71	65
GENDER				
Male	157	148	64	65
Female	146	153	69	69
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	235	222	83	87
White	203	186	66	67
Black or African American	91	91	37	36
American Indian or Alaska Native	15	14	6	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	47	46	23	36
Two or More Races	23	22	15	16
Hispanic or Latino	91	96	56	50
COUNTY TYPE				
Large Metro	216	196	84	76
Small Metro	138	155	49	53
Nonmetro	97	97	33	35
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	58	59	42	42
Marijuana	48	50	36	36
Illicit Drug Other Than Marijuana ²	40	40	28	31
Cigarettes	59	67	39	42
Alcohol	74	74	48	51
Binge Alcohol ³	54	59	40	42
PAST YEAR				
Illicit Drug ²	84	85	57	56
Marijuana	65	71	49	48
Illicit Drug Other Than Marijuana ²	68	61	42	48
Cigarettes	73	83	49	53
Alcohol	109	118	65	67
LIFETIME				
Illicit Drug ²	108	107	64	60
Marijuana	78	85	55	50
Illicit Drug Other Than Marijuana ²	90	82	52	55
Cigarettes	106	103	64	65
Alcohol	124	132	73	74

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.59D How Often Parents Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Provided Help with Youths' Homework (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Provided Help with Youths' Homework ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.37	0.36	0.37	0.36
AGE				
12-13	0.44	0.52	0.44	0.52
14-15	0.58	0.59	0.58	0.59
16-17	0.71	0.71	0.71	0.71
GENDER				
Male	0.50	0.50	0.50	0.50
Female	0.52	0.54	0.52	0.54
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.37	0.39	0.37	0.39
White	0.39	0.39	0.39	0.39
Black or African American	0.99	0.99	0.99	0.99
American Indian or Alaska Native	4.35	3.91	4.35	3.91
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.36	3.01	2.36	3.01
Two or More Races	3.23	2.90	3.23	2.90
Hispanic or Latino	1.31	1.21	1.31	1.21
COUNTY TYPE				
Large Metro	0.57	0.52	0.57	0.52
Small Metro	0.56	0.65	0.56	0.65
Nonmetro	0.68	0.73	0.68	0.73
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.29	0.29	0.87	0.85
Marijuana	0.25	0.26	0.77	0.76
Illicit Drug Other Than Marijuana ²	0.21	0.20	0.61	0.66
Cigarettes	0.32	0.33	0.80	0.84
Alcohol	0.36	0.35	0.93	0.97
Binge Alcohol ³	0.28	0.31	0.82	0.87
PAST YEAR				
Illicit Drug ²	0.40	0.39	1.04	1.02
Marijuana	0.33	0.35	0.97	0.90
Illicit Drug Other Than Marijuana ²	0.34	0.30	0.85	0.98
Cigarettes	0.37	0.40	0.97	0.99
Alcohol	0.46	0.47	1.08	1.08
LIFETIME				
Illicit Drug ²	0.48	0.45	1.06	0.99
Marijuana	0.39	0.41	1.02	0.89
Illicit Drug Other Than Marijuana ²	0.42	0.37	1.02	1.03
Cigarettes	0.48	0.48	1.08	1.08
Alcohol	0.49	0.49	1.02	1.03

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.59P How Often Parents Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Provided Help with Youths' Homework (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Parents Provided Help with Youths' Homework ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.7990		0.7990	
AGE				
12-13	0.6194		0.6194	
14-15	0.6650		0.6650	
16-17	0.6072		0.6072	
GENDER				
Male	0.6473		0.6473	
Female	0.9292		0.9292	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6263		0.6263	
White	0.6479		0.6479	
Black or African American	0.6567		0.6567	
American Indian or Alaska Native	0.1618		0.1618	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4354		0.4354	
Two or More Races	0.5334		0.5334	
Hispanic or Latino	0.6145		0.6145	
COUNTY TYPE				
Large Metro	0.3069		0.3069	
Small Metro	0.0580		0.0580	
Nonmetro	0.5887		0.5887	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3064		0.2542	
Marijuana	0.2566		0.7835	
Illicit Drug Other Than Marijuana ²	0.6752		0.3531	
Cigarettes	0.6230		0.4696	
Alcohol	0.5243		0.5117	
Binge Alcohol ³	0.3310		0.6864	
PAST YEAR				
Illicit Drug ²	0.2220		0.8699	
Marijuana	0.5059		0.3785	
Illicit Drug Other Than Marijuana ²	0.1723		0.1688	
Cigarettes	0.5088		0.5178	
Alcohol	0.5743		0.9737	
LIFETIME				
Illicit Drug ²	0.3582		0.4667	
Marijuana	0.4097		0.2802	
Illicit Drug Other Than Marijuana ²	0.7190		0.0808	
Cigarettes	0.0379		0.5399	
Alcohol	0.1086		0.8367	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.60C How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	227	215	133	120
AGE				
12-13	108	107	60	55
14-15	106	116	63	66
16-17	111	103	74	73
GENDER				
Male	141	129	89	80
Female	141	140	81	82
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	212	193	116	110
White	179	161	97	93
Black or African American	85	84	48	42
American Indian or Alaska Native	13	11	7	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	43	48	26	33
Two or More Races	24	24	13	15
Hispanic or Latino	90	86	56	54
COUNTY TYPE				
Large Metro	188	171	111	99
Small Metro	127	135	71	66
Nonmetro	89	84	45	51
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	57	58	40	40
Marijuana	48	49	35	35
Illicit Drug Other Than Marijuana ²	38	40	29	30
Cigarettes	60	61	40	45
Alcohol	75	73	49	55
Binge Alcohol ³	55	59	37	45
PAST YEAR				
Illicit Drug ²	85	81	56	57
Marijuana	67	69	45	49
Illicit Drug Other Than Marijuana ²	67	60	45	45
Cigarettes	78	76	47	57
Alcohol	107	107	68	74
LIFETIME				
Illicit Drug ²	107	97	68	68
Marijuana	79	78	53	56
Illicit Drug Other Than Marijuana ²	90	79	57	59
Cigarettes	105	96	64	71
Alcohol	123	123	80	82

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.60D How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.44	0.40	0.44	0.40
AGE				
12-13	0.70	0.66	0.70	0.66
14-15	0.69	0.70	0.69	0.70
16-17	0.79	0.73	0.79	0.73
GENDER				
Male	0.62	0.53	0.62	0.53
Female	0.60	0.59	0.60	0.59
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.46	0.41	0.46	0.41
White	0.50	0.47	0.50	0.47
Black or African American	1.21	1.05	1.21	1.05
American Indian or Alaska Native	4.62	3.57	4.62	3.57
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.54	2.86	2.54	2.86
Two or More Races	2.85	2.95	2.85	2.95
Hispanic or Latino	1.27	1.18	1.27	1.18
COUNTY TYPE				
Large Metro	0.64	0.58	0.64	0.58
Small Metro	0.79	0.67	0.79	0.67
Nonmetro	0.88	0.96	0.88	0.96
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.34	0.34	0.58	0.53
Marijuana	0.29	0.29	0.51	0.47
Illicit Drug Other Than Marijuana ²	0.23	0.24	0.43	0.41
Cigarettes	0.36	0.36	0.59	0.59
Alcohol	0.41	0.40	0.67	0.68
Binge Alcohol ³	0.32	0.35	0.52	0.60
PAST YEAR				
Illicit Drug ²	0.45	0.43	0.74	0.69
Marijuana	0.38	0.39	0.63	0.63
Illicit Drug Other Than Marijuana ²	0.38	0.34	0.64	0.58
Cigarettes	0.45	0.42	0.68	0.70
Alcohol	0.52	0.50	0.78	0.77
LIFETIME				
Illicit Drug ²	0.53	0.48	0.83	0.75
Marijuana	0.43	0.44	0.70	0.70
Illicit Drug Other Than Marijuana ²	0.48	0.41	0.77	0.70
Cigarettes	0.53	0.50	0.80	0.78
Alcohol	0.55	0.53	0.84	0.78

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.60P How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.1093		0.1093	
AGE				
12-13	0.9975		0.9975	
14-15	0.6700		0.6700	
16-17	0.0171		0.0171	
GENDER				
Male	0.4646		0.4646	
Female	0.1222		0.1222	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.2473		0.2473	
White	0.6759		0.6759	
Black or African American	0.4126		0.4126	
American Indian or Alaska Native	0.9027		0.9027	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4314		0.4314	
Two or More Races	0.1522		0.1522	
Hispanic or Latino	0.1786		0.1786	
COUNTY TYPE				
Large Metro	0.5856		0.5856	
Small Metro	0.1609		0.1609	
Nonmetro	0.1907		0.1907	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.2414		0.2865	
Marijuana	0.2377		0.6846	
Illicit Drug Other Than Marijuana ²	0.7796		0.2762	
Cigarettes	0.3783		0.2925	
Alcohol	0.1405		0.0508	
Binge Alcohol ³	0.9137		0.0407	
PAST YEAR				
Illicit Drug ²	0.1915		0.8944	
Marijuana	0.1105		0.6032	
Illicit Drug Other Than Marijuana ²	0.5441		0.7043	
Cigarettes	0.0724		0.0371	
Alcohol	0.0259		0.0113	
LIFETIME				
Illicit Drug ²	0.1146		0.1090	
Marijuana	0.0430		0.4933	
Illicit Drug Other Than Marijuana ²	0.6008		0.0522	
Cigarettes	0.0028		0.8773	
Alcohol	0.0090		0.1956	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.61C How Often Parents Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Made Youths Do Chores Around the House (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Made Youths Do Chores Around the House ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	71	78	71	78
AGE				
12-13	42	44	42	44
14-15	36	41	36	41
16-17	43	43	43	43
GENDER				
Male	51	52	51	52
Female	50	55	50	55
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	63	67	63	67
White	52	60	52	60
Black or African American	23	23	23	23
American Indian or Alaska Native	3	4	3	4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	20	20	20	20
Two or More Races	11	10	11	10
Hispanic or Latino	36	43	36	43
COUNTY TYPE				
Large Metro	56	60	56	60
Small Metro	39	39	39	39
Nonmetro	25	28	25	28
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	62	62	29	27
Marijuana	55	52	26	24
Illicit Drug Other Than Marijuana ²	45	43	17	21
Cigarettes	67	70	27	30
Alcohol	75	73	31	34
Binge Alcohol ³	61	67	26	29
PAST YEAR				
Illicit Drug ²	84	80	34	34
Marijuana	70	72	31	30
Illicit Drug Other Than Marijuana ²	73	64	27	29
Cigarettes	83	82	31	36
Alcohol	95	98	37	39
LIFETIME				
Illicit Drug ²	95	90	36	37
Marijuana	81	80	33	33
Illicit Drug Other Than Marijuana ²	86	78	35	36
Cigarettes	100	95	36	39
Alcohol	102	104	37	41

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.61D How Often Parents Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Made Youths Do Chores Around the House (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Made Youths Do Chores Around the House ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.29	0.31	0.29	0.31
AGE				
12-13	0.50	0.53	0.50	0.53
14-15	0.44	0.47	0.44	0.47
16-17	0.52	0.53	0.52	0.53
GENDER				
Male	0.40	0.41	0.40	0.41
Female	0.41	0.45	0.41	0.45
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.30	0.32	0.30	0.32
White	0.34	0.39	0.34	0.39
Black or African American	0.61	0.60	0.61	0.60
American Indian or Alaska Native	1.78	2.23	1.78	2.23
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.05	2.04	2.05	2.04
Two or More Races	2.71	2.35	2.71	2.35
Hispanic or Latino	0.89	1.01	0.89	1.01
COUNTY TYPE				
Large Metro	0.43	0.45	0.43	0.45
Small Metro	0.53	0.52	0.53	0.52
Nonmetro	0.59	0.65	0.59	0.65
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.28	0.28	0.92	0.83
Marijuana	0.25	0.24	0.83	0.74
Illicit Drug Other Than Marijuana ²	0.21	0.19	0.56	0.65
Cigarettes	0.31	0.32	0.86	0.92
Alcohol	0.35	0.33	1.00	1.05
Binge Alcohol ³	0.28	0.30	0.84	0.91
PAST YEAR				
Illicit Drug ²	0.39	0.36	1.09	1.06
Marijuana	0.32	0.33	0.99	0.94
Illicit Drug Other Than Marijuana ²	0.33	0.29	0.87	0.91
Cigarettes	0.38	0.37	1.00	1.11
Alcohol	0.44	0.45	1.19	1.20
LIFETIME				
Illicit Drug ²	0.44	0.41	1.15	1.16
Marijuana	0.37	0.36	1.04	1.03
Illicit Drug Other Than Marijuana ²	0.40	0.36	1.11	1.11
Cigarettes	0.46	0.43	1.17	1.21
Alcohol	0.47	0.47	1.19	1.27

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.61P How Often Parents Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Made Youths Do Chores Around the House (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Parents Made Youths Do Chores Around the House ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.6167		0.6167	
AGE				
12-13	0.2886		0.2886	
14-15	0.2002		0.2002	
16-17	0.2241		0.2241	
GENDER				
Male	0.8237		0.8237	
Female	0.3354		0.3354	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5778		0.5778	
White	0.5041		0.5041	
Black or African American	0.5723		0.5723	
American Indian or Alaska Native	0.4677		0.4677	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4555		0.4555	
Two or More Races	0.9835		0.9835	
Hispanic or Latino	0.9751		0.9751	
COUNTY TYPE				
Large Metro	0.8458		0.8458	
Small Metro	0.5680		0.5680	
Nonmetro	0.3200		0.3200	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.0813		0.6673	
Marijuana	0.3322		0.6745	
Illicit Drug Other Than Marijuana ²	0.0322		0.3621	
Cigarettes	0.8990		0.0624	
Alcohol	0.6364		0.8571	
Binge Alcohol ³	0.5260		0.2844	
PAST YEAR				
Illicit Drug ²	0.1265		0.6098	
Marijuana	0.3607		0.4548	
Illicit Drug Other Than Marijuana ²	0.1927		0.8326	
Cigarettes	0.6194		0.1003	
Alcohol	0.4375		0.9114	
LIFETIME				
Illicit Drug ²	0.2528		0.6925	
Marijuana	0.2877		0.5795	
Illicit Drug Other Than Marijuana ²	0.6369		0.4756	
Cigarettes	0.0111		0.0510	
Alcohol	0.1023		0.8423	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.62C How Often Parents Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Watched TV ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	104	113	104	113
AGE				
12-13	57	67	57	67
14-15	57	63	57	63
16-17	53	59	53	59
GENDER				
Male	74	84	74	84
Female	73	76	73	76
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	96	98	96	98
White	79	80	79	80
Black or African American	40	45	40	45
American Indian or Alaska Native	6	6	6	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	30	28	30	28
Two or More Races	13	14	13	14
Hispanic or Latino	51	56	51	56
COUNTY TYPE				
Large Metro	80	91	80	91
Small Metro	55	58	55	58
Nonmetro	37	38	37	38
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	31	36	58	60
Marijuana	26	29	52	50
Illicit Drug Other Than Marijuana ²	24	25	41	46
Cigarettes	34	37	61	63
Alcohol	42	42	71	72
Binge Alcohol ³	31	34	59	62
PAST YEAR				
Illicit Drug ²	45	48	77	76
Marijuana	34	40	68	66
Illicit Drug Other Than Marijuana ²	39	38	65	63
Cigarettes	44	45	71	75
Alcohol	55	64	85	83
LIFETIME				
Illicit Drug ²	53	54	85	77
Marijuana	40	46	78	73
Illicit Drug Other Than Marijuana ²	47	46	81	73
Cigarettes	55	55	83	83
Alcohol	60	67	86	82

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.62D How Often Parents Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Watched TV ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.42	0.45	0.42	0.45
AGE				
12-13	0.67	0.80	0.67	0.80
14-15	0.69	0.73	0.69	0.73
16-17	0.64	0.72	0.64	0.72
GENDER				
Male	0.58	0.66	0.58	0.66
Female	0.60	0.62	0.60	0.62
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.46	0.47	0.46	0.47
White	0.51	0.52	0.51	0.52
Black or African American	1.08	1.18	1.08	1.18
American Indian or Alaska Native	3.48	3.59	3.48	3.59
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	3.06	2.76	3.06	2.76
Two or More Races	3.26	3.30	3.26	3.30
Hispanic or Latino	1.25	1.33	1.25	1.33
COUNTY TYPE				
Large Metro	0.60	0.68	0.60	0.68
Small Metro	0.75	0.76	0.75	0.76
Nonmetro	0.87	0.90	0.87	0.90
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.33	0.38	0.37	0.39
Marijuana	0.28	0.31	0.34	0.32
Illicit Drug Other Than Marijuana ²	0.26	0.26	0.26	0.30
Cigarettes	0.36	0.39	0.39	0.41
Alcohol	0.45	0.44	0.46	0.46
Binge Alcohol ³	0.33	0.36	0.38	0.40
PAST YEAR				
Illicit Drug ²	0.48	0.50	0.49	0.49
Marijuana	0.37	0.42	0.44	0.43
Illicit Drug Other Than Marijuana ²	0.42	0.40	0.42	0.41
Cigarettes	0.48	0.47	0.46	0.48
Alcohol	0.59	0.67	0.55	0.54
LIFETIME				
Illicit Drug ²	0.57	0.57	0.55	0.50
Marijuana	0.43	0.48	0.50	0.47
Illicit Drug Other Than Marijuana ²	0.50	0.48	0.52	0.47
Cigarettes	0.59	0.58	0.53	0.53
Alcohol	0.65	0.71	0.55	0.53

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.62P How Often Parents Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Watched TV ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.2942		0.2942	
AGE				
12-13	0.9785		0.9785	
14-15	0.1181		0.1181	
16-17	0.7205		0.7205	
GENDER				
Male	0.5394		0.5394	
Female	0.3890		0.3890	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.9029		0.9029	
White	0.7211		0.7211	
Black or African American	0.5837		0.5837	
American Indian or Alaska Native	0.2408		0.2408	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3484		0.3484	
Two or More Races	0.0226		0.0226	
Hispanic or Latino	0.0627		0.0627	
COUNTY TYPE				
Large Metro	0.1011		0.1011	
Small Metro	0.7093		0.7093	
Nonmetro	0.2150		0.2150	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.9862		0.0735	
Marijuana	0.7962		0.4123	
Illicit Drug Other Than Marijuana ²	0.8047		0.1470	
Cigarettes	0.5381		0.6658	
Alcohol	0.2736		0.6290	
Binge Alcohol ³	0.5411		0.2718	
PAST YEAR				
Illicit Drug ²	0.6300		0.1708	
Marijuana	0.8174		0.3565	
Illicit Drug Other Than Marijuana ²	0.7102		0.1776	
Cigarettes	0.4782		0.5043	
Alcohol	0.3675		0.9583	
LIFETIME				
Illicit Drug ²	0.7670		0.4638	
Marijuana	0.7349		0.3690	
Illicit Drug Other Than Marijuana ²	0.4704		0.6278	
Cigarettes	0.1505		0.0096	
Alcohol	0.1502		0.6771	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.63C How Often Parents Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Let Youths Know They Had Done a Good Job (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Let Youths Know Youths Had Done a Good Job ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	80	87	80	87
AGE				
12-13	34	41	34	41
14-15	46	47	46	47
16-17	51	52	51	52
GENDER				
Male	54	53	54	53
Female	56	64	56	64
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	72	77	72	77
White	57	59	57	59
Black or African American	33	30	33	30
American Indian or Alaska Native	6	5	6	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	21	25	21	25
Two or More Races	13	11	13	11
Hispanic or Latino	37	38	37	38
COUNTY TYPE				
Large Metro	64	70	64	70
Small Metro	38	43	38	43
Nonmetro	27	30	27	30
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	59	56	34	33
Marijuana	52	50	31	30
Illicit Drug Other Than Marijuana ²	42	39	25	28
Cigarettes	66	69	32	34
Alcohol	73	70	38	38
Binge Alcohol ³	58	63	30	34
PAST YEAR				
Illicit Drug ²	78	78	41	38
Marijuana	66	71	36	35
Illicit Drug Other Than Marijuana ²	67	62	37	37
Cigarettes	81	79	35	39
Alcohol	91	95	43	38
LIFETIME				
Illicit Drug ²	96	88	40	37
Marijuana	77	81	39	36
Illicit Drug Other Than Marijuana ²	88	75	41	39
Cigarettes	98	94	43	41
Alcohol	99	98	43	38

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.63D How Often Parents Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Let Youths Know They Had Done a Good Job (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Let Youths Know Youths Had Done a Good Job ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.32	0.35	0.32	0.35
AGE				
12-13	0.40	0.49	0.40	0.49
14-15	0.55	0.55	0.55	0.55
16-17	0.62	0.64	0.62	0.64
GENDER				
Male	0.43	0.42	0.43	0.42
Female	0.46	0.52	0.46	0.52
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.35	0.37	0.35	0.37
White	0.37	0.38	0.37	0.38
Black or African American	0.88	0.80	0.88	0.80
American Indian or Alaska Native	3.66	2.78	3.66	2.78
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.15	2.55	2.15	2.55
Two or More Races	3.20	2.61	3.20	2.61
Hispanic or Latino	0.91	0.90	0.91	0.90
COUNTY TYPE				
Large Metro	0.48	0.53	0.48	0.53
Small Metro	0.52	0.56	0.52	0.56
Nonmetro	0.63	0.71	0.63	0.71
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.27	0.26	0.95	0.92
Marijuana	0.24	0.23	0.87	0.83
Illicit Drug Other Than Marijuana ²	0.20	0.18	0.70	0.78
Cigarettes	0.31	0.32	0.90	0.94
Alcohol	0.34	0.33	1.06	1.07
Binge Alcohol ³	0.27	0.29	0.84	0.96
PAST YEAR				
Illicit Drug ²	0.37	0.36	1.15	1.07
Marijuana	0.31	0.33	1.02	0.98
Illicit Drug Other Than Marijuana ²	0.31	0.29	1.04	1.03
Cigarettes	0.38	0.37	1.00	1.09
Alcohol	0.43	0.44	1.22	1.07
LIFETIME				
Illicit Drug ²	0.45	0.41	1.14	1.03
Marijuana	0.36	0.38	1.11	1.01
Illicit Drug Other Than Marijuana ²	0.41	0.35	1.16	1.10
Cigarettes	0.46	0.44	1.20	1.14
Alcohol	0.46	0.46	1.20	1.06

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.63P How Often Parents Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Let Youths Know They Had Done a Good Job (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Parents Let Youths Know Youths Had Done a Good Job ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.9622		0.9622	
AGE				
12-13	0.3747		0.3747	
14-15	0.1644		0.1644	
16-17	0.6323		0.6323	
GENDER				
Male	0.7717		0.7717	
Female	0.7554		0.7554	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.8087		0.8087	
White	0.6488		0.6488	
Black or African American	0.9970		0.9970	
American Indian or Alaska Native	0.2869		0.2869	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6436		0.6436	
Two or More Races	0.5274		0.5274	
Hispanic or Latino	0.5068		0.5068	
COUNTY TYPE				
Large Metro	0.5170		0.5170	
Small Metro	0.8378		0.8378	
Nonmetro	0.2828		0.2828	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.0393		0.8770	
Marijuana	0.2568		0.9598	
Illicit Drug Other Than Marijuana ²	0.0247		0.3837	
Cigarettes	0.5195		0.6544	
Alcohol	0.9104		0.6092	
Binge Alcohol ³	0.4211		0.3969	
PAST YEAR				
Illicit Drug ²	0.1148		0.7070	
Marijuana	0.4697		0.3084	
Illicit Drug Other Than Marijuana ²	0.0938		0.3590	
Cigarettes	0.1547		0.7006	
Alcohol	0.5300		0.5898	
LIFETIME				
Illicit Drug ²	0.6290		0.2676	
Marijuana	0.4976		0.2206	
Illicit Drug Other Than Marijuana ²	0.8618		0.8559	
Cigarettes	0.0047		0.2430	
Alcohol	0.1353		0.7230	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.64C How Often Parents Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Told Youths They Were Proud of Something Youths Had Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	75	88	75	88
AGE				
12-13	32	39	32	39
14-15	45	50	45	50
16-17	48	52	48	52
GENDER				
Male	53	53	53	53
Female	54	63	54	63
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	69	78	69	78
White	57	60	57	60
Black or African American	29	29	29	29
American Indian or Alaska Native	6	7	6	7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	22	25	22	25
Two or More Races	10	11	10	11
Hispanic or Latino	35	40	35	40
COUNTY TYPE				
Large Metro	58	70	58	70
Small Metro	38	42	38	42
Nonmetro	28	34	28	34
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	58	57	33	34
Marijuana	51	48	30	31
Illicit Drug Other Than Marijuana ²	43	40	23	27
Cigarettes	65	65	35	34
Alcohol	72	71	37	41
Binge Alcohol ³	59	61	31	35
PAST YEAR				
Illicit Drug ²	78	74	41	40
Marijuana	66	67	38	38
Illicit Drug Other Than Marijuana ²	68	59	35	36
Cigarettes	80	76	38	40
Alcohol	92	92	42	42
LIFETIME				
Illicit Drug ²	94	85	40	41
Marijuana	78	79	39	40
Illicit Drug Other Than Marijuana ²	86	73	40	41
Cigarettes	97	93	42	44
Alcohol	99	97	40	40

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.64D How Often Parents Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Told Youths They Were Proud of Something Youths Had Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.30	0.35	0.30	0.35
AGE				
12-13	0.38	0.47	0.38	0.47
14-15	0.55	0.58	0.55	0.58
16-17	0.59	0.64	0.59	0.64
GENDER				
Male	0.42	0.41	0.42	0.41
Female	0.44	0.51	0.44	0.51
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.33	0.37	0.33	0.37
White	0.37	0.39	0.37	0.39
Black or African American	0.77	0.78	0.77	0.78
American Indian or Alaska Native	3.51	4.39	3.51	4.39
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.28	2.53	2.28	2.53
Two or More Races	2.62	2.44	2.62	2.44
Hispanic or Latino	0.85	0.94	0.85	0.94
COUNTY TYPE				
Large Metro	0.44	0.52	0.44	0.52
Small Metro	0.51	0.55	0.51	0.55
Nonmetro	0.65	0.82	0.65	0.82
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.27	0.27	0.91	0.90
Marijuana	0.24	0.22	0.83	0.83
Illicit Drug Other Than Marijuana ²	0.20	0.19	0.63	0.72
Cigarettes	0.30	0.31	0.96	0.91
Alcohol	0.34	0.33	1.04	1.10
Binge Alcohol ³	0.28	0.29	0.87	0.94
PAST YEAR				
Illicit Drug ²	0.36	0.35	1.14	1.08
Marijuana	0.31	0.31	1.04	1.02
Illicit Drug Other Than Marijuana ²	0.32	0.28	0.96	0.97
Cigarettes	0.37	0.35	1.05	1.07
Alcohol	0.43	0.43	1.15	1.11
LIFETIME				
Illicit Drug ²	0.44	0.40	1.11	1.10
Marijuana	0.36	0.37	1.07	1.06
Illicit Drug Other Than Marijuana ²	0.40	0.34	1.10	1.10
Cigarettes	0.46	0.43	1.18	1.18
Alcohol	0.46	0.46	1.11	1.07

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.64P How Often Parents Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Parents Told Youths They Were Proud of Something Youths Had Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.3290		0.3290	
AGE				
12-13	0.4958		0.4958	
14-15	0.7209		0.7209	
16-17	0.5186		0.5186	
GENDER				
Male	0.0991		0.0991	
Female	0.9066		0.9066	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.2063		0.2063	
White	0.1597		0.1597	
Black or African American	0.2930		0.2930	
American Indian or Alaska Native	0.4697		0.4697	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1754		0.1754	
Two or More Races	0.1527		0.1527	
Hispanic or Latino	0.6970		0.6970	
COUNTY TYPE				
Large Metro	0.9890		0.9890	
Small Metro	0.5972		0.5972	
Nonmetro	0.0804		0.0804	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.0038		0.1970	
Marijuana	0.0702		0.4448	
Illicit Drug Other Than Marijuana ²	0.0096		0.1809	
Cigarettes	0.2327		0.8256	
Alcohol	0.3231		0.4102	
Binge Alcohol ³	0.8139		0.0945	
PAST YEAR				
Illicit Drug ²	0.0356		0.8246	
Marijuana	0.1142		0.8662	
Illicit Drug Other Than Marijuana ²	0.0647		0.3392	
Cigarettes	0.0740		0.5086	
Alcohol	0.2544		0.8194	
LIFETIME				
Illicit Drug ²	0.2260		0.9044	
Marijuana	0.1699		0.8621	
Illicit Drug Other Than Marijuana ²	0.4429		0.3054	
Cigarettes	0.0003		0.8412	
Alcohol	0.0545		0.7346	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.65C Number of Times Youths Argued or Had a Fight with at Least One Parent in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Times Argued or Had a Fight with at Least One Parent ¹			
	9 or Fewer		10 or More	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	95	94	95	94
AGE				
12-13	48	44	48	44
14-15	55	59	55	59
16-17	61	56	61	56
GENDER				
Male	60	62	60	62
Female	66	68	66	68
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	86	87	86	87
White	73	73	73	73
Black or African American	30	31	30	31
American Indian or Alaska Native	5	5	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	23	29	23	29
Two or More Races	11	12	11	12
Hispanic or Latino	40	37	40	37
COUNTY TYPE				
Large Metro	75	76	75	76
Small Metro	50	48	50	48
Nonmetro	32	38	32	38
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	51	51	43	42
Marijuana	45	43	38	38
Illicit Drug Other Than Marijuana ²	35	38	33	30
Cigarettes	54	61	43	43
Alcohol	63	67	49	48
Binge Alcohol ³	50	55	44	44
PAST YEAR				
Illicit Drug ²	70	70	52	50
Marijuana	60	61	47	46
Illicit Drug Other Than Marijuana ²	57	58	48	41
Cigarettes	70	71	50	51
Alcohol	84	89	55	52
LIFETIME				
Illicit Drug ²	89	84	54	51
Marijuana	72	72	49	47
Illicit Drug Other Than Marijuana ²	76	71	54	50
Cigarettes	89	85	53	55
Alcohol	95	94	52	52

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.65D Number of Times Youths Argued or Had a Fight with at Least One Parent in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Times Argued or Had a Fight with at Least One Parent ¹			
	9 or Fewer		10 or More	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.39	0.38	0.39	0.38
AGE				
12-13	0.58	0.54	0.58	0.54
14-15	0.67	0.68	0.67	0.68
16-17	0.74	0.68	0.74	0.68
GENDER				
Male	0.48	0.49	0.48	0.49
Female	0.54	0.56	0.54	0.56
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.42	0.42	0.42	0.42
White	0.47	0.47	0.47	0.47
Black or African American	0.80	0.82	0.80	0.82
American Indian or Alaska Native	2.89	2.80	2.89	2.80
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.37	2.95	2.37	2.95
Two or More Races	2.84	2.83	2.84	2.83
Hispanic or Latino	0.98	0.88	0.98	0.88
COUNTY TYPE				
Large Metro	0.57	0.58	0.57	0.58
Small Metro	0.68	0.63	0.68	0.63
Nonmetro	0.77	0.91	0.77	0.91
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.27	0.27	0.72	0.70
Marijuana	0.24	0.23	0.62	0.63
Illicit Drug Other Than Marijuana ²	0.19	0.20	0.55	0.50
Cigarettes	0.29	0.32	0.72	0.71
Alcohol	0.33	0.36	0.81	0.80
Binge Alcohol ³	0.27	0.29	0.73	0.73
PAST YEAR				
Illicit Drug ²	0.38	0.37	0.87	0.84
Marijuana	0.32	0.32	0.78	0.77
Illicit Drug Other Than Marijuana ²	0.31	0.31	0.79	0.69
Cigarettes	0.37	0.38	0.83	0.85
Alcohol	0.45	0.47	0.91	0.88
LIFETIME				
Illicit Drug ²	0.48	0.44	0.90	0.85
Marijuana	0.39	0.38	0.82	0.78
Illicit Drug Other Than Marijuana ²	0.41	0.38	0.89	0.84
Cigarettes	0.47	0.45	0.88	0.91
Alcohol	0.51	0.49	0.86	0.87

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.65P Number of Times Youths Argued or Had a Fight with at Least One Parent in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Times Argued or Had a Fight with at Least One Parent ¹			
	9 or Fewer		10 or More	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.4149		0.4149	
AGE				
12-13	0.2905		0.2905	
14-15	0.9928		0.9928	
16-17	0.5293		0.5293	
GENDER				
Male	0.6848		0.6848	
Female	0.1181		0.1181	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5520		0.5520	
White	0.6362		0.6362	
Black or African American	0.3645		0.3645	
American Indian or Alaska Native	0.9498		0.9498	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7262		0.7262	
Two or More Races	0.5949		0.5949	
Hispanic or Latino	0.5749		0.5749	
COUNTY TYPE				
Large Metro	0.1523		0.1523	
Small Metro	0.3672		0.3672	
Nonmetro	0.0303		0.0303	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.1807		0.3155	
Marijuana	0.4879		0.5104	
Illicit Drug Other Than Marijuana ²	0.1584		0.5435	
Cigarettes	0.6285		0.5686	
Alcohol	0.7234		0.3978	
Binge Alcohol ³	0.1030		0.8593	
PAST YEAR				
Illicit Drug ²	0.1507		0.4512	
Marijuana	0.4598		0.3803	
Illicit Drug Other Than Marijuana ²	0.1909		0.9630	
Cigarettes	0.2240		0.8805	
Alcohol	0.7856		0.5651	
LIFETIME				
Illicit Drug ²	0.6526		0.3346	
Marijuana	0.4727		0.3155	
Illicit Drug Other Than Marijuana ²	0.8071		0.6722	
Cigarettes	0.0038		0.2953	
Alcohol	0.2831		0.4664	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.