

**Table 1.73C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	682	710	408	394	288	302
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	662	670	387	371	267	281
White	583	585	340	343	240	249
Black or African American	212	218	132	128	99	102
American Indian or Alaska Native	43	42	23	27	15	17
Native Hawaiian or Other Pacific Islander	29	28	18	23	12	20
Chinese	63	59	20	20	15	12
Filipino	53	87	22	28	13	10
Japanese	40	*	9	17	6	16
Asian Indian	40	44	20	17	15	13
Korean	39	38	34	29	25	25
Vietnamese	36	28	21	20	19	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	210	203	131	122	93	93
Mexican	174	158	106	101	80	75
Puerto Rican	77	72	52	43	38	38
Central or South American	69	74	49	42	28	34
Cuban	35	39	20	25	16	16

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.73D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.29	0.30	0.17	0.16	0.12	0.13
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.32	0.32	0.19	0.18	0.13	0.13
White	0.35	0.35	0.20	0.21	0.14	0.15
Black or African American	0.78	0.78	0.49	0.46	0.37	0.37
American Indian or Alaska Native	3.17	3.28	1.66	2.08	1.12	1.37
Native Hawaiian or Other Pacific Islander	4.52	5.00	2.81	4.09	1.83	3.51
Chinese	2.97	2.58	0.96	0.87	0.71	0.53
Filipino	2.50	3.97	1.04	1.27	0.61	0.46
Japanese	4.74	*	1.01	1.97	0.75	1.84
Asian Indian	2.02	1.95	1.00	0.75	0.75	0.56
Korean	4.88	5.11	4.29	3.96	3.11	3.38
Vietnamese	4.36	3.93	2.61	2.79	2.36	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.71	0.67	0.44	0.40	0.31	0.30
Mexican	0.89	0.79	0.54	0.51	0.41	0.38
Puerto Rican	2.41	2.32	1.65	1.40	1.21	1.25
Central or South American	1.71	1.68	1.21	0.95	0.69	0.77
Cuban	2.75	2.92	1.54	1.86	1.25	1.21

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.73P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.6127		0.1447		0.1058	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.6879		0.5149		0.0861	
White	0.4364		0.8564		0.1544	
Black or African American	0.7427		0.0195		0.1347	
American Indian or Alaska Native	0.9791		0.1818		0.3767	
Native Hawaiian or Other Pacific Islander	0.3396		0.3600		0.1402	
Chinese	0.5908		0.6744		0.6698	
Filipino	0.8701		0.8238		0.0955	
Japanese	*		0.1582		0.1495	
Asian Indian	0.9126		0.2371		0.3088	
Korean	0.3570		0.6208		0.6625	
Vietnamese	0.4724		0.9778		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.0146		0.0170		0.9664	
Mexican	0.0029		0.0521		0.4475	
Puerto Rican	0.7969		0.1774		0.6129	
Central or South American	0.3087		0.1151		0.5491	
Cuban	0.0881		0.6516		0.8577	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.74C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	75	70	65	62	49	49
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	68	64	60	57	45	44
White	59	55	52	48	38	38
Black or African American	27	27	23	23	17	16
American Indian or Alaska Native	6	5	5	5	5	4
Native Hawaiian or Other Pacific Islander	*	*	3	3	3	2
Chinese	7	8	5	6	3	4
Filipino	6	7	5	5	4	3
Japanese	2	*	1	*	1	*
Asian Indian	6	9	6	9	4	4
Korean	4	4	3	3	1	*
Vietnamese	5	*	4	*	2	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	36	33	29	28	20	21
Mexican	32	30	26	25	17	16
Puerto Rican	10	12	9	10	8	9
Central or South American	11	10	10	9	5	6
Cuban	6	5	6	4	*	3

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.74D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.30	0.28	0.26	0.25	0.20	0.19
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.33	0.30	0.29	0.27	0.21	0.21
White	0.38	0.35	0.34	0.31	0.25	0.24
Black or African American	0.73	0.73	0.61	0.60	0.46	0.42
American Indian or Alaska Native	3.16	3.06	2.89	3.21	2.99	2.58
Native Hawaiian or Other Pacific Islander	*	*	4.22	4.04	3.55	3.29
Chinese	3.05	3.73	2.33	3.05	1.46	2.03
Filipino	3.53	4.57	3.18	3.13	2.54	1.95
Japanese	3.59	*	3.09	*	1.73	*
Asian Indian	2.82	3.79	2.70	3.66	1.76	1.72
Korean	4.55	4.67	3.55	3.98	1.26	*
Vietnamese	4.47	*	3.11	*	2.16	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.89	0.81	0.74	0.68	0.51	0.50
Mexican	1.13	1.04	0.92	0.87	0.61	0.56
Puerto Rican	2.06	2.54	1.96	2.05	1.71	1.85
Central or South American	2.43	2.19	2.23	2.08	1.26	1.27
Cuban	4.87	3.79	4.60	2.73	*	2.43

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.74P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.1368		0.0293		0.0127	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.1785		0.0277		0.0075	
White	0.0851		0.0049		0.0037	
Black or African American	0.5097		0.8956		0.4543	
American Indian or Alaska Native	0.7623		0.4623		0.3648	
Native Hawaiian or Other Pacific Islander	*		0.1324		0.2714	
Chinese	0.4542		0.3601		0.3654	
Filipino	0.6975		0.5090		0.2708	
Japanese	*		*		*	
Asian Indian	0.2983		0.6173		0.3604	
Korean	0.9967		0.5699		*	
Vietnamese	*		*		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.5003		0.5690		0.6888	
Mexican	0.4977		0.9841		0.5665	
Puerto Rican	0.8929		0.9295		0.8414	
Central or South American	0.2453		0.1207		0.6607	
Cuban	0.4237		0.2134		*	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.75C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	113	113	107	107	91	91
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	99	96	95	96	80	79
White	80	81	83	84	70	70
Black or African American	34	36	32	32	26	26
American Indian or Alaska Native	5	5	8	6	6	6
Native Hawaiian or Other Pacific Islander	9	7	8	7	5	6
Chinese	12	11	7	9	5	7
Filipino	13	11	10	8	7	6
Japanese	*	*	4	*	3	*
Asian Indian	10	10	8	7	5	5
Korean	10	9	9	8	8	5
Vietnamese	8	8	*	6	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	48	51	44	44	36	35
Mexican	42	44	37	36	30	29
Puerto Rican	15	15	14	15	12	11
Central or South American	17	18	16	16	11	12
Cuban	7	7	8	7	6	6

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.75D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.36	0.35	0.34	0.33	0.29	0.29
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.38	0.37	0.37	0.37	0.31	0.30
White	0.41	0.41	0.43	0.42	0.36	0.35
Black or African American	0.83	0.83	0.78	0.75	0.62	0.60
American Indian or Alaska Native	2.48	2.87	3.80	3.49	3.22	3.23
Native Hawaiian or Other Pacific Islander	5.22	5.04	4.61	4.73	3.33	4.07
Chinese	3.99	3.06	2.55	2.51	1.88	1.98
Filipino	4.68	4.14	3.67	2.99	2.53	2.32
Japanese	*	*	5.42	*	3.49	*
Asian Indian	3.53	3.24	2.63	2.26	1.82	1.67
Korean	5.65	5.39	5.11	4.56	4.08	3.10
Vietnamese	5.41	4.82	*	3.64	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.86	0.90	0.80	0.77	0.65	0.62
Mexican	1.05	1.10	0.94	0.90	0.76	0.73
Puerto Rican	2.66	2.89	2.64	2.81	2.14	2.20
Central or South American	2.35	2.39	2.15	2.15	1.57	1.60
Cuban	5.08	5.02	5.59	4.74	3.86	4.07

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.



**Table 1.75P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.3265		0.0201		0.1404	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.8676		0.0382		0.0959	
White	0.9022		0.0454		0.0569	
Black or African American	0.6074		0.8685		0.6984	
American Indian or Alaska Native	0.7598		0.6388		0.4404	
Native Hawaiian or Other Pacific Islander	0.9345		0.7845		0.0556	
Chinese	0.4429		0.3437		0.3456	
Filipino	0.4985		0.2578		0.7610	
Japanese	*		*		*	
Asian Indian	0.7598		0.2091		0.7850	
Korean	0.8721		0.8252		0.3907	
Vietnamese	0.8898		*		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.0864		0.2776		0.9524	
Mexican	0.1807		0.5996		0.7587	
Puerto Rican	0.8614		0.9720		0.1250	
Central or South American	0.0860		0.1497		0.3629	
Cuban	0.9043		0.8887		0.8129	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.76C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	657	679	357	350	251	267
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	642	641	337	329	231	249
White	568	565	288	303	204	220
Black or African American	200	209	121	117	92	94
American Indian or Alaska Native	43	41	16	22	12	13
Native Hawaiian or Other Pacific Islander	*	*	14	*	10	*
Chinese	59	54	18	14	13	8
Filipino	48	81	14	24	8	7
Japanese	40	*	6	17	5	*
Asian Indian	39	40	16	14	13	10
Korean	*	*	*	*	*	*
Vietnamese	*	*	*	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	196	192	120	108	84	86
Mexican	156	147	95	88	70	69
Puerto Rican	72	71	47	38	35	34
Central or South American	68	72	44	37	26	31
Cuban	32	37	17	22	14	15

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.76D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.36	0.37	0.20	0.19	0.14	0.15
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.40	0.40	0.21	0.20	0.14	0.15
White	0.43	0.43	0.22	0.23	0.16	0.17
Black or African American	1.03	1.06	0.63	0.60	0.48	0.48
American Indian or Alaska Native	4.37	4.41	1.64	2.38	1.19	1.42
Native Hawaiian or Other Pacific Islander	*	*	3.43	*	2.39	*
Chinese	3.70	3.13	1.14	0.81	0.83	0.46
Filipino	2.91	4.54	0.84	1.36	0.47	0.37
Japanese	5.51	*	0.82	2.21	0.76	*
Asian Indian	2.58	2.37	1.06	0.80	0.85	0.59
Korean	*	*	*	*	*	*
Vietnamese	*	*	*	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.98	0.93	0.60	0.53	0.42	0.42
Mexican	1.23	1.12	0.75	0.68	0.55	0.53
Puerto Rican	3.37	3.39	2.18	1.81	1.62	1.65
Central or South American	2.37	2.25	1.52	1.16	0.90	0.97
Cuban	3.21	3.53	1.70	2.13	1.38	1.41

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.76P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.8089		0.5211		0.3782	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.6299		0.8956		0.3156	
White	0.4063		0.2789		0.5350	
Black or African American	0.7195		0.0080		0.1090	
American Indian or Alaska Native	0.8961		0.0604		0.1491	
Native Hawaiian or Other Pacific Islander	*		*		*	
Chinese	0.3199		0.1323		0.1400	
Filipino	0.9354		0.4505		0.2014	
Japanese	*		0.1664		*	
Asian Indian	0.9685		0.2674		0.4692	
Korean	*		*		*	
Vietnamese	*		*		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.0540		0.0337		0.8074	
Mexican	0.0084		0.0370		0.6000	
Puerto Rican	0.8129		0.1679		0.9935	
Central or South American	0.7209		0.5420		0.1903	
Cuban	0.0387		0.3974		0.6755	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.77C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	681	705	393	384	280	295
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	662	665	373	363	259	275
White	583	582	326	334	231	242
Black or African American	210	215	129	126	98	100
American Indian or Alaska Native	43	42	20	24	14	15
Native Hawaiian or Other Pacific Islander	31	28	18	23	11	19
Chinese	62	59	20	18	15	11
Filipino	52	84	21	27	12	10
Japanese	40	*	8	17	6	16
Asian Indian	40	42	18	15	14	11
Korean	38	*	*	*	*	*
Vietnamese	36	28	21	20	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	204	204	127	116	90	91
Mexican	166	158	101	93	76	73
Puerto Rican	76	74	51	42	38	37
Central or South American	69	74	47	40	29	33
Cuban	34	39	19	25	15	16

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.77D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.32	0.33	0.19	0.18	0.13	0.14
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.36	0.35	0.20	0.19	0.14	0.15
White	0.39	0.39	0.22	0.22	0.15	0.16
Black or African American	0.89	0.90	0.55	0.52	0.42	0.42
American Indian or Alaska Native	3.64	3.79	1.72	2.17	1.18	1.40
Native Hawaiian or Other Pacific Islander	5.40	5.66	3.14	4.63	2.00	3.95
Chinese	3.28	2.84	1.08	0.88	0.78	0.54
Filipino	2.70	4.13	1.11	1.32	0.63	0.49
Japanese	5.04	*	1.04	2.04	0.79	1.90
Asian Indian	2.25	2.07	1.03	0.72	0.79	0.57
Korean	5.43	*	*	*	*	*
Vietnamese	5.07	4.54	3.00	3.27	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.80	0.78	0.50	0.44	0.35	0.35
Mexican	1.00	0.92	0.61	0.55	0.46	0.43
Puerto Rican	2.80	2.83	1.90	1.62	1.39	1.43
Central or South American	1.91	1.88	1.31	1.02	0.79	0.84
Cuban	2.96	3.28	1.69	2.09	1.31	1.35

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.77P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.7232		0.2731		0.2426	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.6144		0.7828		0.2005	
White	0.3701		0.5138		0.3318	
Black or African American	0.8130		0.0188		0.1703	
American Indian or Alaska Native	0.9504		0.1763		0.4719	
Native Hawaiian or Other Pacific Islander	0.3217		0.2898		0.1113	
Chinese	0.4868		0.4873		0.4780	
Filipino	0.8962		0.9890		0.1572	
Japanese	*		0.1841		0.1811	
Asian Indian	0.9514		0.1324		0.4284	
Korean	*		*		*	
Vietnamese	0.4404		0.9264		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.0199		0.0195		0.8915	
Mexican	0.0039		0.0414		0.5227	
Puerto Rican	0.8254		0.1760		0.6639	
Central or South American	0.3885		0.2216		0.4730	
Cuban	0.0628		0.5149		0.7020	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.78C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	650	652	330	317	232	246
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	627	626	322	308	220	236
White	554	556	289	284	204	209
Black or African American	200	212	116	110	85	87
American Indian or Alaska Native	38	44	19	25	15	17
Native Hawaiian or Other Pacific Islander	29	29	12	17	8	15
Chinese	56	50	14	15	7	8
Filipino	46	52	15	14	10	8
Japanese	41	*	5	15	3	15
Asian Indian	36	39	10	10	9	8
Korean	35	24	17	12	9	7
Vietnamese	21	22	7	6	4	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	203	196	89	91	66	77
Mexican	163	152	70	72	49	57
Puerto Rican	72	66	42	31	28	29
Central or South American	64	61	34	37	27	32
Cuban	34	40	16	21	13	14

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.



**Table 1.78D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.27	0.27	0.14	0.13	0.10	0.10
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.30	0.30	0.16	0.15	0.11	0.11
White	0.33	0.33	0.17	0.17	0.12	0.13
Black or African American	0.74	0.76	0.43	0.40	0.31	0.31
American Indian or Alaska Native	2.81	3.43	1.38	1.93	1.09	1.32
Native Hawaiian or Other Pacific Islander	4.49	5.16	1.84	2.95	1.29	2.67
Chinese	2.64	2.16	0.65	0.67	0.33	0.36
Filipino	2.20	2.37	0.70	0.63	0.47	0.36
Japanese	4.89	*	0.58	1.75	0.35	1.72
Asian Indian	1.81	1.75	0.48	0.43	0.44	0.34
Korean	4.42	3.32	2.15	1.68	1.16	1.00
Vietnamese	2.59	3.12	0.87	0.83	0.53	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.69	0.64	0.30	0.30	0.22	0.25
Mexican	0.84	0.76	0.36	0.36	0.25	0.29
Puerto Rican	2.26	2.12	1.31	1.01	0.87	0.94
Central or South American	1.58	1.38	0.83	0.84	0.68	0.73
Cuban	2.67	3.01	1.24	1.59	1.01	1.07

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.78P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.7824		0.1665		0.4611	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.5663		0.2879		0.2383	
White	0.4393		0.5688		0.2067	
Black or African American	0.7426		0.0973		0.5403	
American Indian or Alaska Native	0.9600		0.2968		0.2127	
Native Hawaiian or Other Pacific Islander	0.2550		0.1981		0.0767	
Chinese	0.5095		0.2099		0.1962	
Filipino	0.9166		0.2900		0.3224	
Japanese	*		0.3425		0.1512	
Asian Indian	0.5050		0.1982		0.2626	
Korean	0.1687		0.8143		0.7563	
Vietnamese	0.2244		0.6024		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.0314		0.3126		0.1930	
Mexican	0.0368		0.5618		0.5161	
Puerto Rican	0.4015		0.3390		0.2482	
Central or South American	0.1750		0.3362		0.8460	
Cuban	0.3563		0.9688		0.8995	

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.79C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	64	61	56	53	43	42
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	59	57	52	50	39	38
White	51	49	45	44	32	34
Black or African American	23	24	19	20	15	14
American Indian or Alaska Native	6	8	5	7	5	5
Native Hawaiian or Other Pacific Islander	3	*	3	2	2	*
Chinese	4	5	3	5	*	4
Filipino	5	5	4	5	3	3
Japanese	1	*	1	*	1	*
Asian Indian	3	5	2	4	3	3
Korean	3	*	2	*	1	*
Vietnamese	3	3	2	2	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	27	27	23	22	16	18
Mexican	23	24	19	19	13	15
Puerto Rican	10	9	9	8	7	6
Central or South American	8	7	8	6	5	5
Cuban	6	5	5	4	*	3

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.79D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.26	0.24	0.22	0.21	0.17	0.17
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.28	0.27	0.25	0.24	0.19	0.18
White	0.33	0.31	0.29	0.28	0.21	0.22
Black or African American	0.62	0.63	0.53	0.53	0.40	0.38
American Indian or Alaska Native	3.28	4.45	2.84	4.02	2.80	2.81
Native Hawaiian or Other Pacific Islander	4.01	*	3.20	3.18	3.08	*
Chinese	1.83	2.58	1.51	2.38	*	1.85
Filipino	2.77	3.38	2.68	2.84	1.70	1.81
Japanese	1.71	*	1.69	*	1.38	*
Asian Indian	1.28	2.09	0.94	1.93	1.40	1.10
Korean	2.87	*	2.48	*	0.96	*
Vietnamese	2.85	2.93	1.72	2.23	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.67	0.66	0.58	0.53	0.40	0.42
Mexican	0.82	0.83	0.66	0.65	0.45	0.51
Puerto Rican	2.06	1.91	1.93	1.59	1.51	1.33
Central or South American	1.89	1.49	1.84	1.42	1.14	1.04
Cuban	4.74	3.31	4.25	2.56	*	2.23

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.79P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.0017		0.0064		0.0775	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.0037		0.0200		0.0531	
White	0.0010		0.0011		0.0239	
Black or African American	0.3803		0.6082		0.5047	
American Indian or Alaska Native	0.2690		0.9215		0.9786	
Native Hawaiian or Other Pacific Islander	*		0.6691		*	
Chinese	0.1166		0.0820		*	
Filipino	0.3538		0.7184		0.4805	
Japanese	*		*		*	
Asian Indian	0.8005		0.7974		0.2028	
Korean	*		*		*	
Vietnamese	0.9367		0.5670		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.2441		0.1545		0.9443	
Mexican	0.6385		0.9956		0.6641	
Puerto Rican	0.1449		0.1054		0.6727	
Central or South American	0.0603		0.0287		0.4744	
Cuban	0.0297		0.0940		*	

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.80C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	115	119	103	104	83	81
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	101	102	92	93	74	73
White	85	86	81	83	66	66
Black or African American	34	36	31	31	25	26
American Indian or Alaska Native	6	5	7	6	7	6
Native Hawaiian or Other Pacific Islander	9	7	7	6	5	5
Chinese	10	10	6	7	4	6
Filipino	12	11	10	6	7	6
Japanese	*	*	4	*	2	*
Asian Indian	8	7	7	5	5	4
Korean	9	9	9	7	7	5
Vietnamese	8	7	*	6	4	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	47	52	39	40	31	29
Mexican	41	44	32	32	26	23
Puerto Rican	15	16	14	14	11	11
Central or South American	16	15	14	13	10	10
Cuban	8	6	7	6	5	5

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.80D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.37	0.37	0.33	0.32	0.26	0.25
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.39	0.39	0.35	0.35	0.29	0.28
White	0.44	0.44	0.42	0.42	0.34	0.33
Black or African American	0.81	0.83	0.75	0.72	0.59	0.60
American Indian or Alaska Native	2.78	3.06	3.54	3.22	3.38	3.26
Native Hawaiian or Other Pacific Islander	5.21	4.90	4.42	4.42	3.03	3.66
Chinese	3.39	2.77	2.12	2.13	1.32	1.84
Filipino	4.31	4.10	3.54	2.46	2.45	2.13
Japanese	*	*	4.79	*	3.33	*
Asian Indian	2.76	2.09	2.31	1.65	1.75	1.33
Korean	5.07	5.17	4.82	4.34	3.92	2.87
Vietnamese	4.87	4.30	*	3.40	2.48	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.85	0.92	0.70	0.70	0.56	0.52
Mexican	1.04	1.10	0.82	0.80	0.65	0.58
Puerto Rican	2.67	3.08	2.61	2.69	2.04	2.15
Central or South American	2.25	2.08	1.94	1.79	1.34	1.37
Cuban	5.31	4.62	5.04	4.55	3.84	3.96

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.80P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.1745		0.0034		0.0205	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.6032		0.0065		0.0184	
White	0.9468		0.0066		0.0069	
Black or African American	0.6963		0.8078		0.5882	
American Indian or Alaska Native	0.7545		0.9799		0.4576	
Native Hawaiian or Other Pacific Islander	0.3118		0.9475		0.1244	
Chinese	0.4772		0.3693		0.1253	
Filipino	0.3963		0.1139		0.5806	
Japanese	*		*		*	
Asian Indian	0.3209		0.1470		0.2349	
Korean	0.9859		0.6745		0.3391	
Vietnamese	0.9139		*		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.0557		0.2282		0.5863	
Mexican	0.0945		0.5446		0.3480	
Puerto Rican	0.8670		0.7715		0.1711	
Central or South American	0.1289		0.1134		0.4814	
Cuban	0.7902		0.8333		0.8399	

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.



**Table 1.81C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	631	616	275	271	194	209
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	611	592	270	267	186	203
White	544	534	237	246	173	182
Black or African American	191	205	106	100	78	79
American Indian or Alaska Native	37	40	15	20	10	12
Native Hawaiian or Other Pacific Islander	*	*	7	*	6	*
Chinese	53	46	11	11	*	*
Filipino	42	49	7	9	4	4
Japanese	41	*	2	*	1	*
Asian Indian	35	37	4	6	5	5
Korean	*	*	*	*	*	*
Vietnamese	*	*	*	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	192	176	72	72	53	63
Mexican	150	135	56	56	38	48
Puerto Rican	67	61	33	23	24	23
Central or South American	62	59	28	32	24	29
Cuban	32	39	12	19	9	13

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.81D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.35	0.34	0.15	0.15	0.11	0.12
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.38	0.37	0.17	0.17	0.12	0.13
White	0.42	0.41	0.18	0.19	0.13	0.14
Black or African American	0.99	1.04	0.55	0.51	0.41	0.40
American Indian or Alaska Native	3.72	4.32	1.49	2.11	1.03	1.34
Native Hawaiian or Other Pacific Islander	*	*	1.78	*	1.53	*
Chinese	3.30	2.64	0.69	0.62	*	*
Filipino	2.51	2.77	0.44	0.52	0.25	0.22
Japanese	5.63	*	0.30	*	0.17	*
Asian Indian	2.34	2.17	0.28	0.36	0.33	0.29
Korean	*	*	*	*	*	*
Vietnamese	*	*	*	*	*	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.96	0.86	0.36	0.35	0.27	0.31
Mexican	1.19	1.04	0.44	0.43	0.30	0.37
Puerto Rican	3.11	2.92	1.54	1.09	1.10	1.11
Central or South American	2.16	1.83	0.97	1.01	0.84	0.90
Cuban	3.22	3.69	1.20	1.77	0.93	1.22

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.81P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.8074		0.9435		0.7355	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.3892		0.9894		0.8184	
White	0.3324		0.5246		0.8563	
Black or African American	0.7169		0.0344		0.4186	
American Indian or Alaska Native	0.8157		0.1183		0.1181	
Native Hawaiian or Other Pacific Islander	*		*		*	
Chinese	0.2564		0.8019		*	
Filipino	0.5883		0.2170		0.4679	
Japanese	*		*		*	
Asian Indian	0.6801		0.5352		0.7798	
Korean	*		*		*	
Vietnamese	*		*		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.1209		0.9061		0.0609	
Mexican	0.0836		0.7469		0.2550	
Puerto Rican	0.5329		0.5668		0.3699	
Central or South American	0.5671		0.6487		0.4603	
Cuban	0.1914		0.6295		0.3662	

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.82C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	653	648	317	307	223	237
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	630	620	310	299	213	228
White	558	554	278	276	198	203
Black or African American	199	211	114	108	83	85
American Indian or Alaska Native	38	41	17	21	13	15
Native Hawaiian or Other Pacific Islander	30	30	12	16	8	15
Chinese	55	49	13	14	7	7
Filipino	47	51	15	13	10	8
Japanese	41	*	5	15	3	15
Asian Indian	36	38	9	8	7	6
Korean	35	25	17	12	9	7
Vietnamese	22	23	7	6	4	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	198	193	85	87	62	74
Mexican	159	149	68	66	46	54
Puerto Rican	71	64	40	29	27	28
Central or South American	64	61	32	36	27	31
Cuban	33	40	15	21	12	14

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.82D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.31	0.30	0.15	0.14	0.11	0.11
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.34	0.33	0.17	0.16	0.11	0.12
White	0.37	0.37	0.18	0.18	0.13	0.13
Black or African American	0.85	0.88	0.49	0.45	0.35	0.35
American Indian or Alaska Native	3.18	3.73	1.42	1.86	1.10	1.36
Native Hawaiian or Other Pacific Islander	5.27	6.02	2.03	3.33	1.40	3.01
Chinese	2.92	2.35	0.70	0.68	0.37	0.34
Filipino	2.41	2.50	0.80	0.63	0.49	0.38
Japanese	5.20	*	0.61	1.81	0.38	1.78
Asian Indian	2.01	1.86	0.50	0.41	0.41	0.32
Korean	4.94	3.84	2.42	1.87	1.35	1.05
Vietnamese	3.16	3.72	0.97	0.95	0.62	*
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.78	0.73	0.33	0.33	0.24	0.28
Mexican	0.96	0.87	0.41	0.39	0.28	0.32
Puerto Rican	2.63	2.47	1.49	1.12	0.99	1.06
Central or South American	1.76	1.54	0.88	0.91	0.74	0.78
Cuban	2.87	3.34	1.27	1.75	1.01	1.17

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.82P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003**

Racial/Ethnic Subgroup	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL<sup>1</sup></b>	0.9783		0.3690		0.6781	
<b>NOT HISPANIC OR LATINO<sup>1</sup></b>	0.4194		0.5081		0.3898	
White	0.3165		0.9755		0.3676	
Black or African American	0.6600		0.0730		0.6089	
American Indian or Alaska Native	0.8981		0.1989		0.1709	
Native Hawaiian or Other Pacific Islander	0.2744		0.1762		0.0610	
Chinese	0.3924		0.4742		0.6474	
Filipino	0.9775		0.3978		0.2218	
Japanese	*		0.3876		0.1815	
Asian Indian	0.5268		0.1699		0.4038	
Korean	0.1123		0.9524		0.4026	
Vietnamese	0.2462		0.7790		*	
<b>HISPANIC OR LATINO<sup>1</sup></b>	0.0408		0.4794		0.1779	
Mexican	0.0354		0.5509		0.5707	
Puerto Rican	0.5490		0.4965		0.1896	
Central or South American	0.2524		0.6411		0.7307	
Cuban	0.2260		0.7032		0.5694	

\*Low precision; no estimate reported.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.