

Table 5.86A Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	18,215	19,360	1,298	1,535	16,917	17,824	7.1	7.9
AGE								
12-17	1,501	1,570	95	126	1,406	1,444	6.3	8.0
18-25	5,589	5,744	305	323	5,284	5,421	5.5	5.6
26 or Older	11,125	12,045	898	1,086	10,228	10,960	8.1	9.0
GENDER								
Male	12,118 ^a	13,073	897	1,149	11,221	11,924	7.4	8.8
Female	6,097	6,287	401	386	5,696	5,901	6.6	6.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	15,761	16,685	1,159	1,301	14,602	15,384	7.4	7.8
White	12,955	13,866	832	928	12,123	12,938	6.4	6.7
Black or African American	1,793	1,913	251	285	1,542	1,628	14.0	14.9
American Indian or Alaska Native	201	194	38	26	163	168	*	*
Native Hawaiian or Other Pacific Islander	48	*	5	*	43	39	*	*
Asian	541	381	7	12	534	369	*	*
Two or More Races	223	273	26	31	197	242	*	11.5
Hispanic or Latino	2,455	2,675	140	234	2,315	2,441	5.7	8.8

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.86B Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	7.7	8.0	0.5	0.6	7.1	7.4	7.1	7.9
AGE								
12-17	6.0	6.2	0.4	0.5	5.6	5.7	6.3	8.0
18-25	17.6	17.8	1.0	1.0	16.7	16.8	5.5	5.6
26 or Older	6.1	6.6	0.5	0.6	5.7	6.0	8.1	9.0
GENDER								
Male	10.5	11.2	0.8	1.0	9.8	10.2	7.4	8.8
Female	5.0	5.1	0.3	0.3	4.6	4.8	6.6	6.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7.6	8.0	0.6	0.6	7.0	7.3	7.4	7.8
White	7.8	8.3	0.5	0.6	7.3	7.7	6.4	6.7
Black or African American	6.5	6.8	0.9	1.0	5.6	5.8	14.0	14.9
American Indian or Alaska Native	16.0	15.0	3.0	2.0	13.0	13.0	*	*
Native Hawaiian or Other Pacific Islander	9.8	*	1.1	*	8.7	6.1	*	*
Asian	5.5	3.8	0.1	0.1	5.5 ^a	3.7	*	*
Two or More Races	8.7	10.7	1.0	1.2	7.7	9.4	*	11.5
Hispanic or Latino	8.2	8.6	0.5	0.8	7.7	7.9	5.7	8.8

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.87A Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	18,427	18,788	1,424	1,417	17,003	17,371	7.7	7.5
AGE								
12-17	1,498	1,536	108	111	1,390	1,425	7.2	7.2
18-25	5,586	5,667	288	314	5,298	5,352	5.2	5.5
26 or Older	11,342	11,585	1,027	992	10,315	10,594	9.1	8.6
GENDER								
Male	12,402	12,596	998	1,023	11,404	11,572	8.0	8.1
Female	6,025	6,192	425	394	5,599	5,798	7.1	6.4
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	15,946	16,223	1,284	1,230	14,661	14,993	8.1	7.6
White	13,131	13,411	976	880	12,155	12,531	7.4	6.6
Black or African American	1,894	1,853	243	268	1,651	1,585	12.9	14.5
American Indian or Alaska Native	194	198	35	32	158	166	18.3	*
Native Hawaiian or Other Pacific Islander	53	53	3	*	50	41	*	*
Asian	434	461	5	9	429	451	1.2	2.0
Two or More Races	240	248	22	29	219	219	9.0	11.5
Hispanic or Latino	2,481	2,565	139	187	2,342	2,378	5.6	7.3

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

^a Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.87B Needed and Received Treatment for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	7.8	7.9	0.6	0.6	7.2	7.3	7.7	7.5
AGE								
12-17	6.0	6.1	0.4	0.4	5.6	5.7	7.2	7.2
18-25	17.8	17.7	0.9	1.0	16.9	16.7	5.2	5.5
26 or Older	6.3	6.4	0.6	0.5	5.7	5.8	9.1	8.6
GENDER								
Male	10.9	10.9	0.9	0.9	10.0	10.0	8.0	8.1
Female	4.9	5.0	0.3	0.3	4.6	4.7	7.1	6.4
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7.7	7.8	0.6	0.6	7.1	7.2	8.1	7.6
White	7.9	8.0	0.6	0.5	7.3	7.5	7.4	6.6
Black or African American	7.0	6.7	0.9	1.0	6.1	5.7	12.9	14.5
American Indian or Alaska Native	14.2	15.5	2.6	2.5	11.6	13.0	18.3	*
Native Hawaiian or Other Pacific Islander	8.1	9.4	0.4	*	7.7	7.2	*	*
Asian	4.6	4.7	0.1	0.1	4.6	4.6	1.2	2.0
Two or More Races	9.5	9.7	0.8	1.1	8.6	8.5	9.0	11.5
Hispanic or Latino	8.4	8.4	0.5	0.6	7.9	7.8	5.6	7.3

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

^a Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.88A Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	16,917	17,824	642	724	173	283	469	442	16,275	17,100
AGE										
12-17	1,406	1,444	32	35	11	12	21	23	1,373	1,409
18-25	5,284	5,421	145	177	31 ^a	65	114	112	5,138	5,244
26 or Older	10,228	10,960	464	513	130	206	334	306	9,764	10,447
GENDER										
Male	11,221	11,924	409	459	117	154	292	305	10,813	11,465
Female	5,696	5,901	233	265	56	129	177	137	5,463	5,635

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.88B Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Percentages, 2003 and 2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	100.00	100.00	3.8	4.1	1.0	1.6	2.8	2.5	96.2	95.9
AGE										
12-17	100.00	100.00	2.3	2.4	0.8	0.8	1.5	1.6	97.7	97.6
18-25	100.00	100.00	2.8	3.3	0.6 ^a	1.2	2.2	2.1	97.2	96.7
26 or Older	100.00	100.00	4.5	4.7	1.3	1.9	3.3	2.8	95.5	95.3
GENDER										
Male	100.00	100.00	3.6	3.8	1.0	1.3	2.6	2.6	96.4	96.2
Female	100.00	100.00	4.1	4.5	1.0	2.2	3.1	2.3	95.9	95.5

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.89A Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	17,003	17,371	701	683	220	228	482	455	16,302	16,688
AGE										
12-17	1,390	1,425	30	34	10	11	20	22	1,360	1,391
18-25	5,298	5,352	147	161	29 ^a	48	117	113	5,152	5,191
26 or Older	10,315	10,594	525	488	180	168	345	320	9,789	10,105
GENDER										
Male	11,404	11,572	438	434	147	135	291	298	10,965	11,139
Female	5,599	5,798	263	249	72	92	191	157	5,336	5,549

*Low precision; no estimate reported.

^a Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.89B Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Percentages, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	100.00	100.00	4.1	3.9	1.3	1.3	2.8	2.6	95.9	96.1
AGE										
12-17	100.00	100.00	2.1	2.4	0.7	0.8	1.4	1.6	97.9	97.6
18-25	100.00	100.00	2.8	3.0	0.6 ^a	0.9	2.2	2.1	97.2	97.0
26 or Older	100.00	100.00	5.1	4.6	1.7	1.6	3.3	3.0	94.9	95.4
GENDER										
Male	100.00	100.00	3.8	3.7	1.3	1.2	2.6	2.6	96.2	96.3
Female	100.00	100.00	4.7	4.3	1.3	1.6	3.4	2.7	95.3	95.7

*Low precision; no estimate reported.

^a Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.