

Table 7.21A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	10,139	10,117	1,836	1,866	5,460	5,340	2,035	1,749
Marijuana and Hashish	8,442	8,429	1,326	1,339	4,007	4,033	863	775
Cocaine	1,676	1,476	193	128	383	375	29	42
Crack	433	369	115	59	43	33	13	6
Heroin	77	90	27	55	14	18	*	*
Hallucinogens	678	602	73	66	233	204	57	57
LSD	90	100	5	17	30	18	8	5
PCP	45	32	3	*	5	*	*	14
Ecstasy	300	287	32	24	125	129	12	10
Inhalants	226	233	48	28	128	143	168	232
Nonmedical Use of Psychotherapeutics ²	2,902	3,048	583	638	1,795	1,550	1,056 ^a	771
Pain Relievers	2,135	2,270	437	457	1,248	1,037	872 ^a	639
OxyContin [®]	--	252	--	30	--	30	--	13
Tranquilizers	1,014	850	174	201	519	453	122	111
Stimulants	703	701	78	116	309	297	100	75
Methamphetamine	406	374	54	71	122	99	25	39
Sedatives	144	129	24	36	103	60	23	41
ILLCIT DRUG OTHER THAN MARIJUANA¹	4,451	4,354	792	831	2,342	2,000	1,263	1,062

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.21B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	25.5	25.0	8.9	9.6	6.9	6.6	2.1	1.7
Marijuana and Hashish	21.2	20.8	6.4	6.9	5.1	5.0	0.9	0.8
Cocaine	4.2	3.6	0.9	0.7	0.5	0.5	0.0	0.0
Crack	1.1	0.9	0.6	0.3	0.1	0.0	0.0	0.0
Heroin	0.2	0.2	0.1	0.3	0.0	0.0	*	*
Hallucinogens	1.7	1.5	0.4	0.3	0.3	0.3	0.1	0.1
LSD	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0
PCP	0.1	0.1	0.0	*	0.0	*	*	0.0
Ecstasy	0.8	0.7	0.2	0.1	0.2	0.2	0.0	0.0
Inhalants	0.6	0.6	0.2	0.1	0.2	0.2	0.2	0.2
Nonmedical Use of Psychotherapeutics ²	7.3	7.5	2.8	3.3	2.3	1.9	1.1 ^a	0.8
Pain Relievers	5.4	5.6	2.1	2.3	1.6	1.3	0.9 ^a	0.6
OxyContin [®]	--	0.6	--	0.2	--	0.0	--	0.0
Tranquilizers	2.6	2.1	0.8	1.0	0.7	0.6	0.1	0.1
Stimulants	1.8	1.7	0.4	0.6	0.4	0.4	0.1	0.1
Methamphetamine	1.0	0.9	0.3	0.4	0.2	0.1	0.0	0.0
Sedatives	0.4	0.3	0.1	0.2	0.1	0.1	0.0	0.0
ILLCIT DRUG OTHER THAN MARIJUANA¹	11.2	10.8	3.8	4.3	3.0	2.5	1.3	1.1

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.22A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	1,139	1,067	335	356	623	563	715	688
Marijuana and Hashish	1,004	922	272	293	436	430	259	264
Cocaine	107	106	9	7	26	13	11	*
Crack	24	12	2	*	4	4	3	*
Heroin	13	8	2	1	3	5	*	2
Hallucinogens	160	135	22	25	42	30	36	21
LSD	32	26	4	3	8	3	7	5
PCP	13	9	1	1	5	2	1	*
Ecstasy	64	57	9	9	14	9	4	2
Inhalants	111	99	26	24	56	45	126	144
Nonmedical Use of Psychotherapeutics ²	395	355	65	84	188	163	348	312
Pain Relievers	312	295	52	60	150	128	287	268
OxyContin [®]	--	54	--	5	--	4	--	2
Tranquilizers	115 ^a	76	16	25	50	29	45	31
Stimulants	119	98	17	14	44	31	41	35
Methamphetamine	41	39	7	2	10 ^a	2	11	13
Sedatives	23 ^a	9	4	1	8	4	11	13
ILLCIT DRUG OTHER THAN MARIJUANA¹	553	514	107	121	266	230	491	463

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.22B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Percentages, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	61.0	58.8	28.5	30.1	24.4	21.5	3.7	3.5
Marijuana and Hashish	53.8	50.8	23.1	24.7	17.0	16.4	1.3	1.3
Cocaine	5.7	5.8	0.8	0.6	1.0	0.5	0.1	*
Crack	1.3	0.7	0.1	*	0.1	0.1	0.0	*
Heroin	0.7	0.4	0.2	0.1	0.1	0.2	*	0.0
Hallucinogens	8.6	7.5	1.8	2.1	1.6	1.1	0.2	0.1
LSD	1.7	1.4	0.3	0.3	0.3	0.1	0.0	0.0
PCP	0.7	0.5	0.1	0.1	0.2	0.1	0.0	*
Ecstasy	3.4	3.1	0.8	0.7	0.5	0.4	0.0	0.0
Inhalants	5.9	5.4	2.2	2.0	2.2	1.7	0.7	0.7
Nonmedical Use of Psychotherapeutics ²	21.2	19.5	5.5	7.1	7.4	6.2	1.8	1.6
Pain Relievers	16.7	16.3	4.4	5.0	5.9	4.9	1.5	1.4
OxyContin [®]	--	3.0	--	0.5	--	0.1	--	0.0
Tranquilizers	6.2 ^a	4.2	1.3	2.1	2.0	1.1	0.2	0.2
Stimulants	6.4	5.4	1.4	1.2	1.7	1.2	0.2	0.2
Methamphetamine	2.2	2.2	0.6	0.2	0.4 ^a	0.1	0.1	0.1
Sedatives	1.2 ^a	0.5	0.3	0.1	0.3	0.2	0.1	0.1
ILLCIT DRUG OTHER THAN MARIJUANA¹	29.6	28.3	9.1	10.2	10.4	8.8	2.5	2.4

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.23A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLICIT DRUG¹	4,064	3,968	426	442	1,592	1,462	353	367
Marijuana and Hashish	3,537	3,474	333	362	1,341 ^a	1,174	189	185
Cocaine	546	558	30	40	117	87	3	7
Crack	49	62	3	11	2	8	1	*
Heroin	17	31	6	8	1	2	*	2
Hallucinogens	390	352	36	18	109	89	10	18
LSD	46	66	1	2	19	15	1	*
PCP	27	15	2	*	*	*	1	1
Ecstasy	168	178	23	8	36	37	3	8
Inhalants	74	94	7	4	41	24	12	21
Nonmedical Use of Psychotherapeutics ²	1,199	1,274	133	131	419	387	162	168
Pain Relievers	917	980	101	96	323	282	144	146
OxyContin [®]	--	123	--	7	--	10	--	1
Tranquilizers	369	394	25	27	116	124	16	20
Stimulants	276	326	25	40	84	66	15	14
Methamphetamine	141	137	20	25	19	19	4	5
Sedatives	33	28	10	4	15	11	1	6
ILLICIT DRUG OTHER THAN MARIJUANA¹	1,726	1,735	172	167	592	519	176	198

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.23B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Percentages, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	40.5	39.8	15.6	16.0	16.9	15.4	3.7	3.7
Marijuana and Hashish	35.2	34.9	12.2	13.1	14.2 ^a	12.3	2.0	1.9
Cocaine	5.4	5.6	1.1	1.5	1.2	0.9	0.0	0.1
Crack	0.5	0.6	0.1	0.4	0.0	0.1	0.0	*
Heroin	0.2	0.3	0.2	0.3	0.0	0.0	*	0.0
Hallucinogens	3.9	3.5	1.3	0.6	1.2	0.9	0.1	0.2
LSD	0.5	0.7	0.0	0.1	0.2	0.2	0.0	*
PCP	0.3	0.2	0.1	*	*	*	0.0	0.0
Ecstasy	1.7	1.8	0.8	0.3	0.4	0.4	0.0	0.1
Inhalants	0.7	0.9	0.3	0.2	0.4	0.3	0.1	0.2
Nonmedical Use of Psychotherapeutics ²	11.9	12.8	4.9	4.7	4.4	4.1	1.7	1.7
Pain Relievers	9.1	9.8	3.7	3.5	3.4	3.0	1.5	1.5
OxyContin [®]	--	1.2	--	0.3	--	0.1	--	0.0
Tranquilizers	3.7	4.0	0.9	1.0	1.2	1.3	0.2	0.2
Stimulants	2.8	3.3	0.9	1.4	0.9	0.7	0.2	0.1
Methamphetamine	1.4	1.4	0.7	0.9	0.2	0.2	0.0	0.0
Sedatives	0.3	0.3	0.3	0.1	0.2	0.1	0.0	0.1
ILLCIT DRUG OTHER THAN MARIJUANA¹	17.2	17.4	6.3	6.0	6.3	5.5	1.8	2.0

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.24A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	4,936	5,082	1,075	1,068	3,245	3,315	968	694
Marijuana and Hashish	3,901	4,033	721	684	2,230	2,429	415	325
Cocaine	1,023	813	154	81	240	275	15	35
Crack	360	295	111	49	37	21	9	6
Heroin	47	51	19	46	10	11	*	*
Hallucinogens	128	115	16	23	83	85	12	18
LSD	12	8	*	11	*	*	*	*
PCP	5	8	*	*	*	*	*	13
Ecstasy	69	52	*	7	75	83	5	*
Inhalants	42	40	15	*	31	74	29	67
Nonmedical Use of Psychotherapeutics ²	1,307	1,419	385	423	1,188	1,000	546 ^a	292
Pain Relievers	906	996	284	301	775	627	442 ^a	225
OxyContin [®]	--	75	--	17	--	16	--	9
Tranquilizers	530	380	133	149	353	299	62	61
Stimulants	308	277	37	62	181	200	44	26
Methamphetamine	224	198	27	43	93	78	10	21
Sedatives	88	92	10	32	80	45	11	22
ILLCIT DRUG OTHER THAN MARIJUANA¹	2,172	2,105	513	544	1,485	1,251	597	401

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.24B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	17.7	17.7	6.4	6.9	4.8	4.8	1.4 ^a	1.0
Marijuana and Hashish	14.0	14.1	4.3	4.4	3.3	3.6	0.6	0.5
Cocaine	3.7	2.8	0.9	0.5	0.4	0.4	0.0	0.0
Crack	1.3	1.0	0.7	0.3	0.1	0.0	0.0	0.0
Heroin	0.2	0.2	0.1	0.3	0.0	0.0	*	*
Hallucinogens	0.5	0.4	0.1	0.2	0.1	0.1	0.0	0.0
LSD	0.0	0.0	*	0.1	*	*	*	*
PCP	0.0	0.0	*	*	*	*	*	0.0
Ecstasy	0.2	0.2	*	0.0	0.1	0.1	0.0	*
Inhalants	0.1	0.1	0.1	*	0.0	0.1	0.0	0.1
Nonmedical Use of Psychotherapeutics ²	4.7	5.0	2.3	2.7	1.8	1.5	0.8 ^a	0.4
Pain Relievers	3.3	3.5	1.7	1.9	1.2	0.9	0.6 ^a	0.3
OxyContin [®]	--	0.3	--	0.1	--	0.0	--	0.0
Tranquilizers	1.9 ^a	1.3	0.8	1.0	0.5	0.4	0.1	0.1
Stimulants	1.1	1.0	0.2	0.4	0.3	0.3	0.1	0.0
Methamphetamine	0.8	0.7	0.2	0.3	0.1	0.1	0.0	0.0
Sedatives	0.3	0.3	0.1	0.2	0.1	0.1	0.0	0.0
ILLCIT DRUG OTHER THAN MARIJUANA¹	7.8	7.3	3.1	3.5	2.2	1.8	0.9	0.6

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.25A Illicit Drug Use in the Past Month, by Levels of Past Month Alcohol Use and Past Month Cigarette Use and Age Group: Numbers in Thousands, 2003 and 2004

Level of Alcohol Use/ Cigarette Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	19,470	19,071	2,811	2,674	6,435	6,239	10,224	10,159
Heavy Alcohol Use ¹	5,247	5,381	421	441	2,336	2,217	2,490	2,724
Binge Alcohol Use But Not Heavy Use ¹	6,216	6,272	913	815	2,307	2,263	2,997	3,194
Alcohol Use But Not Binge Use ¹	4,136	3,803	428	374	1,013	949	2,694	2,480
No Alcohol Use	3,871	3,615	1,049	1,044	778	809	2,043	1,762
PAST MONTH CIGARETTE USE	11,974	11,983	1,473	1,423	4,490	4,410	6,011	6,150
Heavy Alcohol Use ¹	3,951	4,076	342	342	1,801	1,810	1,808	1,923
Binge Alcohol Use But Not Heavy Use ¹	4,102	4,025	579	540	1,633	1,582	1,890	1,903
Alcohol Use But Not Binge Use ¹	2,086	2,015	218	184	630	576	1,237	1,256
No Alcohol Use	1,836	1,866	335	356	426	442	1,075	1,068
NO PAST MONTH CIGARETTE USE	7,496	7,088	1,338	1,251	1,945	1,829	4,213	4,009
Heavy Alcohol Use ¹	1,296	1,305	79	98	535 ^b	407	682	800
Binge Alcohol Use But Not Heavy Use ¹	2,114	2,247	334	275	674	682	1,106	1,291
Alcohol Use But Not Binge Use ¹	2,050	1,787	210	190	383	374	1,457	1,224
No Alcohol Use	2,035	1,749	715	688	353	367	968	694

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.25B Illicit Drug Use in the Past Month, by Levels of Past Month Alcohol Use and Past Month Cigarette Use and Age Group: Percentages, 2003 and 2004

Level of Alcohol Use/ Cigarette Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	8.2	7.9	11.2	10.6	20.3	19.4	5.6	5.5
Heavy Alcohol Use ¹	32.5	32.2	64.5	65.6	48.8	45.7	23.3	24.4
Binge Alcohol Use But Not Heavy Use ¹	16.5	16.5	45.5 ^b	38.4	27.5	26.9	11.0	11.6
Alcohol Use But Not Binge Use ¹	6.3	5.7	24.2	22.8	16.1	15.3	4.7	4.2
No Alcohol Use	3.3	3.0	5.1	5.0	6.3	6.4	2.4	2.0
PAST MONTH CIGARETTE USE	19.8	20.0	48.4	47.5	35.2	34.6	13.5	13.9
Heavy Alcohol Use ¹	39.7	39.9	72.4	70.1	53.2	51.8	29.6	30.9
Binge Alcohol Use But Not Heavy Use ¹	25.2	24.8	59.9	57.0	35.7	35.5	17.6	17.5
Alcohol Use But Not Binge Use ¹	15.5	14.4	50.8	48.5	30.4	28.5	11.3	10.9
No Alcohol Use	8.9	9.6	28.5	30.1	15.6	16.0	6.4	6.9
NO PAST MONTH CIGARETTE USE	4.2	3.9	6.1	5.6	10.3	9.4	3.1	2.9
Heavy Alcohol Use ¹	20.9	20.1	43.8	53.8	38.1 ^b	30.1	14.8	16.2
Binge Alcohol Use But Not Heavy Use ¹	9.9	10.3	32.1 ^b	23.4	17.6	17.2	6.7	7.8
Alcohol Use But Not Binge Use ¹	4.0	3.4	15.7	15.0	9.1	8.9	3.2	2.6
No Alcohol Use	2.1	1.7	3.7	3.5	3.7	3.7	1.4 ^a	1.0

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.