

**Table 7.1A Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	8,365	8,647	1,453	1,367	2,788	2,740	4,124	4,540
12-49	5,073	4,698	773	833	1,723	1,597	2,577	2,267
50-99	2,683	2,793	401	402	914	914	1,368	1,478
100-299	6,019	6,074	835 <sup>a</sup>	713	2,244	2,333	2,940	3,028
300 or More	3,090	3,240	282	342	1,375	1,379	1,433	1,519
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	3,905	3,918	646	580	1,238	1,194	2,021	2,144
3-5	2,515	2,618	376	403	855	796	1,284	1,418
6-19	3,324	3,160	467	389	1,227	1,211	1,630	1,560
20 or More	4,894	4,880	482	536	2,079	1,995	2,332	2,349

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.1B Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	33.2	34.0	38.8	37.4	30.8	30.6	33.1	35.4
12-49	20.1	18.5	20.6	22.8	19.1	17.8	20.7	17.7
50-99	10.6	11.0	10.7	11.0	10.1	10.2	11.0	11.5
100-299	23.9	23.9	22.3 <sup>a</sup>	19.5	24.8	26.0	23.6	23.6
300 or More	12.2	12.7	7.5 <sup>a</sup>	9.4	15.2	15.4	11.5	11.8
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	26.7	26.9	32.8	30.4	22.9	23.0	27.8	28.7
3-5	17.2	18.0	19.1	21.1	15.8	15.3	17.7	19.0
6-19	22.7	21.7	23.7	20.4	22.7	23.3	22.4	20.9
20 or More	33.4	33.5	24.4	28.1	38.5	38.4	32.1	31.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.2A Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	3,108	2,778	287	244	1,224	1,238	1,597	1,296
12-49	1,343	1,319	72	75	505	524	766	720
50-99	698	755	36	33	202	172	460	549
100-299	675	667	33	55	143	180	499	432
300 or More	84	139	10	4	24	20	51	115
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	1,153 <sup>b</sup>	831	93	73	412	344	647 <sup>a</sup>	414
3-5	616	485	22	21	164	168	430	296
6-19	379	442	30	20	92	132	258	290
20 or More	133 <sup>a</sup>	263	8	*	29	49	96	203

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.2B Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Percentages, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	52.6	49.1	65.6	59.3	58.3	58.0	47.4	41.6
12-49	22.7	23.3	16.4	18.1	24.1	24.6	22.7	23.1
50-99	11.8	13.3	8.3	8.1	9.6	8.0	13.6	17.6
100-299	11.4	11.8	7.5 <sup>a</sup>	13.4	6.8	8.4	14.8	13.9
300 or More	1.4	2.5	2.2	1.1	1.1	0.9	1.5	3.7
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	50.6 <sup>a</sup>	41.1	61.1	58.4	59.2 <sup>a</sup>	49.7	45.2	34.4
3-5	27.0	24.0	14.3	16.7	23.5	24.2	30.1	24.6
6-19	16.6	21.9	19.4	16.1	13.1 <sup>a</sup>	19.0	18.0	24.1
20 or More	5.8 <sup>b</sup>	13.0	5.3	*	4.1	7.0	6.7 <sup>a</sup>	16.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.3A Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	2,886	2,806	523	492	1,580	1,452	783	863
12-49	668	654	151	138	345	317	172	200
50-99	227	292	58	75	124	112	45	105
100-299	135	115	40	49	52	55	*	12
300 or More	19	10	6	0	10	8	3	2
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	782	683	194 <sup>a</sup>	144	418	354	*	*
3-5	152	151	25	35	83	69	*	*
6-19	93	76	35	25	34	50	*	*
20 or More	15	20	6	7	9	4	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.3B Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Percentages, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	73.3	72.4	67.2	65.3	74.8	74.7	74.9	73.0
12-49	17.0	16.9	19.4	18.3	16.4	16.3	16.4	16.9
50-99	5.8	7.5	7.5	9.9	5.9	5.8	4.3	8.9
100-299	3.4	3.0	5.1	6.5	2.5	2.8	*	1.0
300 or More	0.5	0.3	0.7	0.0	0.5	0.4	0.3	0.2
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	75.0	73.5	74.6	68.2	76.8	74.1	*	*
3-5	14.6	16.2	9.8	16.6	15.3	14.5	*	*
6-19	8.9	8.1	13.4	12.0	6.2	10.5	*	*
20 or More	1.5	2.2	2.3	3.2	1.7	0.8	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.4A Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	1,410	1,362	720	711	520	486	*	*
12-49	370 <sup>a</sup>	501	220	234	87	101	*	*
50-99	155	175	102	116	34	43	*	*
100-299	130	194	67	99	21	38	*	*
300 or More	10	24	10	8	*	6	*	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	377	334	201	166	*	102	*	*
3-5	115	135	73	84	*	*	*	*
6-19	56	98	29	38	*	18	*	*
20 or More	23	*	16	24	*	4	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.4B Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Percentages, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	67.9 <sup>b</sup>	60.4	64.3	60.8	78.5	72.1	*	*
12-49	17.8	22.2	19.6	20.1	13.1	15.0	*	*
50-99	7.5	7.7	9.1	9.9	5.2	6.4	*	*
100-299	6.3	8.6	6.0	8.4	3.2	5.6	*	*
300 or More	0.5	1.1	0.9	0.7	*	0.9	*	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	66.1 <sup>a</sup>	52.4	63.0	53.0	*	71.0	*	*
3-5	20.2	21.2	22.7	26.9	*	*	*	*
6-19	9.8	15.4	9.1	12.2	*	12.6	*	*
20 or More	4.0	*	5.1	7.8	*	3.1	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 7.5A Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Numbers in Thousands, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	5,521	5,829	760	763	1,539	1,559	3,222	3,507
3-5	4,180	4,027	391	442	1,182	1,231	2,607	2,353
6-19	5,954	6,387	513	555	1,651	1,746	3,789	4,087
20-29	6,791	6,310	475	411	1,666	1,621	4,649	4,278
30	37,989	37,343	904	828	6,726	6,574	30,359	29,942
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	6,152	5,586	324	309	1,492	1,605	4,337 <sup>a</sup>	3,672
6-15 (1/2 Pack)	11,490	11,565	381	358	2,731	2,669	8,378	8,538
16-25 (1 Pack)	13,823	13,451	172	131	2,097	1,902	11,554	11,418
26 or More (More Than 1 Pack)	6,461	6,708	27	29	397	393	6,037	6,287
Not Reported	63	33	1	2	9	4	53	27

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.5B Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Percentages, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	9.1	9.7	25.0	25.4	12.1	12.2	7.2	7.9
3-5	6.9	6.7	12.8	14.8	9.3	9.7	5.8	5.3
6-19	9.9	10.7	16.9	18.5	12.9	13.7	8.5	9.3
20-29	11.2	10.5	15.6	13.7	13.1	12.7	10.4	9.7
30	62.9	62.3	29.7	27.6	52.7	51.6	68.0	67.8
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	16.2	15.0	35.8	37.3	22.2	24.4	14.3 <sup>a</sup>	12.3
6-15 (1/2 Pack)	30.2	31.0	42.1	43.2	40.6	40.6	27.6	28.5
16-25 (1 Pack)	36.4	36.0	19.0	15.9	31.2	28.9	38.1	38.1
26 or More (More Than 1 Pack)	17.0	18.0	2.9	3.5	5.9	6.0	19.9	21.0
Not Reported	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.6A Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	35,813	37,273	3,914	4,076	5,084	5,299	26,814	27,898
12-49	40,508	40,097	2,386 <sup>a</sup>	2,172	6,771	6,858	31,351	31,067
50-99	24,412	23,596	1,170	1,120	4,571	4,480	18,672	17,996
100-299	44,169	45,974	1,003	1,077	7,619	7,809	35,548	37,088
300 or More	9,638	9,745	89	91	733	681	8,816	8,973
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	33,967	35,144	2,132	2,133	5,350	5,367	26,486	27,643
3-5	31,309	31,623	1,264	1,236	5,521	5,443	24,523	24,945
6-19	34,636	34,679	893	904	6,775	6,783	26,969	26,992
20 or More	19,053	19,487	137	163	1,820	1,881	17,095	17,443

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.6B Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Percentages, 2003 and 2004**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	23.2	23.8	45.7 <sup>a</sup>	47.8	20.5	21.1	22.1	22.7
12-49	26.2	25.6	27.9 <sup>b</sup>	25.4	27.3	27.3	25.9	25.3
50-99	15.8	15.1	13.7	13.1	18.4	17.8	15.4	14.6
100-299	28.6	29.3	11.7	12.6	30.7	31.1	29.3	30.1
300 or More	6.2	6.2	1.0	1.1	3.0	2.7	7.3	7.3
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	28.6	29.1	48.2	48.1	27.5	27.6	27.9	28.5
3-5	26.3	26.1	28.6	27.9	28.4	27.9	25.8	25.7
6-19	29.1	28.7	20.2	20.4	34.8	34.8	28.4	27.8
20 or More	16.0	16.1	3.1	3.7	9.4	9.7	18.0	18.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.7B Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption, by Detailed Age Category: 2004**

Age Category	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	50.3	8.5	3.1	31.0	3,743,062
12	2.3	3.5	2.1	14.3	1,311
13	6.1	4.2	4.8	*	*
14	12.3	3.8	3.0	18.0	9,740
15	20.4	4.3	4.5	25.3	22,231
16	27.7	4.7	4.9	28.5	32,530
17	37.3	5.4	5.5	38.7	58,677
18	46.3	6.1	5.8	45.2	96,195
19	51.5	6.9	5.3	45.8	92,842
20	56.3	7.2	5.3	46.7	104,976
21	69.8	8.2	4.3	44.4	126,419
22	69.1	7.9	4.3	37.7	104,622
23	63.8	7.4	4.5	40.1	100,301
24	63.7	7.6	4.0	36.6	94,384
25	65.7	7.9	3.9	36.0	85,161
26-29	63.2	7.4	3.4	28.0	271,591
30-34	58.4	7.1	3.3	29.7	340,823
35-39	60.6	7.5	3.1	28.7	364,397
40-44	60.1	8.8	2.9	31.1	423,813
45-49	57.5	9.1	2.8	31.4	388,119
50-54	55.6	9.9	2.4	27.4	295,863
55-59	48.3	9.7	2.2	27.5	218,196
60-64	49.9	10.4	2.4	33.4	209,001
65 or Older	35.3	10.9	1.8	23.3	284,967

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

**Table 7.8B Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption, by Demographic Characteristics: 2004**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	50.3	8.5	3.1	31.0	3,743,062
<b>AGE</b>					
12-17	17.6	4.7	4.8	32.4	143,829
18-25	60.5	7.5	4.6	41.3	804,113
26 or Older	53.0	8.9	2.7	28.8	2,797,705
<b>GENDER</b>					
Male	56.9	9.8	3.6	40.4	2,679,693
Female	44.0	7.0	2.5	19.4	1,060,284
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	51.8	8.8	3.0	30.9	3,346,810
White	55.2	9.0	3.0	31.6	2,911,831
Black or African American	37.1	7.1	2.9	28.6	297,001
American Indian or Alaska Native	36.2	8.2	6.5	52.0	24,426
Native Hawaiian or Other Pacific Islander	*	7.4	5.0	34.5	*
Asian	37.4	7.0	2.1	16.2	60,135
Two or More Races	52.4	7.2	3.5	31.3	41,952
Hispanic or Latino	40.2	6.3	3.8	31.8	396,955

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

**Table 7.9B Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption among Persons Aged 12 to 20, by Demographic Characteristics: 2004**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	28.7	5.9	5.2	40.6	440,192
<b>GENDER</b>					
Male	29.6	6.7	6.2	53.7	307,088
Female	27.8	5.0	4.0	25.7	131,674
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	29.2	5.9	5.1	38.6	353,224
White	32.6	6.1	5.4	41.2	312,525
Black or African American	19.1	5.0	3.4	22.4	23,874
American Indian or Alaska Native	24.3	7.1	9.8	*	*
Native Hawaiian or Other Pacific Islander	*	3.1	6.2	17.8	*
Asian	16.4	4.7	3.0	18.0	4,595
Two or More Races	26.4	5.9	5.1	34.1	5,280
Hispanic or Latino	26.6	5.8	5.6	52.7	88,815
<b>GENDER/RACE/HISPANIC ORIGIN</b>					
Male, White, Not Hispanic	33.5	6.8	6.4	52.7	211,782
Female, White, Not Hispanic	31.6	5.3	4.2	27.9	99,699
Male, Black, Not Hispanic	20.3	5.8	3.8	28.5	16,599
Female, Black, Not Hispanic	17.7	4.1	2.9	15.2	7,317
Male, Hispanic	26.9	6.7	7.2	79.4	70,190
Female, Hispanic	26.2	4.7	3.9	22.7	18,233

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

**Table 7.10B Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption among Persons Aged 21 or Older, by Demographic Characteristics: 2004**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	54.3	8.8	2.9	30.1	3,308,368
<b>GENDER</b>					
Male	62.4	10.1	3.4	39.2	2,376,045
Female	46.9	7.2	2.3	18.8	930,565
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	55.8	9.0	2.8	30.2	2,996,736
White	58.9	9.3	2.8	30.7	2,602,603
Black or African American	41.6	7.3	2.9	29.3	272,904
American Indian or Alaska Native	38.8	8.4	6.1	45.5	18,827
Native Hawaiian or Other Pacific Islander	*	8.0	4.9	36.3	*
Asian	41.3	7.1	2.1	16.0	55,519
Two or More Races	60.1	7.4	3.3	31.0	36,719
Hispanic or Latino	43.7	6.4	3.5	28.8	310,836
<b>GENDER/RACE/HISPANIC ORIGIN</b>					
Male, White, Not Hispanic	66.0	10.7	3.3	40.8	1,858,883
Female, White, Not Hispanic	52.4	7.7	2.3	19.0	743,587
Male, Black, Not Hispanic	52.3	8.5	3.2	35.3	181,477
Female, Black, Not Hispanic	33.3	5.8	2.4	21.6	90,435
Male, Hispanic	52.8	7.5	4.2	38.1	254,032
Female, Hispanic	34.3	4.5	2.3	13.5	55,666

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.



**Table 7.11B Cigarette Use in the Past Month and Measures of Past Month Cigarette Consumption, by Detailed Age Category: 2004**

Age Category	Percentage Using Cigarettes in Past Month	MEASURES OF PAST MONTH CIGARETTE CONSUMPTION AMONG PAST MONTH CIGARETTE USERS			
		Average Number of Days Smoked Cigarettes in Past Month	Average Number of Cigarettes Smoked Per Day of Use in Past Month <sup>1</sup>	Average Number of Cigarettes Smoked Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Cigarettes Smoked in Past Month <sup>3</sup>
<b>TOTAL</b>	24.9	22.9	13.3	362.1	21,689,138
12	1.1	8.1	2.2	24.1	1,075
13	4.3	6.9	2.9	28.7	5,455
14	8.4	10.5	3.2	53.8	19,782
15	13.5	13.6	3.9	85.1	49,152
16	19.1	16.3	4.9	118.8	93,548
17	25.4	17.2	6.0	152.0	156,736
18	34.8	19.3	7.4	189.1	302,068
19	37.2	19.4	7.6	194.7	284,930
20	40.3	20.3	8.4	218.7	351,684
21	41.2	21.5	8.9	238.1	400,040
22	42.9	20.7	8.6	234.4	404,387
23	40.6	21.5	9.3	250.8	400,117
24	39.7	21.1	9.1	243.3	390,517
25	40.5	21.8	9.5	257.3	374,738
26-29	36.8	21.8	10.6	280.8	1,584,441
30-34	29.0	22.8	11.9	328.2	1,871,592
35-39	29.6	23.0	13.4	366.2	2,270,938
40-44	30.4	24.8	17.0	464.1	3,198,109
45-49	28.1	25.0	16.7	460.3	2,783,839
50-54	24.6	25.2	18.1	506.3	2,418,469
55-59	20.8	26.0	18.5	509.6	1,740,597
60-64	18.2	24.9	18.1	516.0	1,179,261
65 or Older	9.2	24.5	16.0	438.4	1,404,329

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of cigarettes smoked per user in the past month is defined as the product of the number of days that a respondent smoked cigarettes in the past month and the average number of cigarettes smoked per day on the days that cigarettes were smoked in the past month.

<sup>3</sup> The total number of cigarettes smoked in the past month is defined as the product of the total number of persons who smoked cigarettes in the past month and the average number of cigarettes smoked per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

**Table 7.12B Cigarette Use in the Past Month and Measures of Past Month Cigarette Consumption, by Demographic Characteristics: 2004**

Demographic Characteristic	Percentage Using Cigarettes in Past Month	MEASURES OF PAST MONTH CIGARETTE CONSUMPTION AMONG PAST MONTH CIGARETTE USERS			
		Average Number of Days Smoked Cigarettes in Past Month	Average Number of Cigarettes Smoked Per Day of Use in Past Month <sup>1</sup>	Average Number of Cigarettes Smoked Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Cigarettes Smoked in Past Month <sup>3</sup>
<b>TOTAL</b>	24.9	22.9	13.3	362.1	21,689,138
<b>AGE</b>					
12-17	11.9	14.6	4.7	108.8	326,324
18-25	39.5	20.7	8.6	228.5	2,908,476
26 or Older	24.1	24.1	15.2	417.8	18,450,687
<b>GENDER</b>					
Male	27.7	22.6	14.1	383.5	12,378,663
Female	22.3	23.1	12.3	337.1	9,310,744
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	25.4	23.6	14.1	388.8	20,718,269
White	26.4	24.1	15.0	417.2	18,415,206
Black or African American	23.5	21.0	9.5	231.7	1,524,062
American Indian or Alaska Native	31.0	19.8	12.5	311.3	125,237
Native Hawaiian or Other Pacific Islander	*	25.5	10.2	290.9	*
Asian	10.3	19.7	7.3	185.7	190,070
Two or More Races	38.3	25.2	14.7	419.3	410,977
Hispanic or Latino	21.3	17.1	6.6	146.5	967,657

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> The number of cigarettes smoked per user in the past month is defined as the product of the number of days that a respondent smoked cigarettes in the past month and the average number of cigarettes smoked per day on the days that cigarettes were smoked in the past month.

<sup>3</sup> The total number of cigarettes smoked in the past month is defined as the product of the total number of persons who smoked cigarettes in the past month and the average number of cigarettes smoked per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.