

**Table 3.30C Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Smoking Cigarettes <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	68	71	68	71
<b>AGE</b>				
12-13	32	34	32	34
14-15	39	43	39	43
16-17	47	45	47	45
<b>GENDER</b>				
Male	49	51	49	51
Female	45	46	45	46
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	63	64	63	64
White	54	55	54	55
Black or African American	29	27	29	27
American Indian or Alaska Native	3	3	3	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14	14	14	14
Two or More Races	12	10	12	10
Hispanic or Latino	31	32	31	32
<b>COUNTY TYPE</b>				
Large Metro	51	52	51	52
Small Metro	33	37	33	37
Nonmetro	27	30	27	30
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	55	59	34	33
Marijuana	49	47	32	31
Illicit Drug Other Than Marijuana <sup>2</sup>	40	43	25	23
Cigarettes	57	59	35	38
Alcohol	72	71	35	35
Binge Alcohol <sup>3</sup>	56	61	34	34
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	79	79	40	37
Marijuana	67	65	38	38
Illicit Drug Other Than Marijuana <sup>2</sup>	68	63	33	31
Cigarettes	76	71	37	39
Alcohol	93	97	38	37
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	94	88	39	37
Marijuana	78	75	40	38
Illicit Drug Other Than Marijuana <sup>2</sup>	84	74	39	37
Cigarettes	95	93	39	38
Alcohol	101	103	36	36

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.30D Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Smoking Cigarettes <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.27	0.29	0.27	0.29
<b>AGE</b>				
12-13	0.39	0.42	0.39	0.42
14-15	0.48	0.50	0.48	0.50
16-17	0.57	0.56	0.57	0.56
<b>GENDER</b>				
Male	0.39	0.40	0.39	0.40
Female	0.37	0.38	0.37	0.38
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.30	0.31	0.30	0.31
White	0.35	0.36	0.35	0.36
Black or African American	0.78	0.73	0.78	0.73
American Indian or Alaska Native	1.94	2.03	1.94	2.03
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.43	1.42	1.43	1.42
Two or More Races	2.91	2.32	2.91	2.32
Hispanic or Latino	0.77	0.78	0.77	0.78
<b>COUNTY TYPE</b>				
Large Metro	0.39	0.39	0.39	0.39
Small Metro	0.45	0.49	0.45	0.49
Nonmetro	0.64	0.71	0.64	0.71
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.25	0.27	1.10	1.12
Marijuana	0.23	0.21	1.05	1.06
Illicit Drug Other Than Marijuana <sup>2</sup>	0.18	0.20	0.81	0.76
Cigarettes	0.26	0.27	1.14	1.29
Alcohol	0.33	0.33	1.14	1.17
Binge Alcohol <sup>3</sup>	0.26	0.28	1.10	1.16
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.36	0.36	1.29	1.26
Marijuana	0.31	0.30	1.23	1.27
Illicit Drug Other Than Marijuana <sup>2</sup>	0.31	0.29	1.08	1.06
Cigarettes	0.35	0.33	1.21	1.32
Alcohol	0.43	0.44	1.24	1.26
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.43	0.40	1.28	1.25
Marijuana	0.36	0.34	1.30	1.29
Illicit Drug Other Than Marijuana <sup>2</sup>	0.39	0.34	1.26	1.24
Cigarettes	0.44	0.42	1.27	1.27
Alcohol	0.47	0.47	1.17	1.22

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.30P Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Smoking Cigarettes <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.1549		0.1549	
<b>AGE</b>				
12-13	0.4487		0.4487	
14-15	0.2198		0.2198	
16-17	0.6051		0.6051	
<b>GENDER</b>				
Male	0.7553		0.7553	
Female	0.0752		0.0752	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.0650		0.0650	
White	0.2174		0.2174	
Black or African American	0.1453		0.1453	
American Indian or Alaska Native	0.5453		0.5453	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.5615		0.5615	
Two or More Races	0.7630		0.7630	
Hispanic or Latino	0.5731		0.5731	
<b>COUNTY TYPE</b>				
Large Metro	0.0621		0.0621	
Small Metro	0.9463		0.9463	
Nonmetro	0.8182		0.8182	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.1160		0.7449	
Marijuana	0.4066		0.9182	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.2050		0.6161	
Cigarettes	0.5197		0.7556	
Alcohol	0.9364		0.9276	
Binge Alcohol <sup>3</sup>	0.2468		0.5167	
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.1059		0.7984	
Marijuana	0.3327		0.9935	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.1134		0.2744	
Cigarettes	0.5221		0.7975	
Alcohol	0.3735		0.2810	
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.4658		0.9459	
Marijuana	0.4779		0.6293	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.5769		0.2235	
Cigarettes	0.0104		0.3897	
Alcohol	0.3360		0.5614	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.31C Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Trying Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	86	87	86	87
<b>AGE</b>				
12-13	31	32	31	32
14-15	51	56	51	56
16-17	56	58	56	58
<b>GENDER</b>				
Male	61	61	61	61
Female	61	60	61	60
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	79	76	79	76
White	68	68	68	68
Black or African American	33	31	33	31
American Indian or Alaska Native	5	5	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	17	16	17	16
Two or More Races	11	12	11	12
Hispanic or Latino	37	37	37	37
<b>COUNTY TYPE</b>				
Large Metro	67	71	67	71
Small Metro	45	45	45	45
Nonmetro	31	34	31	34
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	43	47	44	42
Marijuana	32	35	44	43
Illicit Drug Other Than Marijuana <sup>2</sup>	34	35	33	31
Cigarettes	48	53	45	43
Alcohol	58	59	51	48
Binge Alcohol <sup>3</sup>	42	48	44	45
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	66	66	48	46
Marijuana	47	50	50	49
Illicit Drug Other Than Marijuana <sup>2</sup>	57	55	44	40
Cigarettes	64	66	49	47
Alcohol	81	90	47	43
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	82	80	47	43
Marijuana	57	61	51	48
Illicit Drug Other Than Marijuana <sup>2</sup>	76	70	48	47
Cigarettes	88	85	49	45
Alcohol	88	95	42	41

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.31D Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Trying Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.35	0.35	0.35	0.35
<b>AGE</b>				
12-13	0.37	0.39	0.37	0.39
14-15	0.62	0.65	0.62	0.65
16-17	0.68	0.71	0.68	0.71
<b>GENDER</b>				
Male	0.48	0.48	0.48	0.48
Female	0.50	0.49	0.50	0.49
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.38	0.37	0.38	0.37
White	0.44	0.44	0.44	0.44
Black or African American	0.90	0.83	0.90	0.83
American Indian or Alaska Native	2.93	3.10	2.93	3.10
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.75	1.66	1.75	1.66
Two or More Races	2.77	2.72	2.77	2.72
Hispanic or Latino	0.92	0.90	0.92	0.90
<b>COUNTY TYPE</b>				
Large Metro	0.51	0.54	0.51	0.54
Small Metro	0.61	0.60	0.61	0.60
Nonmetro	0.72	0.80	0.72	0.80
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.22	0.23	0.90	0.87
Marijuana	0.16	0.17	0.88	0.88
Illicit Drug Other Than Marijuana <sup>2</sup>	0.17	0.17	0.66	0.64
Cigarettes	0.24	0.26	0.92	0.89
Alcohol	0.29	0.29	1.03	0.99
Binge Alcohol <sup>3</sup>	0.21	0.24	0.89	0.93
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.33	0.33	0.98	0.95
Marijuana	0.24	0.25	1.02	1.01
Illicit Drug Other Than Marijuana <sup>2</sup>	0.29	0.28	0.90	0.82
Cigarettes	0.32	0.33	0.99	0.97
Alcohol	0.41	0.45	0.94	0.88
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.42	0.40	0.94	0.89
Marijuana	0.29	0.31	1.03	0.99
Illicit Drug Other Than Marijuana <sup>2</sup>	0.38	0.35	0.98	0.97
Cigarettes	0.45	0.42	1.00	0.93
Alcohol	0.45	0.47	0.85	0.84

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.31P Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Trying Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.2298		0.2298	
<b>AGE</b>				
12-13	0.9221		0.9221	
14-15	0.4550		0.4550	
16-17	0.3107		0.3107	
<b>GENDER</b>				
Male	0.7603		0.7603	
Female	0.1641		0.1641	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.1404		0.1404	
White	0.3008		0.3008	
Black or African American	0.1159		0.1159	
American Indian or Alaska Native	0.6403		0.6403	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.9093		0.9093	
Two or More Races	0.1868		0.1868	
Hispanic or Latino	0.7284		0.7284	
<b>COUNTY TYPE</b>				
Large Metro	0.2388		0.2388	
Small Metro	0.5815		0.5815	
Nonmetro	0.9776		0.9776	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.3020		0.3994	
Marijuana	0.7647		0.6267	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.2449		0.5971	
Cigarettes	0.4062		0.1003	
Alcohol	0.5331		0.5366	
Binge Alcohol <sup>3</sup>	0.0473		0.7965	
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.2866		0.6373	
Marijuana	0.5032		0.8648	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.2624		0.8858	
Cigarettes	0.7412		0.0892	
Alcohol	0.8714		0.3232	
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.6228		0.9677	
Marijuana	0.7170		0.5601	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.8385		0.5444	
Cigarettes	0.0884		0.0068	
Alcohol	0.7080		0.0578	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.32C Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Using Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	87	84	87	84
<b>AGE</b>				
12-13	31	34	31	34
14-15	49	53	49	53
16-17	60	55	60	55
<b>GENDER</b>				
Male	59	60	59	60
Female	60	57	60	57
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	77	73	77	73
White	66	64	66	64
Black or African American	32	28	32	28
American Indian or Alaska Native	5	5	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	16	19	16	19
Two or More Races	11	11	11	11
Hispanic or Latino	42	42	42	42
<b>COUNTY TYPE</b>				
Large Metro	69	66	69	66
Small Metro	45	46	45	46
Nonmetro	31	32	31	32
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	43	48	45	43
Marijuana	32	34	44	43
Illicit Drug Other Than Marijuana <sup>2</sup>	33	36	34	32
Cigarettes	48	51	45	45
Alcohol	61	63	50	46
Binge Alcohol <sup>3</sup>	44	48	45	44
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	67	67	47	45
Marijuana	50	51	50	49
Illicit Drug Other Than Marijuana <sup>2</sup>	57	55	44	41
Cigarettes	65	64	47	48
Alcohol	84	91	45	41
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	82	78	46	43
Marijuana	59	60	49	48
Illicit Drug Other Than Marijuana <sup>2</sup>	74	70	49	46
Cigarettes	89	81	50	46
Alcohol	92	97	39	39

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.32D Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Using Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.35	0.34	0.35	0.34
<b>AGE</b>				
12-13	0.37	0.41	0.37	0.41
14-15	0.60	0.61	0.60	0.61
16-17	0.72	0.68	0.72	0.68
<b>GENDER</b>				
Male	0.47	0.47	0.47	0.47
Female	0.50	0.47	0.50	0.47
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.37	0.35	0.37	0.35
White	0.42	0.42	0.42	0.42
Black or African American	0.89	0.76	0.89	0.76
American Indian or Alaska Native	2.99	3.16	2.99	3.16
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.66	1.90	1.66	1.90
Two or More Races	2.67	2.58	2.67	2.58
Hispanic or Latino	1.05	1.02	1.05	1.02
<b>COUNTY TYPE</b>				
Large Metro	0.52	0.50	0.52	0.50
Small Metro	0.62	0.61	0.62	0.61
Nonmetro	0.73	0.76	0.73	0.76
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.21	0.23	0.94	0.93
Marijuana	0.16	0.17	0.91	0.93
Illicit Drug Other Than Marijuana <sup>2</sup>	0.16	0.18	0.71	0.70
Cigarettes	0.24	0.25	0.93	0.97
Alcohol	0.31	0.31	1.05	1.01
Binge Alcohol <sup>3</sup>	0.22	0.23	0.94	0.97
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.33	0.33	0.98	0.99
Marijuana	0.25	0.25	1.04	1.07
Illicit Drug Other Than Marijuana <sup>2</sup>	0.29	0.27	0.92	0.88
Cigarettes	0.33	0.32	0.99	1.05
Alcohol	0.42	0.45	0.94	0.89
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.41	0.38	0.95	0.95
Marijuana	0.30	0.30	1.03	1.04
Illicit Drug Other Than Marijuana <sup>2</sup>	0.37	0.34	1.03	1.00
Cigarettes	0.45	0.40	1.05	1.01
Alcohol	0.46	0.48	0.82	0.85

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 3.32P Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Using Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.0503		0.0503	
<b>AGE</b>				
12-13	0.5977		0.5977	
14-15	0.0564		0.0564	
16-17	0.1454		0.1454	
<b>GENDER</b>				
Male	0.7961		0.7961	
Female	0.0095		0.0095	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.0623		0.0623	
White	0.1280		0.1280	
Black or African American	0.0374		0.0374	
American Indian or Alaska Native	0.5260		0.5260	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.5633		0.5633	
Two or More Races	0.1281		0.1281	
Hispanic or Latino	0.5460		0.5460	
<b>COUNTY TYPE</b>				
Large Metro	0.0272		0.0272	
Small Metro	0.7957		0.7957	
Nonmetro	0.8014		0.8014	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.4549		0.5349	
Marijuana	0.7697		0.9920	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.4657		0.4179	
Cigarettes	0.5979		0.4099	
Alcohol	0.5390		0.8108	
Binge Alcohol <sup>3</sup>	0.0457		0.4762	
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.6008		0.5504	
Marijuana	0.9965		0.8191	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.2829		0.6633	
Cigarettes	0.7016		0.2370	
Alcohol	0.5989		0.2225	
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.7849		0.4901	
Marijuana	0.6714		0.3678	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.9838		0.4186	
Cigarettes	0.1370		0.0134	
Alcohol	0.8435		0.0076	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.33C Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	76	74	76	74
<b>AGE</b>				
12-13	34	33	34	33
14-15	43	46	43	46
16-17	50	49	50	49
<b>GENDER</b>				
Male	57	57	57	57
Female	49	47	49	47
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	68	68	68	68
White	59	58	59	58
Black or African American	29	27	29	27
American Indian or Alaska Native	4	3	4	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	15	19	15	19
Two or More Races	8	10	8	10
Hispanic or Latino	39	31	39	31
<b>COUNTY TYPE</b>				
Large Metro	57	55	57	55
Small Metro	40	40	40	40
Nonmetro	28	33	28	33
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	53	56	38	36
Marijuana	45	42	34	34
Illicit Drug Other Than Marijuana <sup>2</sup>	38	39	30	28
Cigarettes	56	58	41	41
Alcohol	66	65	43	40
Binge Alcohol <sup>3</sup>	50	54	38	41
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	77	74	43	41
Marijuana	64	61	41	41
Illicit Drug Other Than Marijuana <sup>2</sup>	65	58	40	37
Cigarettes	74	71	43	44
Alcohol	90	94	41	38
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	92	83	44	40
Marijuana	73	70	45	42
Illicit Drug Other Than Marijuana <sup>2</sup>	83	72	45	41
Cigarettes	96	86	45	43
Alcohol	99	99	37	37

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.33D Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.31	0.30	0.31	0.30
<b>AGE</b>				
12-13	0.41	0.40	0.41	0.40
14-15	0.53	0.53	0.53	0.53
16-17	0.61	0.61	0.61	0.61
<b>GENDER</b>				
Male	0.45	0.45	0.45	0.45
Female	0.40	0.39	0.40	0.39
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.33	0.33	0.33	0.33
White	0.38	0.38	0.38	0.38
Black or African American	0.80	0.74	0.80	0.74
American Indian or Alaska Native	2.54	2.11	2.54	2.11
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.54	1.89	1.54	1.89
Two or More Races	1.89	2.34	1.89	2.34
Hispanic or Latino	0.99	0.74	0.99	0.74
<b>COUNTY TYPE</b>				
Large Metro	0.43	0.41	0.43	0.41
Small Metro	0.54	0.53	0.54	0.53
Nonmetro	0.65	0.79	0.65	0.79
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.25	0.26	1.00	0.95
Marijuana	0.22	0.20	0.88	0.91
Illicit Drug Other Than Marijuana <sup>2</sup>	0.18	0.19	0.79	0.74
Cigarettes	0.27	0.27	1.06	1.10
Alcohol	0.32	0.31	1.11	1.07
Binge Alcohol <sup>3</sup>	0.24	0.26	1.00	1.09
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.37	0.35	1.12	1.11
Marijuana	0.31	0.29	1.07	1.11
Illicit Drug Other Than Marijuana <sup>2</sup>	0.31	0.28	1.05	0.99
Cigarettes	0.35	0.34	1.12	1.18
Alcohol	0.43	0.44	1.06	1.03
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.44	0.39	1.14	1.07
Marijuana	0.35	0.33	1.17	1.12
Illicit Drug Other Than Marijuana <sup>2</sup>	0.40	0.34	1.18	1.09
Cigarettes	0.46	0.41	1.17	1.16
Alcohol	0.47	0.47	0.96	0.98

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.33P Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

(I) Demographic Characteristic and (II) Substance Use	Youths' Feelings about Peers Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.1718		0.1718	
<b>AGE</b>				
12-13	0.6179		0.6179	
14-15	0.1545		0.1545	
16-17	0.6441		0.6441	
<b>GENDER</b>				
Male	0.7886		0.7886	
Female	0.0156		0.0156	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.2957		0.2957	
White	0.5382		0.5382	
Black or African American	0.0836		0.0836	
American Indian or Alaska Native	0.1113		0.1113	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6765		0.6765	
Two or More Races	0.2265		0.2265	
Hispanic or Latino	0.4060		0.4060	
<b>COUNTY TYPE</b>				
Large Metro	0.0926		0.0926	
Small Metro	0.9304		0.9304	
Nonmetro	0.6983		0.6983	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.3285		0.2377	
Marijuana	0.3434		0.9588	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.6399		0.1246	
Cigarettes	0.4986		0.0672	
Alcohol	0.6606		0.4705	
Binge Alcohol <sup>3</sup>	0.0727		0.9294	
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.5481		0.1696	
Marijuana	0.5341		0.6639	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.5779		0.5285	
Cigarettes	0.8826		0.0848	
Alcohol	0.8114		0.1681	
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.9575		0.2121	
Marijuana	0.7662		0.2833	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.8615		0.9007	
Cigarettes	0.0381		0.0395	
Alcohol	0.9069		0.0049	

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.