

**Table 2.19C Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	783	812	828	818	803	794
12	23	23	17	16	11	9
13	33	33	26	25	16	21
14	37	43	31	35	26	28
15	48	45	40	37	32	31
16	46	44	42	44	39	37
17	46	46	42	44	41	41
18	52	51	54	53	51	53
19	48	46	50	50	49	50
20	48	45	51	51	50	48
21	47	49	48	52	47	51
22	41	42	47	51	46	51
23	42	46	47	53	47	53
24	37	46	45	50	46	50
25	43	41	48	50	47	49
26-29	157	166	188	186	190	176
30-34	186	195	199	213	202	210
35-39	211	210	239	220	238	225
40-44	195	197	240	253	236	245
45-49	217	199	240	235	225	230
50-54	278	263	299	290	293	281
55-59	212	233	254	256	248	242
60-64	199	202	200	208	199	195
65 or Older	380	466	297	317	279	304

\*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.19D Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.33	0.34	0.35	0.34	0.34	0.33
12	0.56	0.59	0.42	0.41	0.27	0.24
13	0.77	0.76	0.59	0.57	0.36	0.48
14	0.91	0.99	0.76	0.81	0.62	0.63
15	1.16	1.06	0.96	0.86	0.77	0.73
16	1.09	1.08	1.01	1.06	0.93	0.90
17	1.12	1.13	1.02	1.09	1.01	1.00
18	1.14	1.11	1.17	1.15	1.10	1.14
19	1.23	1.16	1.30	1.28	1.26	1.26
20	1.19	1.13	1.26	1.28	1.24	1.22
21	1.19	1.21	1.22	1.28	1.19	1.25
22	1.03	1.04	1.16	1.27	1.14	1.27
23	1.05	1.18	1.19	1.36	1.17	1.35
24	1.03	1.13	1.23	1.23	1.26	1.24
25	1.19	1.14	1.33	1.39	1.29	1.35
26-29	1.07	1.08	1.27	1.21	1.29	1.15
30-34	0.92	1.00	0.99	1.09	1.00	1.07
35-39	1.01	1.00	1.14	1.05	1.14	1.07
40-44	0.86	0.87	1.06	1.11	1.04	1.08
45-49	1.01	0.93	1.12	1.09	1.05	1.07
50-54	1.39	1.36	1.50	1.49	1.47	1.45
55-59	1.42	1.42	1.70	1.56	1.66	1.47
60-64	1.69	1.61	1.70	1.66	1.70	1.56
65 or Older	1.11	1.34	0.87	0.91	0.81	0.88

\*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.19P Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0065		0.2289		0.2089	
12	0.1533		0.5923		0.0943	
13	0.4493		0.9195		0.1436	
14	0.4228		0.5915		0.8798	
15	0.0331		0.3415		0.9937	
16	0.0805		0.5995		0.6290	
17	0.2153		0.9745		0.7093	
18	0.8190		0.1956		0.0912	
19	0.1229		0.3893		0.5788	
20	0.0860		0.5591		0.0549	
21	0.7077		0.5866		0.6741	
22	0.1036		0.6291		0.7513	
23	0.0507		0.5684		0.4941	
24	0.6746		0.4788		0.2406	
25	0.9213		0.0749		0.1424	
26-29	0.1864		0.6697		0.7720	
30-34	0.0668		0.2542		0.0876	
35-39	0.3194		0.9832		0.9339	
40-44	0.3544		0.6627		0.2882	
45-49	0.8448		0.6744		0.8992	
50-54	0.2671		0.5457		0.6774	
55-59	0.2327		0.4802		0.7079	
60-64	0.3792		0.5269		0.4495	
65 or Older	0.0354		0.6755		0.7921	

\*Low precision; no estimate reported.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.20C Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	825	824	819	788	789	768
12	22	21	15	14	10	8
13	31	32	23	25	15	19
14	35	42	28	33	23	25
15	45	46	37	35	29	30
16	46	44	41	43	36	35
17	48	46	41	42	40	38
18	55	53	53	53	48	51
19	48	47	50	50	49	46
20	50	47	51	52	50	49
21	49	51	49	52	48	51
22	44	43	48	50	46	49
23	44	48	48	54	46	52
24	40	49	46	51	47	51
25	47	43	46	50	45	48
26-29	170	171	191	184	189	175
30-34	205	211	201	210	198	202
35-39	230	213	234	212	227	212
40-44	218	207	237	248	228	238
45-49	229	210	231	228	222	223
50-54	284	279	286	278	277	272
55-59	237	237	229	232	224	224
60-64	209	205	184	188	184	180
65 or Older	407	478	267	270	246	256

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.20D Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.35	0.34	0.34	0.33	0.33	0.32
12	0.53	0.53	0.36	0.36	0.25	0.20
13	0.72	0.72	0.54	0.56	0.34	0.43
14	0.84	0.95	0.68	0.75	0.55	0.57
15	1.08	1.07	0.89	0.81	0.71	0.69
16	1.09	1.07	0.99	1.04	0.86	0.86
17	1.17	1.14	1.01	1.03	0.97	0.93
18	1.20	1.16	1.15	1.16	1.05	1.12
19	1.24	1.19	1.28	1.28	1.25	1.18
20	1.24	1.19	1.26	1.31	1.24	1.22
21	1.25	1.24	1.25	1.27	1.23	1.24
22	1.10	1.06	1.20	1.25	1.14	1.22
23	1.11	1.21	1.19	1.38	1.15	1.33
24	1.10	1.20	1.28	1.26	1.30	1.26
25	1.28	1.20	1.26	1.39	1.25	1.34
26-29	1.15	1.12	1.29	1.20	1.28	1.14
30-34	1.02	1.08	1.00	1.07	0.98	1.03
35-39	1.10	1.02	1.12	1.01	1.08	1.01
40-44	0.96	0.91	1.05	1.09	1.01	1.05
45-49	1.07	0.98	1.08	1.06	1.04	1.04
50-54	1.42	1.44	1.43	1.43	1.39	1.40
55-59	1.59	1.44	1.53	1.41	1.50	1.37
60-64	1.78	1.64	1.56	1.50	1.57	1.43
65 or Older	1.19	1.38	0.78	0.78	0.72	0.74

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.20P Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0035		0.4688		0.2217	
12	0.2527		0.6479		0.0803	
13	0.6869		0.3382		0.0457	
14	0.6977		0.9503		0.9924	
15	0.0446		0.3317		0.8996	
16	0.0417		0.3474		0.4395	
17	0.0649		0.4157		0.4473	
18	0.6698		0.8391		0.4902	
19	0.0912		0.3503		1.0000	
20	0.0523		0.2092		0.0279	
21	0.7016		0.4561		0.6525	
22	0.0527		0.7613		0.6958	
23	0.0336		0.5087		0.5698	
24	0.6776		0.2853		0.1733	
25	0.4122		0.4456		0.3016	
26-29	0.5054		0.9234		0.9872	
30-34	0.1646		0.4300		0.2080	
35-39	0.3654		0.4060		0.7013	
40-44	0.3111		0.9323		0.5963	
45-49	0.7624		0.5471		0.5934	
50-54	0.5752		0.8264		0.8733	
55-59	0.2371		0.7753		0.6198	
60-64	0.2799		0.4766		0.4294	
65 or Older	0.0278		0.3130		0.4389	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.21C Daily Cigarette Use in Lifetime and Past Month Smoking Status, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004**

Age Category	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	879	893	736	743	713	750	0.61	0.64
12	6	5	5	4	4	2	*	*
13	10	11	7	8	7	8	*	*
14	15	17	14	16	7	6	3.68	3.46
15	22	24	19	21	10	11	2.81	2.94
16	28	28	26	27	10	9	1.89	1.96
17	35	33	33	30	13	12	1.52	1.59
18	47	46	44	43	17	17	1.37	1.37
19	47	47	45	44	20	19	1.57	1.55
20	48	45	45	43	20	18	1.27	1.33
21	46	47	44	45	19	24	1.24	1.47
22	47	47	45	47	24	21	1.41	1.41
23	48	48	45	47	24	24	1.38	1.51
24	46	48	46	47	21	29	1.37	1.64
25	44	47	43	46	25	24	1.65	1.54
26-29	183	182	180	172	101	106	1.66	1.61
30-34	212	204	191	185	143	121	1.65	1.58
35-39	250	228	211	206	165	159	1.69	1.75
40-44	248	241	225	228	177	176	1.54	1.58
45-49	257	243	217	216	198	189	1.60	1.59
50-54	311	341	263	258	273	301	2.28	2.33
55-59	283	276	213	222	240	264	2.28	2.41
60-64	252	244	174	173	231	232	2.51	2.41
65 or Older	442	448	240	239	425	432	1.39	1.47

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.21D Daily Cigarette Use in Lifetime and Past Month Smoking Status, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004**

Age Category	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.37	0.37	0.31	0.31	0.30	0.31	0.61	0.64
12	0.14	0.12	0.11	0.11	0.09	0.04	*	*
13	0.22	0.26	0.17	0.18	0.15	0.18	*	*
14	0.37	0.39	0.34	0.36	0.18	0.14	3.68	3.46
15	0.54	0.55	0.47	0.49	0.23	0.25	2.81	2.94
16	0.66	0.68	0.62	0.65	0.24	0.23	1.89	1.96
17	0.85	0.80	0.80	0.75	0.31	0.28	1.52	1.59
18	1.02	1.00	0.96	0.94	0.36	0.36	1.37	1.37
19	1.22	1.19	1.15	1.13	0.50	0.47	1.57	1.55
20	1.18	1.12	1.12	1.08	0.49	0.46	1.27	1.33
21	1.16	1.15	1.12	1.10	0.48	0.58	1.24	1.47
22	1.17	1.17	1.12	1.17	0.59	0.53	1.41	1.41
23	1.20	1.21	1.12	1.19	0.60	0.61	1.38	1.51
24	1.27	1.19	1.26	1.15	0.59	0.71	1.37	1.64
25	1.22	1.31	1.19	1.27	0.69	0.65	1.65	1.54
26-29	1.24	1.19	1.22	1.12	0.69	0.69	1.66	1.61
30-34	1.05	1.04	0.95	0.94	0.71	0.62	1.65	1.58
35-39	1.19	1.09	1.01	0.98	0.79	0.76	1.69	1.75
40-44	1.09	1.06	0.99	1.01	0.78	0.77	1.54	1.58
45-49	1.20	1.13	1.01	1.01	0.92	0.88	1.60	1.59
50-54	1.56	1.76	1.31	1.33	1.36	1.55	2.28	2.33
55-59	1.90	1.68	1.43	1.35	1.61	1.61	2.28	2.41
60-64	2.14	1.94	1.48	1.38	1.96	1.85	2.51	2.41
65 or Older	1.29	1.29	0.70	0.69	1.24	1.24	1.39	1.47

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 2.21P Daily Cigarette Use in Lifetime and Past Month Smoking Status, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Age Category	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0442		0.1083		0.3732		0.7653	
12	0.2223		0.6072		0.1006		*	
13	0.8818		0.8230		0.6468		*	
14	0.1801		0.5680		0.0484		0.1293	
15	0.5814		0.5109		0.9570		0.7544	
16	0.5528		0.4431		0.7365		0.5538	
17	0.0345		0.0324		0.7349		0.6571	
18	0.9213		0.9759		0.8415		0.8548	
19	0.4169		0.7505		0.2022		0.2811	
20	0.0585		0.1023		0.4050		0.7799	
21	0.8031		0.3472		0.1637		0.1235	
22	0.1050		0.0973		0.8710		0.7098	
23	0.3449		0.5903		0.4485		0.6468	
24	0.4221		0.1083		0.1557		0.0704	
25	0.8074		0.5635		0.5360		0.4607	
26-29	0.9616		0.9185		0.9267		0.9052	
30-34	0.0621		0.1014		0.5463		0.7188	
35-39	0.4530		0.6602		0.5936		0.8590	
40-44	0.7978		0.9769		0.7493		0.8255	
45-49	0.8511		0.7354		0.9073		0.7822	
50-54	0.6415		0.7614		0.4289		0.5025	
55-59	0.4945		0.8778		0.5347		0.8151	
60-64	0.9428		0.2198		0.3231		0.1624	
65 or Older	0.1088		0.2176		0.3187		0.4945	

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.22C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	695	656	314	267	284	245
12	10	11	6	8	3	5
13	18	15	12	11	6	8
14	19	21	14	17	10	11
15	21	23	17	19	12	13
16	25	26	18	21	13	17
17	29	28	22	22	16	18
18	39	41	28	28	19	23
19	38	35	27	25	19	18
20	39	38	27	27	19	20
21	40	40	25	26	19	22
22	41	40	23	25	18	20
23	42	40	26	23	21	19
24	41	42	25	24	21	19
25	36	40	19	22	15	19
26-29	169	160	95	87	80	71
30-34	186	176	105	83	95	76
35-39	202	216	111	94	98	83
40-44	200	211	88	85	84	78
45-49	200	191	85	81	78	67
50-54	230	216	80	69	74	61
55-59	210	203	105	84	104	74
60-64	169	173	71	66	68	63
65 or Older	316	323	136	151	135	151

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.22D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.29	0.27	0.13	0.11	0.12	0.10
12	0.24	0.27	0.14	0.20	0.08	0.12
13	0.41	0.34	0.27	0.25	0.15	0.18
14	0.45	0.49	0.35	0.39	0.25	0.25
15	0.50	0.54	0.40	0.44	0.29	0.30
16	0.60	0.63	0.44	0.52	0.31	0.41
17	0.70	0.69	0.53	0.55	0.40	0.44
18	0.84	0.89	0.61	0.62	0.41	0.50
19	0.98	0.90	0.70	0.62	0.50	0.47
20	0.98	0.96	0.66	0.67	0.48	0.49
21	1.03	0.97	0.64	0.63	0.48	0.53
22	1.02	1.00	0.56	0.63	0.44	0.50
23	1.04	1.03	0.66	0.58	0.51	0.48
24	1.11	1.04	0.68	0.60	0.57	0.47
25	1.01	1.11	0.52	0.61	0.42	0.53
26-29	1.14	1.04	0.65	0.57	0.54	0.46
30-34	0.92	0.90	0.52	0.42	0.47	0.39
35-39	0.96	1.03	0.53	0.45	0.47	0.40
40-44	0.88	0.93	0.39	0.38	0.37	0.34
45-49	0.93	0.89	0.40	0.38	0.36	0.31
50-54	1.15	1.11	0.40	0.36	0.37	0.32
55-59	1.41	1.24	0.71	0.51	0.69	0.45
60-64	1.44	1.38	0.61	0.53	0.57	0.50
65 or Older	0.92	0.93	0.40	0.43	0.39	0.43

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.22P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0334		0.0888		0.0794	
12	0.7763		0.1210		0.6389	
13	0.1120		0.9055		0.7716	
14	0.3333		0.5798		0.9366	
15	0.5467		0.6167		0.7334	
16	0.4864		0.2772		0.0211	
17	0.1897		0.9431		0.9282	
18	0.1477		0.1236		0.0219	
19	0.3752		0.4136		0.5441	
20	0.0598		0.1487		0.5329	
21	0.6785		0.9940		0.5431	
22	0.7663		0.4950		0.8954	
23	0.1833		0.0813		0.2501	
24	0.1269		0.7713		0.4493	
25	0.7697		0.0616		0.0635	
26-29	0.6873		0.3001		0.2159	
30-34	0.0154		0.0399		0.0586	
35-39	0.4584		0.0328		0.0369	
40-44	0.4284		0.5447		0.4033	
45-49	0.1841		0.6198		0.8876	
50-54	0.8768		0.7286		0.9189	
55-59	0.1523		0.4637		0.2631	
60-64	0.6746		0.8686		0.9955	
65 or Older	0.4668		0.8737		0.7555	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.23C Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	873	803	463	448	331	323
12	14	11	11	8	6	7
13	20	21	14	16	8	11
14	27	28	22	22	15	14
15	34	34	28	28	18	19
16	38	37	33	32	22	23
17	39	41	34	39	24	26
18	51	51	44	48	32	39
19	51	49	46	45	34	38
20	51	50	38	42	31	32
21	47	48	36	43	30	35
22	52	49	42	39	31	30
23	48	51	37	39	26	32
24	47	49	36	40	28	31
25	47	47	37	38	26	30
26-29	184	187	145	126	116	90
30-34	204	205	144	132	97	92
35-39	224	235	139	147	99	105
40-44	249	238	143	146	105	110
45-49	235	218	133	140	100	116
50-54	321	320	178	153	130	129
55-59	281	307	162	140	122	109
60-64	237	224	90	108	74	84
65 or Older	421	391	130	135	104	97

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.23D Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.37	0.33	0.19	0.19	0.14	0.13
12	0.34	0.29	0.27	0.21	0.14	0.17
13	0.47	0.49	0.33	0.37	0.18	0.25
14	0.64	0.65	0.52	0.50	0.37	0.32
15	0.83	0.78	0.69	0.65	0.45	0.44
16	0.91	0.90	0.79	0.77	0.52	0.55
17	0.96	1.01	0.82	0.96	0.59	0.63
18	1.10	1.12	0.95	1.05	0.70	0.84
19	1.31	1.24	1.18	1.13	0.88	0.96
20	1.25	1.25	0.95	1.04	0.77	0.80
21	1.19	1.19	0.93	1.05	0.78	0.87
22	1.30	1.22	1.05	0.98	0.76	0.75
23	1.19	1.29	0.92	0.99	0.66	0.81
24	1.28	1.20	0.99	0.99	0.77	0.76
25	1.28	1.32	1.03	1.06	0.72	0.83
26-29	1.25	1.22	0.98	0.82	0.79	0.59
30-34	1.01	1.04	0.71	0.67	0.48	0.47
35-39	1.07	1.12	0.66	0.70	0.47	0.50
40-44	1.10	1.05	0.63	0.65	0.46	0.48
45-49	1.10	1.01	0.62	0.65	0.47	0.54
50-54	1.60	1.65	0.89	0.79	0.65	0.67
55-59	1.88	1.87	1.08	0.85	0.82	0.67
60-64	2.02	1.79	0.77	0.86	0.63	0.67
65 or Older	1.23	1.13	0.38	0.39	0.30	0.28

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.23P Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.1549		0.6675		0.1199	
12	0.0172		0.0929		0.4995	
13	0.8424		0.4343		0.5665	
14	0.4025		0.4406		0.8833	
15	0.5919		0.9143		0.7035	
16	0.7313		0.4083		0.7676	
17	0.9498		0.3199		0.0661	
18	0.1505		0.0038		0.0001	
19	0.9036		0.1457		0.1609	
20	0.1769		0.2793		0.5537	
21	0.8384		0.2544		0.1092	
22	0.2720		0.2043		0.7425	
23	0.0932		0.4192		0.3191	
24	0.3935		0.5690		0.3498	
25	0.2774		0.5792		0.1806	
26-29	0.9155		0.5131		0.6688	
30-34	0.5758		0.5166		0.5150	
35-39	0.9772		0.6508		0.4782	
40-44	0.6278		0.3381		0.4340	
45-49	0.4264		0.2067		0.2054	
50-54	0.7782		0.2533		0.9050	
55-59	0.5274		1.0000		0.4146	
60-64	0.2352		0.1948		0.2930	
65 or Older	0.0209		0.9009		0.6864	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.24C Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	603	705	891	885	919	957
12	29	27	23	21	14	12
13	37	37	33	32	22	22
14	41	44	38	40	28	29
15	44	44	42	43	35	34
16	45	42	46	43	40	36
17	38	40	44	44	41	43
18	44	47	51	53	52	57
19	39	38	48	43	53	51
20	33	35	43	44	49	49
21	31	31	36	37	46	45
22	28	32	38	38	47	48
23	30	34	39	41	48	47
24	26	32	36	45	43	52
25	27	30	37	38	45	44
26-29	115	111	157	166	191	187
30-34	132	142	192	185	209	208
35-39	136	150	205	210	238	226
40-44	148	142	232	229	259	262
45-49	171	135	230	227	246	248
50-54	198	186	290	296	333	327
55-59	170	185	265	292	281	298
60-64	164	191	250	247	258	262
65 or Older	377	444	481	505	467	471

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 2.24D Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.25	0.29	0.37	0.37	0.39	0.40
12	0.71	0.68	0.55	0.53	0.34	0.31
13	0.86	0.85	0.77	0.72	0.50	0.51
14	0.99	1.00	0.91	0.92	0.69	0.65
15	1.07	1.01	1.01	0.99	0.85	0.78
16	1.06	1.03	1.09	1.04	0.96	0.88
17	0.93	0.98	1.08	1.08	1.01	1.07
18	0.96	1.02	1.10	1.15	1.13	1.24
19	1.00	0.96	1.24	1.10	1.36	1.30
20	0.82	0.87	1.08	1.10	1.23	1.22
21	0.79	0.76	0.92	0.91	1.18	1.11
22	0.70	0.79	0.95	0.95	1.17	1.20
23	0.75	0.86	0.97	1.05	1.19	1.21
24	0.72	0.78	0.99	1.12	1.18	1.28
25	0.73	0.83	1.02	1.06	1.24	1.23
26-29	0.78	0.72	1.06	1.08	1.29	1.22
30-34	0.65	0.73	0.95	0.94	1.03	1.06
35-39	0.65	0.72	0.98	1.00	1.14	1.08
40-44	0.65	0.62	1.02	1.01	1.14	1.15
45-49	0.80	0.63	1.07	1.05	1.15	1.15
50-54	0.99	0.96	1.45	1.53	1.66	1.69
55-59	1.14	1.13	1.78	1.78	1.88	1.82
60-64	1.40	1.52	2.12	1.97	2.20	2.09
65 or Older	1.10	1.28	1.40	1.46	1.36	1.36

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.24P Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Age Category	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0724		0.8050		0.6754	
12	0.0722		0.1555		0.2152	
13	0.3310		0.4216		0.9024	
14	0.4468		0.3527		0.4104	
15	0.1684		0.4159		0.7112	
16	0.1472		0.2894		0.5571	
17	0.5131		0.5038		0.1703	
18	1.0000		0.3176		0.1147	
19	0.5034		0.6808		0.6055	
20	0.1332		0.3243		0.0616	
21	0.6831		0.5234		0.9543	
22	0.1460		1.0000		0.6637	
23	0.0754		0.0446		0.0302	
24	0.3513		0.9802		0.3178	
25	0.6429		0.8009		0.8083	
26-29	0.6290		0.8977		0.3607	
30-34	0.3349		0.0839		0.5835	
35-39	0.5244		0.7733		0.4846	
40-44	0.8083		0.3541		0.3711	
45-49	0.4381		0.8432		0.8921	
50-54	0.4366		0.6155		0.4881	
55-59	0.6392		0.1591		0.0745	
60-64	0.7115		0.1089		0.2346	
65 or Older	0.1846		0.2368		0.6363	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.25C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004**

Age Category	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	919	957	682	698	380	382
12	14	12	7	9	3	2
13	22	22	12	18	3	6
14	28	29	22	20	10	9
15	35	34	27	27	15	12
16	40	36	32	34	17	19
17	41	43	39	38	21	24
18	52	57	50	54	29	34
19	53	51	49	51	30	37
20	49	49	50	52	38	39
21	46	45	48	52	38	41
22	47	48	52	51	40	39
23	48	47	52	48	37	35
24	43	52	46	49	34	33
25	45	44	46	47	32	34
26-29	191	187	183	190	120	119
30-34	209	208	192	187	107	117
35-39	238	226	194	205	124	107
40-44	259	262	224	222	125	141
45-49	246	248	207	193	120	117
50-54	333	327	249	248	137	144
55-59	281	298	206	209	113	105
60-64	258	262	168	166	75	94
65 or Older	467	471	226	241	107	112

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.25D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004**

Age Category	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.39	0.40	0.29	0.29	0.16	0.16
12	0.34	0.31	0.18	0.22	0.08	0.05
13	0.50	0.51	0.28	0.42	0.07	0.13
14	0.69	0.65	0.54	0.46	0.25	0.21
15	0.85	0.78	0.66	0.64	0.37	0.29
16	0.96	0.88	0.77	0.83	0.41	0.45
17	1.01	1.07	0.95	0.93	0.50	0.59
18	1.13	1.24	1.09	1.17	0.64	0.73
19	1.36	1.30	1.26	1.28	0.78	0.94
20	1.23	1.22	1.23	1.30	0.95	0.97
21	1.18	1.11	1.23	1.27	0.97	1.01
22	1.17	1.20	1.29	1.26	0.99	0.97
23	1.19	1.21	1.31	1.22	0.93	0.88
24	1.18	1.28	1.26	1.21	0.94	0.81
25	1.24	1.23	1.26	1.31	0.87	0.95
26-29	1.29	1.22	1.24	1.24	0.81	0.78
30-34	1.03	1.06	0.95	0.95	0.53	0.59
35-39	1.14	1.08	0.93	0.98	0.59	0.51
40-44	1.14	1.15	0.99	0.98	0.55	0.62
45-49	1.15	1.15	0.97	0.90	0.56	0.54
50-54	1.66	1.69	1.25	1.28	0.69	0.74
55-59	1.88	1.82	1.38	1.27	0.76	0.64
60-64	2.20	2.09	1.43	1.33	0.64	0.75
65 or Older	1.36	1.36	0.66	0.70	0.31	0.32

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.25P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Age Category	TYPE OF ALCOHOL USE					
	Alcohol Use		Binge Alcohol Use		Heavy Alcohol Use	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.6754		0.7514		0.5076	
12	0.2152		0.5414		0.8041	
13	0.9024		0.1310		0.1605	
14	0.4104		0.0398		0.4271	
15	0.7112		0.2686		0.0454	
16	0.5571		0.7565		0.6999	
17	0.1703		0.1070		0.1037	
18	0.1147		0.3368		0.3019	
19	0.6055		0.5356		0.8974	
20	0.0616		0.5734		0.8786	
21	0.9543		0.8288		0.7621	
22	0.6637		0.9421		0.7783	
23	0.0302		0.0912		0.0893	
24	0.3178		0.0353		0.1789	
25	0.8083		0.4026		0.3242	
26-29	0.3607		0.4789		0.5442	
30-34	0.5835		0.7245		0.6373	
35-39	0.4846		0.1977		0.4276	
40-44	0.3711		0.3671		0.5576	
45-49	0.8921		0.9915		0.9302	
50-54	0.4881		0.5842		0.1726	
55-59	0.0745		0.4152		0.9746	
60-64	0.2346		0.3810		0.2241	
65 or Older	0.6363		0.7809		0.9912	

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.