

Table 1.83A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	110,205	110,057	34,993	34,807	19,470	19,071
GEOGRAPHIC DIVISION						
Northeast	20,529	20,947	6,534	6,644	3,939	3,834
New England	6,092	6,140	2,130	1,883	1,252	1,085
Middle Atlantic	14,437	14,807	4,404	4,760	2,687	2,749
Midwest	25,175	25,043	7,879	7,551	4,237	4,087
East North Central	17,753	17,876	5,477	5,517	2,988	3,032
West North Central	7,422	7,168	2,402 ^a	2,034	1,248	1,054
South	37,244	38,391	11,543	11,652	6,304	6,302
South Atlantic	19,972	21,137	6,360	6,227	3,474	3,359
East South Central	6,133	6,124	1,677	1,971	953	1,118
West South Central	11,139	11,130	3,507	3,454	1,877	1,824
West	27,257	25,675	9,036	8,960	4,991	4,848
Mountain	8,054	7,850	2,660	2,557	1,470	1,340
Pacific	19,203	17,825	6,376	6,403	3,521	3,508
COUNTY TYPE						
Large Metro	60,373	59,649	19,016	19,138	10,509	10,412
Small Metro	33,299	33,601	10,988	10,739	6,142	6,086
250K – 1 Mil. Pop.	22,070	22,281	7,241	7,209	3,982	4,095
< 250K Pop.	11,229	11,321	3,747	3,530	2,160	1,991
Nonmetro	16,534	16,806	4,988	4,930	2,819	2,573
Urbanized	7,883	7,426	2,448	2,321	1,408	1,272
Less Urbanized	7,184	7,942	2,228	2,271	1,284	1,137
Completely Rural	1,466	1,438	311	337	127	165

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.83B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	46.4	45.8	14.7	14.5	8.2	7.9
GEOGRAPHIC DIVISION						
Northeast	45.3	46.0	14.4	14.6	8.7	8.4
New England	51.3	51.4	17.9	15.8	10.5	9.1
Middle Atlantic	43.2	44.1	13.2	14.2	8.0	8.2
Midwest	46.8	46.2	14.7	13.9	7.9	7.5
East North Central	47.1	47.1	14.5	14.5	7.9	8.0
West North Central	46.1	44.0	14.9 ^a	12.5	7.8	6.5
South	43.9	44.6	13.6	13.5	7.4	7.3
South Atlantic	44.9	46.8	14.3	13.8	7.8	7.4
East South Central	43.1	42.6	11.8	13.7	6.7	7.8
West South Central	42.6	41.9	13.4	13.0	7.2	6.9
West	50.6 ^b	47.0	16.8	16.4	9.3	8.9
Mountain	51.6	49.1	17.0	16.0	9.4	8.4
Pacific	50.2 ^b	46.1	16.7	16.6	9.2	9.1
COUNTY TYPE						
Large Metro	47.9	46.5	15.1	14.9	8.3	8.1
Small Metro	46.6	46.9	15.4	15.0	8.6	8.5
250K – 1 Mil. Pop.	47.0	47.2	15.4	15.3	8.5	8.7
< 250K Pop.	45.9	46.3	15.3	14.4	8.8	8.1
Nonmetro	41.1	41.4	12.4	12.2	7.0	6.3
Urbanized	44.1	44.5	13.7	13.9	7.9	7.6
Less Urbanized	39.4	39.1	12.2	11.2	7.0 ^a	5.6
Completely Rural	35.8	40.3	7.6	9.5	3.1	4.6

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.84A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	7,631	7,566	5,455	5,300	2,811	2,674
GEOGRAPHIC DIVISION						
Northeast	1,305	1,344	956	991	528	542
New England	385	386	293	298	156	160
Middle Atlantic	920	959	663	694	372	382
Midwest	1,693	1,696	1,215	1,214	609	584
East North Central	1,210	1,206	866	867	435	413
West North Central	483	491	348	347	174	171
South	2,709	2,598	1,906	1,782	932	823
South Atlantic	1,340	1,361	964	933	462	422
East South Central	438	434	298	305	143	138
West South Central	932	802	644 ^a	544	327 ^a	262
West	1,923	1,927	1,378	1,313	743	726
Mountain	577	563	428	387	229	206
Pacific	1,347	1,364	950	926	513	520
COUNTY TYPE						
Large Metro	3,901	3,880	2,786	2,697	1,412	1,405
Small Metro	2,407	2,357	1,722	1,674	917	813
250K – 1 Mil. Pop.	1,602	1,585	1,111	1,105	609	538
< 250K Pop.	805	772	611	569	308	275
Nonmetro	1,323	1,329	948	930	482	456
Urbanized	603	537	443	386	242	208
Less Urbanized	600	679	426	469	205	215
Completely Rural	119	113	78	75	36	33

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.84B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	30.5	30.0	21.8	21.0	11.2	10.6
GEOGRAPHIC DIVISION						
Northeast	29.1	29.6	21.3	21.9	11.8	11.9
New England	32.8	32.8	25.0	25.3	13.3	13.6
Middle Atlantic	27.7	28.5	20.0	20.6	11.2	11.4
Midwest	29.7	29.9	21.3	21.4	10.7	10.3
East North Central	30.3	30.1	21.7	21.6	10.9	10.3
West North Central	28.4	29.3	20.5	20.7	10.2	10.2
South	30.4	28.9	21.4	19.8	10.4 ^a	9.1
South Atlantic	29.8	29.7	21.4	20.4	10.3	9.2
East South Central	30.1	30.0	20.5	21.0	9.8	9.5
West South Central	31.4 ^b	27.0	21.7 ^b	18.3	11.0 ^b	8.8
West	32.7	32.1	23.4	21.9	12.6	12.1
Mountain	33.4	32.3	24.8	22.2	13.3	11.8
Pacific	32.4	32.1	22.9	21.8	12.4	12.2
COUNTY TYPE						
Large Metro	29.3	29.1	20.9	20.2	10.6	10.5
Small Metro	32.5	30.8	23.3	21.9	12.4 ^b	10.6
250K – 1 Mil. Pop.	32.2	31.1	22.3	21.7	12.2 ^a	10.5
< 250K Pop.	33.3	30.4	25.2 ^a	22.4	12.7	10.8
Nonmetro	30.9	31.5	22.1	22.0	11.3	10.8
Urbanized	32.5	31.6	23.9	22.7	13.0	12.2
Less Urbanized	30.2	31.6	21.5	21.8	10.3	10.0
Completely Rural	27.1	29.9	17.6	19.9	8.2	8.8

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.85A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	19,195	19,043	10,976	10,913	6,435	6,239
GEOGRAPHIC DIVISION						
Northeast	3,515	3,503	2,246	2,287	1,396	1,405
New England	1,013	977	675	655	430	431
Middle Atlantic	2,502	2,526	1,571	1,631	965	974
Midwest	4,600	4,564	2,535	2,491	1,409	1,386
East North Central	3,205	3,178	1,749	1,784	1,000	1,025
West North Central	1,395	1,386	786	707	409	361
South	6,486	6,632	3,540	3,643	2,094	2,047
South Atlantic	3,260	3,440	1,855	1,865	1,131	1,040
East South Central	1,036	1,115	544	596	293	341
West South Central	2,189	2,076	1,142	1,182	671	666
West	4,594	4,344	2,654	2,492	1,535	1,400
Mountain	1,385	1,413	758	773	437	416
Pacific	3,209	2,930	1,897	1,719	1,097	984
COUNTY TYPE						
Large Metro	9,941	9,705	5,721	5,665	3,439	3,236
Small Metro	6,337	6,405	3,624	3,691	2,072	2,145
250K – 1 Mil. Pop.	4,190	4,108	2,379	2,409	1,401	1,439
< 250K Pop.	2,147	2,298	1,245	1,282	671	706
Nonmetro	2,917	2,933	1,631	1,556	924	857
Urbanized	1,468	1,425	847	801	494	439
Less Urbanized	1,257	1,323	685	643	379	355
Completely Rural	192	185	99	112	51	64

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.85B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	60.5	59.2	34.6	33.9	20.3	19.4
GEOGRAPHIC DIVISION						
Northeast	62.4	61.6	39.9	40.2	24.8	24.7
New England	68.9	65.7	45.9	44.0	29.3	29.0
Middle Atlantic	60.1	60.2	37.7	38.9	23.2	23.2
Midwest	62.5	61.3	34.5	33.5	19.2	18.6
East North Central	63.1	62.0	34.4	34.8	19.7	20.0
West North Central	61.3	59.9	34.6	30.6	18.0	15.6
South	57.3	57.5	31.3	31.6	18.5	17.7
South Atlantic	58.4	60.3	33.2	32.7	20.3	18.2
East South Central	53.6	57.2	28.1	30.6	15.1	17.5
West South Central	57.5 ^a	53.5	30.0	30.5	17.6	17.2
West	62.0 ^a	57.7	35.8	33.1	20.7	18.6
Mountain	61.9	61.8	33.9	33.8	19.6	18.2
Pacific	62.0 ^b	55.9	36.6	32.8	21.2	18.8
COUNTY TYPE						
Large Metro	59.9	58.3	34.5	34.0	20.7	19.4
Small Metro	62.1	60.4	35.5	34.8	20.3	20.2
250K – 1 Mil. Pop.	63.0 ^a	59.6	35.8	35.0	21.1	20.9
< 250K Pop.	60.4	61.8	35.0	34.5	18.9	19.0
Nonmetro	59.3	59.4	33.2	31.5	18.8	17.4
Urbanized	62.1	61.9	35.8	34.8	20.9	19.1
Less Urbanized	57.4	57.2	31.2	27.8	17.3	15.3
Completely Rural	52.8	57.1	27.3	34.5	14.0	19.7

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.86A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	83,380	83,448	18,562	18,594	10,224	10,159
GEOGRAPHIC DIVISION						
Northeast	15,710	16,100	3,331	3,366	2,015	1,887
New England	4,694	4,778	1,161	931	666	493
Middle Atlantic	11,015	11,323	2,170	2,435	1,349	1,394
Midwest	18,881	18,783	4,130	3,846	2,219	2,117
East North Central	13,337	13,492	2,862	2,866	1,553	1,595
West North Central	5,543	5,291	1,268 ^a	980	666	523
South	28,049	29,161	6,097	6,227	3,278	3,432
South Atlantic	15,372	16,336	3,540	3,429	1,881	1,898
East South Central	4,659	4,574	834	1,070	517	638
West South Central	8,018	8,251	1,722	1,728	879	896
West	20,740	19,404	5,004	5,155	2,713	2,722
Mountain	6,093	5,874	1,474	1,397	803	718
Pacific	14,647	13,530	3,530	3,758	1,910	2,004
COUNTY TYPE						
Large Metro	46,531	46,064	10,510	10,776	5,658	5,771
Small Metro	24,555	24,839	5,643	5,374	3,153	3,128
250K – 1 Mil. Pop.	16,278	16,588	3,752	3,695	1,972	2,118
< 250K Pop.	8,277	8,251	1,891	1,679	1,181	1,010
Nonmetro	12,294	12,544	2,409	2,444	1,413	1,260
Urbanized	5,812	5,463	1,158	1,134	673	625
Less Urbanized	5,327	5,941	1,117	1,159	701	567
Completely Rural	1,155	1,140	134	150	40	67

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.86B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	46.1	45.6	10.3	10.2	5.6	5.5
GEOGRAPHIC DIVISION						
Northeast	44.6	45.6	9.5	9.5	5.7	5.4
New England	50.8	51.5	12.6	10.0	7.2	5.3
Middle Atlantic	42.5	43.6	8.4	9.4	5.2	5.4
Midwest	46.4	45.7	10.1	9.4	5.4	5.2
East North Central	46.7	46.8	10.0	10.0	5.4	5.5
West North Central	45.7	43.1	10.5 ^a	8.0	5.5	4.3
South	43.5	44.5	9.4	9.5	5.1	5.2
South Atlantic	44.8	46.8	10.3	9.8	5.5	5.4
East South Central	43.0	41.6	7.7	9.7	4.8	5.8
West South Central	41.4	41.9	8.9	8.8	4.5	4.5
West	51.2 ^a	47.2	12.3	12.5	6.7	6.6
Mountain	52.3	49.1	12.7	11.7	6.9	6.0
Pacific	50.7 ^a	46.4	12.2	12.9	6.6	6.9
COUNTY TYPE						
Large Metro	48.4	46.8	10.9	11.0	5.9	5.9
Small Metro	45.7	46.5	10.5	10.1	5.9	5.9
250K – 1 Mil. Pop.	46.1	47.2	10.6	10.5	5.6	6.0
< 250K Pop.	44.8	45.3	10.2	9.2	6.4	5.5
Nonmetro	39.7	40.0	7.8	7.8	4.6	4.0
Urbanized	42.6	43.0	8.5	8.9	4.9	4.9
Less Urbanized	37.9	37.5	8.0	7.3	5.0	3.6
Completely Rural	35.1	39.8	4.1	5.2	1.2	2.4

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.87A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	102,574	102,491	29,538	29,506	16,659	16,397
GEOGRAPHIC DIVISION						
Northeast	19,224	19,603	5,578	5,653	3,411	3,292
New England	5,707	5,755	1,837	1,586	1,096	925
Middle Atlantic	13,517	13,848	3,741	4,067	2,314	2,368
Midwest	23,481	23,347	6,665	6,337	3,628	3,503
East North Central	16,543	16,670	4,611	4,650	2,553	2,619
West North Central	6,939	6,677	2,054 ^a	1,687	1,075	884
South	34,535	35,793	9,637	9,870	5,372	5,479
South Atlantic	18,632	19,776	5,396	5,293	3,012	2,937
East South Central	5,695	5,690	1,378	1,666	810	979
West South Central	10,207	10,327	2,863	2,910	1,550	1,562
West	25,334	23,748	7,658	7,647	4,248	4,122
Mountain	7,477	7,287	2,231	2,170	1,240	1,134
Pacific	17,857	16,461	5,427	5,477	3,008	2,988
COUNTY TYPE						
Large Metro	56,472	55,769	16,230	16,441	9,096	9,007
Small Metro	30,892	31,245	9,267	9,065	5,225	5,273
250K – 1 Mil. Pop.	20,468	20,696	6,131	6,104	3,373	3,557
< 250K Pop.	10,424	10,549	3,136	2,961	1,853	1,716
Nonmetro	15,211	15,477	4,041	4,000	2,337	2,117
Urbanized	7,280	6,888	2,005	1,936	1,167	1,064
Less Urbanized	6,584	7,263	1,802	1,802	1,080	922
Completely Rural	1,347	1,325	233	262	91	131

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.87B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	48.2	47.6	13.9	13.7	7.8	7.6
GEOGRAPHIC DIVISION						
Northeast	47.1	47.9	13.7	13.8	8.4	8.0
New England	53.3	53.4	17.1	14.7	10.2	8.6
Middle Atlantic	44.9	45.9	12.4	13.5	7.7	7.8
Midwest	48.8	48.1	13.9	13.1	7.5	7.2
East North Central	49.1	49.1	13.7	13.7	7.6	7.7
West North Central	48.2	45.7	14.3 ^b	11.6	7.5	6.1
South	45.5	46.4	12.7	12.8	7.1	7.1
South Atlantic	46.7	48.7	13.5	13.0	7.5	7.2
East South Central	44.6	44.0	10.8	12.9	6.3	7.6
West South Central	44.1	43.8	12.4	12.3	6.7	6.6
West	52.8 ^b	48.8	16.0	15.7	8.9	8.5
Mountain	53.8	51.2	16.1	15.2	8.9	8.0
Pacific	52.4 ^b	47.8	15.9	15.9	8.8	8.7
COUNTY TYPE						
Large Metro	50.1	48.5	14.4	14.3	8.1	7.8
Small Metro	48.3	48.8	14.5	14.2	8.2	8.2
250K – 1 Mil. Pop.	48.8	49.2	14.6	14.5	8.0	8.5
< 250K Pop.	47.3	48.1	14.2	13.5	8.4	7.8
Nonmetro	42.4	42.6	11.3	11.0	6.5	5.8
Urbanized	45.5	45.9	12.5	12.9	7.3	7.1
Less Urbanized	40.5	40.0	11.1	9.9	6.7 ^a	5.1
Completely Rural	36.8	41.5	6.4	8.2	2.5 ^a	4.1

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.