

Table 5.69C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug		Alcohol		Both Illicit Drug and Alcohol		Illicit Drug or Alcohol ¹	
	2003	2004	2003	2004	2003	2004	2003	2004
DEPENDENCE								
None	54	85	57	112	32	49	73	135
Illicit Drug or Alcohol	71	78	83	78	62	55	89	97
Illicit Drug	66	66	58	44	57	37	67	72
Alcohol	39	51	65	77	37	49	66	79
Both Illicit Drug and Alcohol	27	32	27	37	25	29	29	40
DEPENDENCE OR ABUSE								
None	47	80	41	109	26	47	57	130
Illicit Drug or Alcohol	76	80	94	81	66	56	102	102
Illicit Drug	70	72	62	51	60	45	73	78
Alcohol	63	58	90	81	61	52	92	85
Both Illicit Drug and Alcohol	55	46	56	46	54	40	58	52

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.69D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Percentages, 2003 and 2004

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug		Alcohol		Both Illicit Drug and Alcohol		Illicit Drug or Alcohol ¹	
	2003	2004	2003	2004	2003	2004	2003	2004
DEPENDENCE								
None	0.02	0.04	0.03	0.05	0.01	0.02	0.03	0.06
Illicit Drug or Alcohol	0.62	0.66	0.72	0.64	0.56	0.46	0.77	0.81
Illicit Drug	1.40	1.29	1.25	0.86	1.24	0.75	1.41	1.38
Alcohol	0.50	0.61	0.83	0.90	0.48	0.58	0.84	0.91
Both Illicit Drug and Alcohol	2.31	2.11	2.34	2.36	2.23	1.96	2.40	2.48
DEPENDENCE OR ABUSE								
None	0.02	0.04	0.02	0.05	0.01	0.02	0.03	0.06
Illicit Drug or Alcohol	0.34	0.36	0.42	0.35	0.30	0.25	0.45	0.44
Illicit Drug	0.97	0.95	0.86	0.68	0.84	0.61	0.99	1.02
Alcohol	0.35	0.31	0.49	0.43	0.33	0.28	0.50	0.44
Both Illicit Drug and Alcohol	1.65	1.27	1.68	1.27	1.64	1.12	1.69	1.40

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.69P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug		Alcohol		Both Illicit Drug and Alcohol		Illicit Drug or Alcohol ¹	
	2003	2004	2003	2004	2003	2004	2003	2004
DEPENDENCE								
None	0.0577		0.0674		0.0419		0.0316	
Illicit Drug or Alcohol	0.4662		0.6009		0.7349		0.8099	
Illicit Drug	0.9611		0.5531		0.1445		0.7084	
Alcohol	0.5757		0.9632		0.5234		0.9819	
Both Illicit Drug and Alcohol	0.1224		0.9898		0.1955		0.6559	
DEPENDENCE OR ABUSE								
None	0.0229		0.0128		0.0106		0.0068	
Illicit Drug or Alcohol	0.4980		0.4285		0.6863		0.9666	
Illicit Drug	0.8010		0.6925		0.2799		0.5180	
Alcohol	0.9254		0.4112		0.7240		0.4875	
Both Illicit Drug and Alcohol	0.3341		0.5170		0.1943		0.6361	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.70C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2003 and 2004

Past Year Dependence or Abuse ¹	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ²		Alcohol		Both Illicit Drug and Alcohol ²		Illicit Drug or Alcohol ^{2,3}	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG²	70	72	62	51	60	45	73	78
Marijuana and Hashish	42	34	38	31	37	28	42	37
Cocaine	48	50	47	38	45	35	51	54
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	9	15	7	6	6	6	12	15
Inhalants	1	3	5	4	1	3	5	4
Nonmedical Use of Psychotherapeutics ⁴	37	36	26	25	26	16	38	40
Pain Relievers	28	26	16	21	15	15	29	30
Tranquilizers	*	26	*	15	*	10	*	28
Stimulants	18	24	13	14	12	11	19	25
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	63	58	90	81	61	52	92	85
ILLCIT DRUG OR ALCOHOL²	76	80	94	81	66	56	102	102
BOTH ILLCIT DRUG AND ALCOHOL²	55	46	56	46	54	40	58	52

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.70D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2003 and 2004

Past Year Dependence or Abuse ¹	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Illicit Drug ²		Alcohol		Both Illicit Drug and Alcohol ²		Illicit Drug or Alcohol ^{2,3}	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG²	0.97	0.95	0.86	0.68	0.84	0.61	0.99	1.02
Marijuana and Hashish	0.95	0.75	0.87	0.67	0.86	0.61	0.96	0.81
Cocaine	2.91	2.91	2.85	2.24	2.75	2.11	3.04	3.05
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	2.68	3.08	2.26	1.43	1.73	1.33	3.49	3.12
Inhalants	0.73	1.39	2.95	1.69	0.65	1.20	2.97	1.96
Nonmedical Use of Psychotherapeutics ⁴	1.82	1.66	1.33	1.18	1.28	0.79	1.85	1.82
Pain Relievers	1.89	1.77	1.09	1.50	1.02	1.08	1.93	2.00
Tranquilizers	*	4.25	*	2.61	*	1.80	*	4.56
Stimulants	4.23	4.62	3.25	2.90	3.10	2.37	4.33	4.83
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	0.35	0.31	0.49	0.43	0.33	0.28	0.50	0.44
ILLCIT DRUG OR ALCOHOL²	0.34	0.36	0.42	0.35	0.30	0.25	0.45	0.44
BOTH ILLCIT DRUG AND ALCOHOL²	1.65	1.27	1.68	1.27	1.64	1.12	1.69	1.40

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.70P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Past Year Dependence or Abuse ¹	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR						
	Illicit Drug ²		Alcohol		Both Illicit Drug and Alcohol ²		Illicit Drug or Alcohol ^{2,3}
	2003	2004	2003	2004	2003	2004	2003 2004
ILLCIT DRUG²	0.8010		0.6925		0.2799		0.5180
Marijuana and Hashish	0.2177		0.3211		0.2572		0.1756
Cocaine	0.3884		0.8381		0.9705		0.3005
Heroin	*		*		*		*
Hallucinogens	0.9503		0.1005		0.3602		0.2645
Inhalants	0.0565		0.6919		0.1450		0.9327
Nonmedical Use of Psychotherapeutics ⁴	0.8906		0.8799		0.2166		0.3417
Pain Relievers	0.5260		0.1385		0.8476		0.1283
Tranquilizers	*		*		*		*
Stimulants	0.7226		0.8797		0.6948		0.8121
Sedatives	*		*		*		*
ALCOHOL	0.9254		0.4112		0.7240		0.4875
ILLCIT DRUG OR ALCOHOL²	0.4980		0.4285		0.6863		0.9666
BOTH ILLCIT DRUG AND ALCOHOL²	0.3341		0.5170		0.1943		0.6361

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.