

Table 7.78C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG³	102	110	63	71	77	79
Marijuana and Hashish	96	99	58	66	75	71
Cocaine	32	35	20	20	25	27
Crack	12	11	2	4	12	10
Heroin	6	8	0	4	6	6
Hallucinogens	32	28	18	17	28	22
LSD	13	13	7	6	10	12
PCP	10	5	1	3	10	5
Ecstasy	18	18	10	10	16	15
Inhalants	15	16	11	11	10	12
Nonmedical Use of Psychotherapeutics ⁴	55	60	35	35	41	48
Pain Relievers	49	52	30	27	38	43
OxyContin [®]	--	18	--	12	--	12
Tranquilizers	27	31	15	18	23	25
Stimulants	23	29	15	19	18	23
Methamphetamine	15	18	2	4	15	17
Sedatives	7	9	3	5	7	7
ILLCIT DRUG OTHER THAN MARIJUANA³	64	69	42	40	49	55

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Persons aged 18 to 22, including those with unknown enrollment status.² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.78D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2003 and 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
ILLICIT DRUG³	0.50	0.53	0.80	0.88	0.62	0.63
Marijuana and Hashish	0.47	0.48	0.74	0.82	0.60	0.56
Cocaine	0.16	0.17	0.25	0.24	0.20	0.22
Crack	0.06	0.05	0.02	0.05	0.10	0.08
Heroin	0.03	0.04	0.01	0.05	0.05	0.05
Hallucinogens	0.15	0.14	0.22	0.21	0.22	0.17
LSD	0.06	0.06	0.09	0.07	0.08	0.09
PCP	0.05	0.03	0.01	0.03	0.08	0.04
Ecstasy	0.09	0.09	0.12	0.13	0.13	0.12
Inhalants	0.07	0.08	0.14	0.13	0.08	0.09
Nonmedical Use of Psychotherapeutics ⁴	0.27	0.29	0.44	0.44	0.33	0.38
Pain Relievers	0.24	0.25	0.38	0.34	0.30	0.34
OxyContin [®]	--	0.09	--	0.15	--	0.10
Tranquilizers	0.13	0.15	0.19	0.22	0.18	0.20
Stimulants	0.11	0.14	0.20	0.24	0.14	0.18
Methamphetamine	0.07	0.09	0.02	0.05	0.12	0.14
Sedatives	0.04	0.04	0.04	0.07	0.05	0.05
ILLICIT DRUG OTHER THAN MARIJUANA³	0.31	0.34	0.53	0.50	0.39	0.43

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Persons aged 18 to 22, including those with unknown enrollment status.² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.78P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2003	2004	2003	2004
ILLCIT DRUG³	0.4133		0.2658	0.8534
Marijuana and Hashish	0.2052		0.3062	0.3916
Cocaine	0.6726		0.6038	0.3433
Crack	0.2916		0.1211	0.4689
Heroin	0.1738		0.0513	0.5347
Hallucinogens	0.1518		0.3016	0.3208
LSD	0.7314		0.1394	0.1979
PCP	0.3259		0.4424	0.2231
Ecstasy	0.6574		0.4876	0.9557
Inhalants	0.5370		0.9181	0.4658
Nonmedical Use of Psychotherapeutics ⁴	0.2254		0.8605	0.0881
Pain Relievers	0.5621		0.6473	0.2859
OxyContin [®]	--		--	--
Tranquilizers	0.2211		0.7460	0.1962
Stimulants	0.0055		0.1087	0.0261
Methamphetamine	0.0943		0.0953	0.1523
Sedatives	0.6032		0.3601	0.9655
ILLCIT DRUG OTHER THAN MARIJUANA³	0.7718		0.0937	0.0879

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.79C Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG³	75	82	47	54	58	60
Marijuana and Hashish	70	76	43	50	56	56
Cocaine	28	27	16	16	22	22
Crack	12	9	2	3	12	9
Heroin	4	6	*	3	4	5
Hallucinogens	25	24	15	15	22	19
LSD	12	12	7	5	9	11
PCP	9	5	1	3	9	5
Ecstasy	12	15	8	9	11	12
Inhalants	13	14	9	10	9	10
Nonmedical Use of Psychotherapeutics ⁴	41	44	25	25	33	37
Pain Relievers	36	37	23	17	29	33
OxyContin [®]	--	12	--	8	--	9
Tranquilizers	20	21	11	11	18	17
Stimulants	20	22	12	15	16	16
Methamphetamine	14	13	1	3	14	13
Sedatives	6	7	1	4	6	5
ILLCIT DRUG OTHER THAN MARIJUANA³	49	52	31	30	38	42

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Males aged 18 to 22, including those with unknown enrollment status.² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.79D Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2003 and 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG³	0.72	0.78	1.31	1.43	0.86	0.89
Marijuana and Hashish	0.68	0.72	1.20	1.33	0.84	0.82
Cocaine	0.27	0.26	0.45	0.44	0.33	0.32
Crack	0.11	0.09	0.05	0.08	0.17	0.13
Heroin	0.04	0.06	*	0.09	0.07	0.08
Hallucinogens	0.24	0.23	0.42	0.39	0.33	0.28
LSD	0.11	0.11	0.19	0.13	0.14	0.16
PCP	0.09	0.05	0.03	0.07	0.14	0.07
Ecstasy	0.12	0.14	0.21	0.23	0.16	0.17
Inhalants	0.13	0.14	0.25	0.26	0.14	0.15
Nonmedical Use of Psychotherapeutics ⁴	0.39	0.42	0.69	0.67	0.49	0.55
Pain Relievers	0.35	0.35	0.63	0.46	0.43	0.50
OxyContin [®]	--	0.11	--	0.21	--	0.13
Tranquilizers	0.20	0.20	0.31	0.29	0.26	0.26
Stimulants	0.20	0.21	0.34	0.41	0.24	0.23
Methamphetamine	0.14	0.13	0.03	0.08	0.21	0.19
Sedatives	0.06	0.06	0.02	0.12	0.09	0.07
ILLCIT DRUG OTHER THAN MARIJUANA³	0.47	0.49	0.85	0.80	0.57	0.63

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Males aged 18 to 22, including those with unknown enrollment status.² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.79P Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Male Undergraduates	Other Males Aged 18-22 ²
	2003	2004	2003	2004
ILLCIT DRUG³	0.3601		0.3115	0.7268
Marijuana and Hashish	0.3185		0.5973	0.3905
Cocaine	0.7628		0.8999	0.6397
Crack	0.8751		0.5603	0.9667
Heroin	0.1005		*	0.2565
Hallucinogens	0.2098		0.3799	0.3881
LSD	0.7546		0.1093	0.1884
PCP	0.4077		0.6399	0.3300
Ecstasy	0.6988		0.6478	0.4271
Inhalants	0.6435		0.6728	0.8150
Nonmedical Use of Psychotherapeutics ⁴	0.7570		0.3564	0.7481
Pain Relievers	0.5800		0.1394	0.7178
OxyContin [®]	--		--	--
Tranquilizers	0.8623		0.8727	0.7450
Stimulants	0.8027		0.2339	0.4413
Methamphetamine	0.7046		0.1258	0.5516
Sedatives	0.9030		0.1643	0.3752
ILLCIT DRUG OTHER THAN MARIJUANA³	0.3508		0.0512	0.7564

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Males aged 18 to 22, including those with unknown enrollment status.² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.80C Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG³	58	63	40	42	42	44
Marijuana and Hashish	53	54	37	38	39	40
Cocaine	18	21	13	12	13	17
Crack	3	6	*	2	3	6
Heroin	4	4	0	2	4	4
Hallucinogens	16	13	9	8	13	11
LSD	4	4	3	3	3	3
PCP	3	2	*	1	3	1
Ecstasy	13	10	6	5	12	9
Inhalants	6	7	5	4	4	5
Nonmedical Use of Psychotherapeutics ⁴	33	40	21	23	25	30
Pain Relievers	30	36	18	20	24	28
OxyContin [®]	--	12	--	7	--	8
Tranquilizers	17	21	9	11	14	17
Stimulants	12	19	10	11	8	16
Methamphetamine	5	12	2	3	5	11
Sedatives	4	6	3	3	2	5
ILLCIT DRUG OTHER THAN MARIJUANA³	38	43	25	24	28	33

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Females aged 18 to 22, including those with unknown enrollment status.² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.80D Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2003 and 2004

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG³	0.57	0.62	0.93	0.97	0.72	0.76
Marijuana and Hashish	0.52	0.54	0.86	0.88	0.67	0.68
Cocaine	0.18	0.21	0.30	0.28	0.22	0.29
Crack	0.03	0.06	*	0.05	0.05	0.10
Heroin	0.04	0.04	0.01	0.05	0.07	0.07
Hallucinogens	0.16	0.13	0.20	0.18	0.22	0.19
LSD	0.04	0.04	0.06	0.07	0.05	0.06
PCP	0.03	0.02	*	0.02	0.04	0.02
Ecstasy	0.13	0.10	0.15	0.12	0.20	0.15
Inhalants	0.06	0.07	0.11	0.10	0.06	0.09
Nonmedical Use of Psychotherapeutics ⁴	0.32	0.40	0.49	0.53	0.43	0.53
Pain Relievers	0.30	0.36	0.42	0.46	0.41	0.48
OxyContin [®]	--	0.12	--	0.16	--	0.14
Tranquilizers	0.17	0.21	0.20	0.26	0.24	0.29
Stimulants	0.12	0.19	0.22	0.26	0.13	0.27
Methamphetamine	0.05	0.12	0.04	0.08	0.08	0.20
Sedatives	0.04	0.06	0.06	0.07	0.04	0.08
ILLCIT DRUG OTHER THAN MARIJUANA³	0.37	0.43	0.60	0.56	0.48	0.57

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Females aged 18 to 22, including those with unknown enrollment status.² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.80P Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Female Undergraduates	Other Females Aged 18-22 ²
	2003	2004	2003	2004
ILLCIT DRUG³	0.7448		0.5533	0.9373
Marijuana and Hashish	0.2803		0.2767	0.6449
Cocaine	0.2713		0.3207	0.0219
Crack	0.0232		*	0.0808
Heroin	0.9045		0.1461	0.6972
Hallucinogens	0.3860		0.4956	0.5560
LSD	0.9124		0.9293	0.8225
PCP	0.4599		*	0.2739
Ecstasy	0.2655		0.5701	0.3464
Inhalants	0.6509		0.5506	0.2048
Nonmedical Use of Psychotherapeutics ⁴	0.0277		0.4380	0.0234
Pain Relievers	0.1564		0.3707	0.2344
OxyContin [®]	--		--	--
Tranquilizers	0.1063		0.4800	0.1150
Stimulants	0.0000		0.2824	0.0000
Methamphetamine	0.0004		0.3733	0.0003
Sedatives	0.2955		0.8991	0.1529
ILLCIT DRUG OTHER THAN MARIJUANA³	0.1146		0.7008	0.0161

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all Females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

⁴ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.81C Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	102	110	63	71	77	79
AGE						
18	46	42	21	23	40	36
19	47	42	29	29	32	29
20	41	42	28	27	30	32
21	38	47	25	28	30	36
22	36	44	23	24	29	35
GENDER						
Male	75	82	47	54	58	60
Female	58	63	40	42	42	44
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	91	95	59	66	67	67
White	77	85	53	57	57	59
Black or African American	33	31	17	16	27	27
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	16	15	13	13	10	9
Two or More Races	10	11	*	4	7	10
Hispanic or Latino	40	44	20	24	36	37

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.81D Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	0.50	0.53	0.80	0.88	0.62	0.63
AGE						
18	1.00	0.92	1.41	1.43	1.27	1.21
19	1.21	1.07	1.54	1.48	1.61	1.47
20	1.01	1.05	1.58	1.49	1.32	1.44
21	0.96	1.15	1.57	1.76	1.29	1.45
22	0.90	1.10	1.86	2.12	1.04	1.22
GENDER						
Male	0.72	0.78	1.31	1.43	0.86	0.89
Female	0.57	0.62	0.93	0.97	0.72	0.76
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.54	0.56	0.84	0.91	0.67	0.68
White	0.61	0.66	0.98	1.02	0.79	0.80
Black or African American	1.15	1.10	1.74	1.75	1.40	1.43
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.88	1.67	2.34	2.14	3.04	3.12
Two or More Races	4.04	4.32	*	5.27	4.89	5.53
Hispanic or Latino	1.15	1.21	2.44	2.77	1.33	1.34

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.81P Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2003	2004	2003	2004
TOTAL	0.4133		0.2658	0.8534
AGE				
18	0.3164		0.8797	0.2572
19	0.6391		0.2372	0.6399
20	0.0639		0.0971	0.3035
21	0.5100		0.9301	0.4475
22	0.4799		0.9141	0.4146
GENDER				
Male	0.3601		0.3115	0.7268
Female	0.7448		0.5533	0.9373
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.4860		0.1903	0.8407
White	0.4199		0.2840	0.8739
Black or African American	0.9016		0.8049	0.7786
American Indian or Alaska Native	*		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.2419		0.2697	0.6739
Two or More Races	0.6167		*	0.8581
Hispanic or Latino	0.6502		0.8059	0.5095

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.82C Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	96	99	58	66	75	71
AGE						
18	44	39	20	21	38	32
19	45	40	28	29	29	28
20	38	40	26	27	28	29
21	35	44	23	27	29	33
22	34	41	21	21	28	32
GENDER						
Male	70	76	43	50	56	56
Female	53	54	37	38	39	40
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	86	90	56	63	66	62
White	73	80	50	54	56	55
Black or African American	33	30	16	16	26	26
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	15	13	12	11	10	8
Two or More Races	10	10	*	3	7	9
Hispanic or Latino	35	35	17	19	32	29

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.82D Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	0.47	0.48	0.74	0.82	0.60	0.56
AGE						
18	0.94	0.84	1.36	1.31	1.23	1.08
19	1.15	1.02	1.46	1.50	1.48	1.39
20	0.95	1.00	1.48	1.49	1.24	1.33
21	0.90	1.08	1.45	1.68	1.21	1.32
22	0.84	1.01	1.73	1.86	0.99	1.13
GENDER						
Male	0.68	0.72	1.20	1.33	0.84	0.82
Female	0.52	0.54	0.86	0.88	0.67	0.68
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.51	0.53	0.79	0.88	0.66	0.63
White	0.57	0.62	0.92	0.97	0.76	0.74
Black or African American	1.14	1.07	1.70	1.73	1.38	1.38
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.76	1.44	2.17	1.90	2.92	2.74
Two or More Races	3.96	4.24	*	4.68	4.91	5.48
Hispanic or Latino	1.01	0.96	2.03	2.22	1.19	1.07

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.82P Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2003	2004	2003	2004
TOTAL	0.2052		0.3062	0.3916
AGE				
18	0.0866		0.9243	0.0696
19	0.3169		0.3418	0.5924
20	0.3864		0.2577	0.8651
21	0.8732		0.6559	0.5811
22	0.6594		0.6929	0.7730
GENDER				
Male	0.3185		0.5973	0.3905
Female	0.2803		0.2767	0.6449
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.3049		0.1461	0.9020
White	0.2917		0.2722	0.6577
Black or African American	0.8142		0.5622	0.9645
American Indian or Alaska Native	*		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.1024		0.1293	0.5473
Two or More Races	0.6461		*	0.8637
Hispanic or Latino	0.3881		0.2570	0.1134

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.83C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOBACCO PRODUCT³	120	123	68	82	88	92
Cigarettes	117	122	66	79	88	91
Smokeless Tobacco	42	47	26	32	35	35
Cigars	72	79	40	46	58	65
Pipe Tobacco	22	26	13	15	18	22
ALCOHOL	131	128	81	85	95	91
Binge Alcohol Use ⁴	128	135	83	92	93	91
Heavy Alcohol Use ⁴	86	102	60	79	62	58

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.83D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2003 and 2004

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOBACCO PRODUCT³	0.58	0.60	0.86	1.01	0.70	0.74
Cigarettes	0.57	0.59	0.83	0.98	0.70	0.72
Smokeless Tobacco	0.21	0.23	0.33	0.39	0.28	0.28
Cigars	0.35	0.38	0.50	0.57	0.47	0.51
Pipe Tobacco	0.11	0.13	0.16	0.19	0.14	0.17
ALCOHOL	0.64	0.62	1.03	1.05	0.75	0.73
Binge Alcohol Use ⁴	0.63	0.65	1.05	1.15	0.74	0.73
Heavy Alcohol Use ⁴	0.42	0.49	0.76	0.99	0.49	0.46

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.83P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Substance	Total ¹	COLLEGE ENROLLMENT STATUS			
		Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003 2004	2003 2004		2003 2004	
TOBACCO PRODUCT³	0.8916	0.8034		0.7861	
Cigarettes	0.3620	0.4757		0.5879	
Smokeless Tobacco	0.1604	0.0016		0.4655	
Cigars	0.0057	0.0568		0.0444	
Pipe Tobacco	0.0154	0.2252		0.0308	
ALCOHOL	0.7597	0.0654		0.3118	
Binge Alcohol Use ⁴	0.6055	0.9586		0.4701	
Heavy Alcohol Use ⁴	0.4485	0.3758		0.9150	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.84C Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOBACCO PRODUCT³	85	85	47	54	66	72
Cigarettes	85	83	47	51	67	71
Smokeless Tobacco	41	45	24	30	34	34
Cigars	63	68	33	40	52	55
Pipe Tobacco	19	25	9	15	16	20
ALCOHOL	86	87	48	53	67	66
Binge Alcohol Use ⁴	89	90	55	57	68	69
Heavy Alcohol Use ⁴	70	74	44	55	54	49

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.84D Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2003 and 2004

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOBACCO PRODUCT ³	0.82	0.80	1.31	1.44	0.98	1.06
Cigarettes	0.82	0.79	1.30	1.36	1.00	1.04
Smokeless Tobacco	0.40	0.43	0.68	0.81	0.51	0.51
Cigars	0.61	0.65	0.90	1.06	0.77	0.81
Pipe Tobacco	0.18	0.24	0.26	0.40	0.23	0.30
ALCOHOL	0.83	0.83	1.33	1.42	1.01	0.98
Binge Alcohol Use ⁴	0.86	0.86	1.52	1.52	1.01	1.02
Heavy Alcohol Use ⁴	0.67	0.70	1.21	1.46	0.81	0.72

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.84P Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Substance	Total ¹	COLLEGE ENROLLMENT STATUS			
		Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2003 2004	2003 2004		2003 2004	
TOBACCO PRODUCT³	0.6938	0.2298		0.7618	
Cigarettes	0.5142	0.9329		0.4520	
Smokeless Tobacco	0.1429	0.0004		0.3838	
Cigars	0.0098	0.1480		0.0295	
Pipe Tobacco	0.0027	0.0119		0.0526	
ALCOHOL	0.4409	0.0796		0.8176	
Binge Alcohol Use ⁴	0.8517	0.9084		0.7495	
Heavy Alcohol Use ⁴	0.6678	0.2407		0.5651	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.85C Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOBACCO PRODUCT³	75	78	45	52	57	56
Cigarettes	74	78	46	52	56	56
Smokeless Tobacco	10	8	6	4	8	7
Cigars	35	35	20	21	28	29
Pipe Tobacco	11	8	8	1	8	8
ALCOHOL	91	84	59	58	64	59
Binge Alcohol Use ⁴	79	79	54	59	56	52
Heavy Alcohol Use ⁴	46	52	36	42	28	29

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.85D Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2003 and 2004

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOBACCO PRODUCT³	0.74	0.77	1.06	1.20	0.97	0.96
Cigarettes	0.73	0.77	1.07	1.21	0.96	0.96
Smokeless Tobacco	0.10	0.08	0.14	0.10	0.13	0.12
Cigars	0.34	0.34	0.46	0.50	0.49	0.50
Pipe Tobacco	0.11	0.08	0.20	0.03	0.14	0.14
ALCOHOL	0.90	0.83	1.38	1.36	1.09	1.01
Binge Alcohol Use ⁴	0.78	0.78	1.28	1.36	0.96	0.89
Heavy Alcohol Use ⁴	0.46	0.52	0.84	0.97	0.48	0.50

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.85P Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Substance	Total ¹	COLLEGE ENROLLMENT STATUS			
		Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2003 2004	2003 2004	2003 2004	2003 2004	2003 2004
TOBACCO PRODUCT³	0.4136	0.2845	0.8798		
Cigarettes	0.4307	0.2255	0.9973		
Smokeless Tobacco	0.5292	0.2081	0.8944		
Cigars	0.3954	0.2254	0.8849		
Pipe Tobacco	0.5038	0.0200	0.3699		
ALCOHOL	0.7844	0.2886	0.2171		
Binge Alcohol Use ⁴	0.6246	0.9523	0.4830		
Heavy Alcohol Use ⁴	0.5260	0.8860	0.2505		

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.86C Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	117	122	66	79	88	91
AGE						
18	48	51	23	30	43	39
19	49	46	32	28	33	33
20	50	49	31	34	37	36
21	48	51	26	31	38	40
22	46	49	25	23	39	43
GENDER						
Male	85	83	47	51	67	71
Female	74	78	46	52	56	56
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	106	110	62	73	75	75
White	90	95	56	61	61	66
Black or African American	40	41	18	17	34	36
American Indian or Alaska Native	*	7	*	*	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	26	22	18	15	16	14
Two or More Races	10	10	*	3	7	10
Hispanic or Latino	53	57	23	27	48	50

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.86D Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	0.57	0.59	0.83	0.98	0.70	0.72
AGE						
18	1.05	1.12	1.55	1.89	1.38	1.31
19	1.25	1.18	1.70	1.46	1.66	1.65
20	1.24	1.22	1.79	1.89	1.63	1.64
21	1.23	1.24	1.70	1.96	1.61	1.60
22	1.14	1.22	2.07	2.00	1.37	1.48
GENDER						
Male	0.82	0.79	1.30	1.36	1.00	1.04
Female	0.73	0.77	1.07	1.21	0.96	0.96
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.62	0.64	0.88	1.02	0.76	0.77
White	0.71	0.74	1.03	1.10	0.83	0.90
Black or African American	1.38	1.48	1.85	1.85	1.77	1.95
American Indian or Alaska Native	*	5.64	*	*	*	5.23
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.98	2.46	3.31	2.50	4.88	5.11
Two or More Races	4.12	4.17	*	4.82	5.01	5.57
Hispanic or Latino	1.52	1.58	2.73	3.13	1.79	1.82

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.86P Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2003	2004	2003	2004
TOTAL	0.3620		0.4757	0.5879
AGE				
18	0.4902		0.4345	0.5084
19	1.0000		0.0583	0.0841
20	0.0279		0.6783	0.0157
21	0.6525		0.6206	0.8084
22	0.6958		0.4453	0.2769
GENDER				
Male	0.5142		0.9329	0.4520
Female	0.4307		0.2255	0.9973
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5547		0.3720	0.9119
White	0.6440		0.5008	0.9334
Black or African American	0.9297		0.9783	0.9398
American Indian or Alaska Native	*		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.2017		0.3655	0.4745
Two or More Races	0.9327		*	0.8804
Hispanic or Latino	0.4274		0.7239	0.2888

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.87C Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	131	128	81	85	95	91
AGE						
18	52	57	30	35	42	43
19	53	51	37	37	34	32
20	49	49	33	33	37	36
21	46	45	26	29	38	36
22	47	48	25	23	40	42
GENDER						
Male	86	87	48	53	67	66
Female	91	84	59	58	64	59
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	115	116	75	81	80	81
White	93	95	63	65	65	68
Black or African American	43	44	23	24	33	34
American Indian or Alaska Native	6	*	*	*	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	29	27	23	22	17	15
Two or More Races	10	10	*	*	7	9
Hispanic or Latino	53	55	24	31	46	47

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.87D Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	0.64	0.62	1.03	1.05	0.75	0.73
AGE						
18	1.13	1.24	2.04	2.16	1.35	1.43
19	1.36	1.30	1.97	1.94	1.72	1.61
20	1.23	1.22	1.88	1.86	1.63	1.62
21	1.18	1.11	1.64	1.80	1.60	1.46
22	1.17	1.20	2.09	2.02	1.42	1.46
GENDER						
Male	0.83	0.83	1.33	1.42	1.01	0.98
Female	0.90	0.83	1.38	1.36	1.09	1.01
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.68	0.68	1.06	1.12	0.81	0.82
White	0.73	0.74	1.16	1.17	0.89	0.93
Black or African American	1.48	1.58	2.38	2.62	1.75	1.84
American Indian or Alaska Native	5.75	*	*	*	*	5.25
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.30	3.11	4.27	3.60	5.09	5.46
Two or More Races	4.00	4.21	*	*	5.18	5.07
Hispanic or Latino	1.50	1.53	2.95	3.64	1.70	1.71

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.87P Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2003	2004	2003	2004
TOTAL	0.7597		0.0654	0.3118
AGE				
18	0.1147		0.5165	0.1932
19	0.6055		0.0851	0.2662
20	0.0616		0.2086	0.1385
21	0.9543		0.0726	0.1709
22	0.6637		0.8458	0.5982
GENDER				
Male	0.4409		0.0796	0.8176
Female	0.7844		0.2886	0.2171
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.9969		0.0906	0.1755
White	0.9724		0.2886	0.4435
Black or African American	0.2449		0.7369	0.2137
American Indian or Alaska Native	*		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.0675		0.0224	0.9301
Two or More Races	0.9613		*	0.2362
Hispanic or Latino	0.5429		0.4473	0.7977

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.88C Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	128	135	83	92	93	91
AGE						
18	50	54	29	33	39	40
19	49	51	35	37	32	33
20	50	52	33	36	36	36
21	48	52	30	34	37	40
22	52	51	30	26	42	41
GENDER						
Male	89	90	55	57	68	69
Female	79	79	54	59	56	52
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	113	123	77	87	77	79
White	92	104	64	72	65	70
Black or African American	37	33	17	19	31	26
American Indian or Alaska Native	6	7	*	*	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	23	25	19	19	14	*
Two or More Races	10	11	*	*	7	10
Hispanic or Latino	52	53	24	25	45	48

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.88D Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	0.63	0.65	1.05	1.15	0.74	0.73
AGE						
18	1.09	1.17	1.94	2.05	1.25	1.35
19	1.26	1.28	1.84	1.94	1.60	1.65
20	1.23	1.30	1.90	2.05	1.56	1.63
21	1.23	1.27	1.95	2.11	1.57	1.61
22	1.29	1.26	2.47	2.32	1.48	1.42
GENDER						
Male	0.86	0.86	1.52	1.52	1.01	1.02
Female	0.78	0.78	1.28	1.36	0.96	0.89
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.67	0.72	1.09	1.21	0.78	0.80
White	0.72	0.81	1.18	1.30	0.88	0.95
Black or African American	1.27	1.18	1.77	2.09	1.63	1.39
American Indian or Alaska Native	5.82	5.45	*	*	*	5.30
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.63	2.88	3.55	3.10	4.29	*
Two or More Races	4.08	4.33	*	*	5.16	5.58
Hispanic or Latino	1.48	1.48	2.94	2.95	1.69	1.73

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.88P Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	0.6055		0.9586		0.4701	
AGE						
18	0.3368		0.7738		0.3756	
19	0.5356		0.8947		0.4319	
20	0.5734		0.5669		0.1700	
21	0.8288		0.7320		0.5694	
22	0.9421		0.5194		0.7023	
GENDER						
Male	0.8517		0.9084		0.7495	
Female	0.6246		0.9523		0.4830	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.6282		0.9323		0.4687	
White	0.5890		0.8425		0.6032	
Black or African American	0.4278		0.4377		0.6282	
American Indian or Alaska Native	0.3234		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0721		0.0522		*	
Two or More Races	0.2018		*		0.3496	
Hispanic or Latino	0.7921		0.9150		0.7943	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.89C Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	86	102	60	79	62	58
AGE						
18	29	34	18	24	23	24
19	30	37	22	30	21	21
20	38	39	26	28	27	24
21	38	41	25	29	28	29
22	40	39	24	23	30	31
GENDER						
Male	70	74	44	55	54	49
Female	46	52	36	42	28	29
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	79	96	57	76	54	52
White	70	86	50	66	49	49
Black or African American	20	19	8	11	18	15
American Indian or Alaska Native	4	4	*	*	4	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	14	13	10	11	9	7
Two or More Races	9	10	*	*	5	*
Hispanic or Latino	30	32	15	16	27	27

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.89D Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2003	2004	2003	2004	2003	2004
TOTAL	0.42	0.49	0.76	0.99	0.49	0.46
AGE						
18	0.64	0.73	1.24	1.50	0.73	0.82
19	0.78	0.94	1.18	1.57	1.06	1.05
20	0.95	0.97	1.49	1.58	1.20	1.09
21	0.97	1.01	1.60	1.80	1.19	1.17
22	0.99	0.97	2.02	1.99	1.06	1.07
GENDER						
Male	0.67	0.70	1.21	1.46	0.81	0.72
Female	0.46	0.52	0.84	0.97	0.48	0.50
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.47	0.56	0.81	1.06	0.54	0.53
White	0.55	0.66	0.92	1.18	0.67	0.67
Black or African American	0.70	0.68	0.84	1.23	0.95	0.81
American Indian or Alaska Native	3.46	3.09	*	*	3.94	3.70
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.59	1.46	1.85	1.84	2.79	2.36
Two or More Races	3.59	4.09	*	*	3.47	*
Hispanic or Latino	0.87	0.87	1.82	1.85	1.00	0.99

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.89P Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Undergraduates	Other Persons Aged 18-22 ²
	2003	2004	2003	2004
TOTAL	0.4485		0.3758	0.9150
AGE				
18	0.3019		0.7478	0.1419
19	0.8974		0.4173	0.4361
20	0.8786		0.1876	0.2538
21	0.7621		0.7044	0.9417
22	0.7783		0.7781	0.8011
GENDER				
Male	0.6678		0.2407	0.5651
Female	0.5260		0.8860	0.2505
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.2519		0.3633	0.5190
White	0.2526		0.3750	0.5041
Black or African American	0.8168		0.1721	0.5877
American Indian or Alaska Native	0.4473		*	0.5472
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.3194		0.4801	0.4984
Two or More Races	0.3980		*	*
Hispanic or Latino	0.4220		0.9064	0.3326

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.