

Table 8.17C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Gender and Detailed Age Category: 2004

Age Category	Total		GENDER			
			Male		Female	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	0	0	0	0	0	0
18	175	188	133	128	104	129
19	168	161	127	112	104	107
20	177	150	122	113	119	105
21	233	151	146	105	178	100
22	176	142	127	107	114	94
23	170	151	113	112	109	97
24	167	160	116	107	117	106
25	159	166	101	113	122	109
26-29	643	593	455	400	406	384
30-34	676	652	454	459	464	452
35-39	709	783	518	496	471	547
40-44	887	789	632	541	597	516
45-49	864	734	574	515	580	500
50-54	1,025	959	640	667	776	677
55-59	939	927	628	659	694	585
60-64	722	790	517	502	457	591
65 or Older	0	0	0	0	0	0

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 8.18C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group and Demographic Characteristics: 2004

Demographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	0	0	0	0	0	0	0	0
GENDER								
Male	0	0	0	0	0	0	0	0
Female	0	0	0	0	0	0	0	0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0	0	501	463	1,671	1,556	2,190	2,049
White	2,451	2,417	410	409	1,409	1,308	1,979	1,921
Black or African American	1,148	959	194	169	672	610	756	634
American Indian or Alaska Native	146	172	39	24	111	104	105	101
Native Hawaiian or Other Pacific Islander	120	140	22	37	63	119	101	59
Asian	662	743	159	114	512	375	476	606
Two or More Races	194	165	67	40	96	109	161	108
Hispanic or Latino	0	0	253	230	733	698	607	602
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	1,614	1,579	268	278	934	849	1,315	1,215
Female, White, Not Hispanic	1,573	1,660	287	248	932	832	1,288	1,398
Male, Black, Not Hispanic	633	571	133	106	484	385	366	382
Female, Black, Not Hispanic	801	681	125	110	379	421	669	519
Male, Hispanic	0	0	192	165	549	442	492	441
Female, Hispanic	0	0	133	145	425	495	478	345
EDUCATION								
< High School	1,209	1,087	231	207	636	579	1,013	901
High School Graduate	1,556	1,526	294	278	894	799	1,249	1,230
Some College	1,342	1,351	345	277	869	844	1,040	913
College Graduate	1,616	1,607	186	181	1,069	948	1,140	1,210
CURRENT EMPLOYMENT								
Full-Time	2,174	2,087	349	346	1,590	1,512	1,335	1,230
Part-Time	830	908	259	239	483	502	648	709
Unemployed	495	428	159	129	361	303	320	256
Other ¹	1,821	1,615	234	197	584	557	1,708	1,544

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 8.19C Standard Errors of Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group and Geographic Characteristics: 2004

Geographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	0	0	0	0	0	0	0	0
GEOGRAPHIC DIVISION								
Northeast	0	0	0	0	0	0	0	0
New England	0	0	0	0	0	0	0	0
Middle Atlantic	0	0	0	0	0	0	0	0
Midwest	0	0	0	0	0	0	0	0
East North Central	0	0	0	0	0	0	0	0
West North Central	0	0	0	0	0	0	0	0
South	0	0	0	0	0	0	0	0
South Atlantic	0	0	0	0	0	0	0	0
East South Central	0	0	0	0	0	0	0	0
West South Central	0	0	0	0	0	0	0	0
West	0	0	0	0	0	0	0	0
Mountain	0	0	0	0	0	0	0	0
Pacific	0	0	0	0	0	0	0	0
COUNTY TYPE								
Large Metro	2,260	2,397	417	403	1,510	1,495	1,604	1,613
Small Metro	1,778	1,680	386	333	905	974	1,320	1,057
250K - 1 Mil. Pop.	1,367	1,397	326	282	666	850	1,035	846
< 250K Pop.	1,215	1,008	253	208	656	531	793	667
Nonmetro	1,168	1,110	222	191	630	577	968	890
Urbanized	808	760	164	155	424	391	650	581
Less Urbanized	821	857	163	140	462	432	636	648
Completely Rural	374	438	55	41	159	157	251	345

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.