

Table 5.62A Substances for Which Last or Current Treatment Was Received among Persons Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2003 and 2004

| Substance for Which Last or Current Treatment Was Received ¹ | Total | | AGE GROUP | | | | | |
|---|------------------|-------|-----------|------|-------|------|-------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| Marijuana | 467 | 521 | 79 | 80 | 177 | 178 | 212 | 262 |
| Cocaine | 276 ^a | 466 | 19 | 17 | 80 | 87 | * | 362 |
| Heroin | 168 | 156 | 3 | 3 | 41 | 36 | 124 | 117 |
| Hallucinogens | 139 | 182 | * | 17 | 58 | 57 | 62 | 108 |
| Inhalants | 64 | 79 | 13 | 14 | 29 | 33 | 22 | 32 |
| Pain Relievers | 199 | 226 | 19 | 20 | 85 | 83 | 95 | 123 |
| Tranquilizers | 134 | 142 | 10 | 15 | 50 | 37 | 74 | 90 |
| Stimulants | 157 | 192 | 13 | 17 | 76 | 60 | 68 | 115 |
| Sedatives | 37 | 68 | * | 4 | 10 | 11 | 19 | 52 |
| Alcohol | 871 | 1,027 | 63 | 75 | 227 | 231 | 581 | 721 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.62B Substances for Which Last or Current Treatment Was Received among Persons Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2003 and 2004

| Substance for Which Last or Current Treatment Was Received ¹ | Total | | AGE GROUP | | | | | |
|---|-------|------|-----------|------|-------|------|-------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| Marijuana | 38.5 | 34.5 | 68.5 | 67.0 | 53.1 | 46.1 | 27.6 | 26.2 |
| Cocaine | 22.8 | 30.9 | 16.4 | 14.4 | 23.9 | 22.4 | * | 36.1 |
| Heroin | 13.8 | 10.3 | 2.3 | 2.3 | 12.1 | 9.2 | 16.2 | 11.7 |
| Hallucinogens | 11.5 | 12.1 | * | 14.1 | 17.2 | 14.9 | 8.1 | 10.7 |
| Inhalants | 5.3 | 5.3 | 11.7 | 12.0 | 8.8 | 8.5 | 2.8 | 3.2 |
| Pain Relievers | 16.4 | 14.9 | 16.7 | 16.6 | 25.5 | 21.4 | 12.4 | 12.3 |
| Tranquilizers | 11.0 | 9.4 | 8.5 | 12.4 | 14.8 | 9.6 | 9.7 | 9.0 |
| Stimulants | 13.0 | 12.7 | 11.4 | 14.1 | 22.7 | 15.6 | 8.9 | 11.5 |
| Sedatives | 3.1 | 4.5 | * | 3.5 | 3.0 | 2.9 | 2.5 | 5.2 |
| Alcohol | 71.7 | 68.1 | 55.1 | 62.7 | 67.9 | 59.7 | 75.7 | 71.9 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.