

Table 5.50C Source of Payment for Last or Current Illicit Drug Treatment among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	47	72	12	15	20	17	41	68
Medicare	41	58	9	12	14	10	37	55
Medicaid	48	61	8	10	12	12	46	58
Public Assistance Other Than Medicaid	44	48	10	7	14	14	40	45
Own Savings or Earnings	81	76	10	9	25	23	74	72
Family Members	53	45	13	16	18	22	48	35
Courts	22	57	7	11	11	11	18	55
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	16	27	4	3	9	3	12	25
Employer	28	34	1	2	6	7	27	33

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.50D Source of Payment for Last or Current Illicit Drug Treatment among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	2.48	2.73	3.94	4.20	3.16	2.58	3.75	4.08
Medicare	2.09	2.42	3.32	3.58	2.34	1.80	3.41	3.66
Medicaid	2.42	2.49	3.13	3.08	2.18	2.12	4.09	3.79
Public Assistance Other Than Medicaid	2.25	2.06	3.62	2.32	2.33	2.32	3.66	3.12
Own Savings or Earnings	3.00	2.89	3.52	3.01	3.21	3.29	4.86	4.50
Family Members	2.56	1.96	3.92	4.38	2.76	3.33	4.16	2.46
Courts	1.21	2.39	2.70	3.46	1.91	2.00	1.72	3.64
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	0.88	1.22	1.68	1.20	1.59	0.50	1.22	1.76
Employer	1.49	1.51	0.43	0.83	1.20	1.17	2.58	2.32

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.50P Source of Payment for Last or Current Illicit Drug Treatment among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	0.7997		0.7898		0.1686		0.7465	
Medicare	0.6734		0.2080		0.2018		0.6148	
Medicaid	0.4788		0.2904		0.9461		0.6571	
Public Assistance Other Than Medicaid	0.9832		0.1207		0.6304		0.9382	
Own Savings or Earnings	0.0208		0.1111		0.1609		0.0714	
Family Members	0.2098		0.7887		0.2647		0.1430	
Courts	0.0054		0.3052		0.7433		0.0068	
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	0.5514		0.7901		0.0101		0.7671	
Employer	0.8101		0.3480		0.8392		0.9199	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.51C Source of Payment for Last or Current Alcohol Treatment among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	56	80	9	13	17	17	53	77
Medicare	38	53	9	11	12	10	34	50
Medicaid	46	55	7	9	11	11	44	53
Public Assistance Other Than Medicaid	57	43	8	7	13	13	55	41
Own Savings or Earnings	95	115	8	10	24	26	90	112
Family Members	59	48	10	13	15	18	57	42
Courts	26	45	6	10	10	7	24	43
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	20	27	2	2	6	3	19	27
Employer	36	36	0	3	6	8	36	35

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.51D Source of Payment for Last or Current Alcohol Treatment among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	2.25	2.50	3.62	4.52	2.53	2.60	3.24	3.47
Medicare	1.53	1.93	3.71	3.89	1.94	1.66	2.14	2.63
Medicaid	1.83	2.02	2.96	3.36	1.76	1.93	2.71	2.78
Public Assistance Other Than Medicaid	2.21	1.62	3.37	2.58	2.04	2.12	3.25	2.25
Own Savings or Earnings	2.81	2.95	3.50	3.71	3.12	3.24	4.17	4.10
Family Members	2.27	1.80	4.02	4.29	2.40	2.67	3.31	2.25
Courts	1.08	1.58	2.56	3.83	1.59	1.27	1.51	2.16
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	0.85	1.03	1.05	0.79	1.08	0.58	1.22	1.47
Employer	1.48	1.36	0.08	1.08	1.07	1.28	2.22	1.89

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.51P Source of Payment for Last or Current Alcohol Treatment among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	0.8683		0.0886		0.4109		0.9361	
Medicare	0.3473		0.2469		0.8573		0.4087	
Medicaid	0.3806		0.0932		0.4844		0.6481	
Public Assistance Other Than Medicaid	0.0498		0.6819		0.9282		0.0395	
Own Savings or Earnings	0.7530		0.6920		0.9537		0.6563	
Family Members	0.1567		0.3996		0.5914		0.0787	
Courts	0.2163		0.1192		0.0989		0.1504	
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	0.6782		0.9086		0.1434		0.8748	
Employer	0.7133		0.0493		0.4268		0.4684	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.52C Source of Payment for Last or Current Illicit Drug or Alcohol Treatment among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	64	102	13	17	23	22	57	97
Medicare	46	66	12	12	16	12	41	63
Medicaid	54	70	9	11	15	13	51	68
Public Assistance Other Than Medicaid	64	55	11	8	16	16	61	51
Own Savings or Earnings	109	123	11	11	31	33	101	119
Family Members	65	56	14	17	22	26	60	47
Courts	29	61	8	11	13	12	26	58
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	31	50	5	4	10	5	29	48
Employer	37	56	1	4	8	9	37	55

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.52D Source of Payment for Last or Current Illicit Drug or Alcohol Treatment among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Error of Percentages, 2003 and 2004

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	1.82	2.26	3.09	3.23	2.27	2.17	2.62	3.25
Medicare	1.31	1.66	2.81	2.68	1.70	1.34	1.91	2.40
Medicaid	1.53	1.75	2.29	2.32	1.58	1.50	2.36	2.57
Public Assistance Other Than Medicaid	1.77	1.41	2.73	1.77	1.68	1.76	2.71	2.03
Own Savings or Earnings	2.35	2.44	2.83	2.39	2.54	2.69	3.53	3.59
Family Members	1.77	1.46	3.30	3.31	2.06	2.52	2.63	1.82
Courts	0.85	1.46	2.14	2.54	1.34	1.31	1.22	2.10
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	0.90	1.31	1.23	0.88	1.06	0.58	1.36	1.92
Employer	1.10	1.47	0.29	0.94	0.94	0.95	1.72	2.18

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.52P Source of Payment for Last or Current Illicit Drug or Alcohol Treatment among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Source of Payment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Private Health Insurance	0.4322		0.6481		0.2669		0.2612	
Medicare	0.2156		0.6762		0.2960		0.1325	
Medicaid	0.1235		0.2225		0.7477		0.1671	
Public Assistance Other Than Medicaid	0.1233		0.0728		0.6275		0.1284	
Own Savings or Earnings	0.3620		0.4497		0.8300		0.4061	
Family Members	0.2724		0.9815		0.3444		0.1712	
Courts	0.0262		0.4442		0.6073		0.0179	
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	0.8005		0.7585		0.0340		0.8755	
Employer	0.6736		0.0435		0.8417		0.8543	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.