

Table 1.103C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	589	618	147	153	72	58
GEOGRAPHIC DIVISION						
Northeast	257	282	52	57	26	27
New England	125	150	22	32	11	17
Middle Atlantic	227	240	46	47	23	21
Midwest	220	218	44	53	24	28
East North Central	174	176	37	42	21	18
West North Central	134	129	22	32	11	21
South	325	361	86	70	46	34
South Atlantic	265	285	73	49	36	21
East South Central	72	102	20	23	14	18
West South Central	175	194	41	44	24	20
West	345	354	97	111	43	27
Mountain	151	130	45	56	14	14
Pacific	310	330	87	96	41	23
COUNTY TYPE						
Large Metro	453	480	120	124	63	40
Small Metro	304	322	66	86	29	39
250K – 1 Mil. Pop.	234	246	52	69	20	36
< 250K Pop.	183	189	37	51	20	17
Nonmetro	191	209	45	38	17	20
Urbanized	125	158	34	33	11	18
Less Urbanized	126	121	28	17	13	9
Completely Rural	65	53	13	6	1	2

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.103D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.25	0.26	0.06	0.06	0.03	0.02
GEOGRAPHIC DIVISION						
Northeast	0.57	0.62	0.11	0.13	0.06	0.06
New England	1.06	1.25	0.19	0.27	0.09	0.15
Middle Atlantic	0.68	0.71	0.14	0.14	0.07	0.06
Midwest	0.41	0.40	0.08	0.10	0.04	0.05
East North Central	0.46	0.46	0.10	0.11	0.06	0.05
West North Central	0.83	0.80	0.14	0.19	0.07	0.13
South	0.38	0.42	0.10	0.08	0.05	0.04
South Atlantic	0.60	0.63	0.16	0.11	0.08	0.05
East South Central	0.50	0.71	0.14	0.16	0.10	0.13
West South Central	0.67	0.73	0.16	0.17	0.09	0.08
West	0.64	0.65	0.18	0.20	0.08	0.05
Mountain	0.96	0.82	0.29	0.35	0.09	0.09
Pacific	0.81	0.85	0.23	0.25	0.11	0.06
COUNTY TYPE						
Large Metro	0.36	0.37	0.10	0.10	0.05	0.03
Small Metro	0.43	0.45	0.09	0.12	0.04	0.06
250K – 1 Mil. Pop.	0.50	0.52	0.11	0.15	0.04	0.08
< 250K Pop.	0.75	0.77	0.15	0.21	0.08	0.07
Nonmetro	0.47	0.51	0.11	0.09	0.04	0.05
Urbanized	0.70	0.95	0.19	0.20	0.06	0.11
Less Urbanized	0.69	0.60	0.15	0.08	0.07	0.04
Completely Rural	1.59	1.49	0.32	0.18	0.03	0.04

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.103P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.6086		0.6126		0.1840	
GEOGRAPHIC DIVISION						
Northeast	0.4128		0.4576		0.6085	
New England	0.4235		0.7285		0.2899	
Middle Atlantic	0.6396		0.2593		0.2152	
Midwest	0.0361		0.9150		0.5417	
East North Central	0.3348		0.9566		0.3152	
West North Central	0.0220		0.9157		0.8496	
South	0.0361		0.9675		0.7674	
South Atlantic	0.1388		0.5565		0.4785	
East South Central	0.0004		0.0776		0.5102	
West South Central	0.9411		0.9452		0.9507	
West	0.2992		0.8038		0.2155	
Mountain	0.0211		0.8160		0.2956	
Pacific	0.9375		0.6742		0.3580	
COUNTY TYPE						
Large Metro	0.7336		0.1417		0.0042	
Small Metro	0.8501		0.1031		0.0844	
250K – 1 Mil. Pop.	0.8089		0.2219		0.0095	
< 250K Pop.	0.9899		0.3086		0.4519	
Nonmetro	0.6232		0.7756		0.7781	
Urbanized	0.7250		0.2785		0.3426	
Less Urbanized	0.4635		0.1004		0.3996	
Completely Rural	0.7486		0.6677		0.4185	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.104C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	48	45	37	36	20	19
GEOGRAPHIC DIVISION						
Northeast	19	20	16	17	9	9
New England	11	13	9	10	5	4
Middle Atlantic	16	15	13	13	7	8
Midwest	18	19	15	13	9	6
East North Central	15	15	13	10	7	5
West North Central	10	10	8	9	5	4
South	26	26	22	21	13	11
South Atlantic	18	20	16	16	9	8
East South Central	8	9	6	8	3	5
West South Central	16	15	14	11	8	7
West	30	24	21	19	10	10
Mountain	15	9	8	10	5	6
Pacific	26	22	19	17	8	8
COUNTY TYPE						
Large Metro	38	33	29	26	15	12
Small Metro	24	25	19	19	11	12
250K – 1 Mil. Pop.	21	17	15	14	9	9
< 250K Pop.	13	17	11	13	7	9
Nonmetro	17	17	13	14	7	8
Urbanized	10	11	9	10	4	6
Less Urbanized	12	13	8	9	6	5
Completely Rural	5	4	5	4	1	1

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.104D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.19	0.18	0.15	0.14	0.08	0.07
GEOGRAPHIC DIVISION						
Northeast	0.43	0.43	0.35	0.37	0.19	0.21
New England	0.91	1.11	0.77	0.83	0.44	0.35
Middle Atlantic	0.48	0.44	0.39	0.40	0.21	0.25
Midwest	0.31	0.33	0.27	0.23	0.15	0.11
East North Central	0.37	0.38	0.32	0.25	0.17	0.12
West North Central	0.58	0.62	0.47	0.52	0.32	0.21
South	0.29	0.29	0.25	0.23	0.14	0.13
South Atlantic	0.40	0.43	0.36	0.35	0.20	0.17
East South Central	0.55	0.64	0.44	0.54	0.24	0.37
West South Central	0.54	0.50	0.47	0.39	0.28	0.22
West	0.51	0.40	0.35	0.32	0.17	0.16
Mountain	0.86	0.54	0.44	0.56	0.30	0.33
Pacific	0.63	0.51	0.46	0.40	0.20	0.18
COUNTY TYPE						
Large Metro	0.28	0.25	0.22	0.20	0.11	0.09
Small Metro	0.33	0.33	0.25	0.25	0.15	0.16
250K – 1 Mil. Pop.	0.41	0.34	0.31	0.28	0.17	0.17
< 250K Pop.	0.53	0.68	0.44	0.52	0.28	0.34
Nonmetro	0.39	0.40	0.31	0.34	0.17	0.18
Urbanized	0.55	0.64	0.48	0.61	0.23	0.35
Less Urbanized	0.59	0.60	0.39	0.42	0.29	0.23
Completely Rural	1.23	1.18	1.13	1.14	0.18	0.25

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.104P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.1323		0.5433		0.0684	
GEOGRAPHIC DIVISION						
Northeast	0.6784		0.3576		0.2563	
New England	0.9372		0.6958		0.4487	
Middle Atlantic	0.5493		0.3891		0.3935	
Midwest	0.1764		0.2769		0.0781	
East North Central	0.4460		0.4674		0.2896	
West North Central	0.1909		0.3935		0.1227	
South	0.4095		0.8244		0.6357	
South Atlantic	0.5898		0.7867		0.9476	
East South Central	0.4719		0.5735		0.4547	
West South Central	0.0085		0.2886		0.2775	
West	0.5381		0.4869		0.5255	
Mountain	0.1650		0.7597		0.2228	
Pacific	0.8951		0.5297		0.9251	
COUNTY TYPE						
Large Metro	0.0887		0.3099		0.0064	
Small Metro	0.5530		0.6184		0.7583	
250K – 1 Mil. Pop.	0.1333		0.3955		0.8839	
< 250K Pop.	0.3882		0.8065		0.7669	
Nonmetro	0.7971		0.2636		0.6800	
Urbanized	0.2702		0.1479		0.1137	
Less Urbanized	0.5722		0.9963		0.2092	
Completely Rural	0.9259		0.6876		0.3603	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.105C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	134	130	77	72	37	33
GEOGRAPHIC DIVISION						
Northeast	54	59	33	38	15	16
New England	25	27	19	16	7	7
Middle Atlantic	47	52	27	34	13	14
Midwest	46	53	26	33	16	15
East North Central	39	44	22	24	13	10
West North Central	24	29	14	22	8	11
South	80	71	39	37	21	19
South Atlantic	57	51	27	28	16	13
East South Central	29	28	14	13	7	8
West South Central	48	41	24	20	12	11
West	80	75	52	36	22	14
Mountain	37	37	22	20	8	6
Pacific	71	66	47	30	20	13
COUNTY TYPE						
Large Metro	107	95	61	52	31	24
Small Metro	70	79	43	46	19	19
250K – 1 Mil. Pop.	61	68	38	38	15	14
< 250K Pop.	37	42	22	27	13	14
Nonmetro	38	44	19	22	10	10
Urbanized	27	33	15	17	7	8
Less Urbanized	24	25	13	13	6	6
Completely Rural	9	13	2	4	1	1

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.105D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.42	0.40	0.24	0.22	0.12	0.10
GEOGRAPHIC DIVISION						
Northeast	0.95	1.04	0.58	0.66	0.26	0.28
New England	1.69	1.81	1.31	1.10	0.50	0.50
Middle Atlantic	1.14	1.24	0.65	0.80	0.31	0.34
Midwest	0.63	0.71	0.36	0.44	0.21	0.21
East North Central	0.77	0.86	0.43	0.47	0.26	0.20
West North Central	1.08	1.27	0.62	0.96	0.37	0.49
South	0.71	0.62	0.34	0.32	0.19	0.17
South Atlantic	1.02	0.89	0.48	0.50	0.28	0.24
East South Central	1.52	1.43	0.70	0.69	0.38	0.40
West South Central	1.26	1.07	0.64	0.52	0.33	0.29
West	1.08	1.00	0.70	0.48	0.29	0.19
Mountain	1.66	1.61	0.98	0.86	0.35	0.27
Pacific	1.37	1.25	0.90	0.58	0.39	0.25
COUNTY TYPE						
Large Metro	0.64	0.57	0.36	0.31	0.18	0.15
Small Metro	0.69	0.74	0.43	0.43	0.19	0.18
250K – 1 Mil. Pop.	0.92	0.99	0.57	0.55	0.22	0.21
< 250K Pop.	1.03	1.13	0.61	0.73	0.35	0.37
Nonmetro	0.76	0.90	0.39	0.44	0.20	0.21
Urbanized	1.16	1.44	0.62	0.73	0.29	0.35
Less Urbanized	1.08	1.07	0.58	0.54	0.29	0.27
Completely Rural	2.47	3.95	0.55	1.12	0.31	0.37

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.105P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.0010		0.0649		0.1453	
GEOGRAPHIC DIVISION						
Northeast	0.2635		0.3747		0.9915	
New England	0.0594		0.2652		0.7482	
Middle Atlantic	0.7524		0.7142		0.8835	
Midwest	0.0282		0.8673		0.2628	
East North Central	0.0463		0.6085		0.1681	
West North Central	0.3340		0.7279		0.8425	
South	0.1248		0.7576		0.5151	
South Atlantic	0.2085		0.5556		0.4631	
East South Central	0.2238		0.2830		0.9504	
West South Central	0.0362		0.6241		0.7965	
West	0.0563		0.0430		0.2818	
Mountain	0.2892		0.5247		0.8420	
Pacific	0.1114		0.0484		0.2160	
COUNTY TYPE						
Large Metro	0.0015		0.0674		0.0395	
Small Metro	0.2412		0.3761		0.8480	
250K – 1 Mil. Pop.	0.1753		0.1764		0.6855	
< 250K Pop.	0.9705		0.5965		0.8641	
Nonmetro	0.4936		0.8273		0.8051	
Urbanized	0.9428		0.7645		0.6497	
Less Urbanized	0.2344		0.7737		0.4197	
Completely Rural	0.5656		0.2088		0.7506	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.106C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	549	583	109	132	54	44
GEOGRAPHIC DIVISION						
Northeast	247	268	40	43	20	20
New England	128	141	10	29	3	16
Middle Atlantic	214	228	39	31	20	12
Midwest	209	199	28	35	14	19
East North Central	166	163	25	32	14	14
West North Central	128	114	12	14	*	13
South	294	348	63	57	34	26
South Atlantic	243	274	56	39	28	11
East South Central	66	101	16	21	11	15
West South Central	153	189	24	36	16	18
West	324	328	75	104	34	23
Mountain	134	123	34	50	9	9
Pacific	295	305	66	92	33	21
COUNTY TYPE						
Large Metro	426	450	94	109	49	27
Small Metro	281	301	39	68	18	31
250K – 1 Mil. Pop.	218	229	28	55	10	31
< 250K Pop.	164	178	28	40	15	5
Nonmetro	178	194	37	28	12	15
Urbanized	115	142	26	27	7	15
Less Urbanized	117	119	22	5	10	3
Completely Rural	65	50	11	1	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.106D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.30	0.32	0.06	0.07	0.03	0.02
GEOGRAPHIC DIVISION						
Northeast	0.70	0.76	0.11	0.12	0.06	0.06
New England	1.38	1.52	0.11	0.31	0.03	0.17
Middle Atlantic	0.82	0.88	0.15	0.12	0.08	0.05
Midwest	0.51	0.48	0.07	0.08	0.03	0.05
East North Central	0.58	0.56	0.09	0.11	0.05	0.05
West North Central	1.06	0.93	0.10	0.11	*	0.11
South	0.46	0.53	0.10	0.09	0.05	0.04
South Atlantic	0.71	0.79	0.16	0.11	0.08	0.03
East South Central	0.61	0.92	0.15	0.19	0.10	0.14
West South Central	0.79	0.96	0.12	0.18	0.08	0.09
West	0.80	0.80	0.18	0.25	0.08	0.05
Mountain	1.15	1.03	0.30	0.42	0.07	0.08
Pacific	1.02	1.04	0.23	0.31	0.11	0.07
COUNTY TYPE						
Large Metro	0.44	0.46	0.10	0.11	0.05	0.03
Small Metro	0.52	0.56	0.07	0.13	0.03	0.06
250K – 1 Mil. Pop.	0.62	0.65	0.08	0.16	0.03	0.09
< 250K Pop.	0.89	0.98	0.15	0.22	0.08	0.03
Nonmetro	0.58	0.62	0.12	0.09	0.04	0.05
Urbanized	0.85	1.12	0.19	0.21	0.05	0.12
Less Urbanized	0.83	0.75	0.16	0.03	0.07	0.02
Completely Rural	1.97	1.73	0.35	0.05	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.106P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.7291		0.4629		0.9933	
GEOGRAPHIC DIVISION						
Northeast	0.5646		0.8778		0.8808	
New England	0.6294		0.1295		0.1628	
Middle Atlantic	0.7061		0.3832		0.2484	
Midwest	0.1096		0.6133		0.3195	
East North Central	0.6351		0.5294		0.7907	
West North Central	0.0375		0.8621		*	
South	0.0080		0.8263		0.7883	
South Atlantic	0.0708		0.5827		0.6361	
East South Central	0.0018		0.3542		0.5817	
West South Central	0.4955		0.4006		0.4454	
West	0.5440		0.5630		0.4725	
Mountain	0.0322		0.5715		0.3125	
Pacific	0.7759		0.7203		0.6650	
COUNTY TYPE						
Large Metro	0.5989		0.7324		0.1535	
Small Metro	0.9110		0.0101		0.0302	
250K – 1 Mil. Pop.	0.8169		0.0044		0.0025	
< 250K Pop.	0.9144		0.5680		0.2551	
Nonmetro	0.6803		0.3743		0.9767	
Urbanized	0.8027		0.6425		0.5188	
Less Urbanized	0.6884		0.0848		0.3602	
Completely Rural	0.6622		0.2087		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.107C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	584	613	140	147	68	55
GEOGRAPHIC DIVISION						
Northeast	260	280	51	54	25	26
New England	128	148	21	30	9	18
Middle Atlantic	229	239	47	45	23	19
Midwest	219	215	40	51	22	27
East North Central	175	173	36	40	20	17
West North Central	133	128	19	32	8	21
South	319	359	80	65	44	32
South Atlantic	261	284	69	46	35	17
East South Central	70	102	20	21	13	16
West South Central	172	193	36	41	22	21
West	343	350	93	109	41	25
Mountain	152	132	44	52	12	11
Pacific	307	325	82	96	39	23
COUNTY TYPE						
Large Metro	451	476	115	120	61	38
Small Metro	301	317	63	82	26	37
250K – 1 Mil. Pop.	232	245	50	68	18	34
< 250K Pop.	181	186	36	46	19	15
Nonmetro	187	209	42	36	16	18
Urbanized	122	157	33	32	10	17
Less Urbanized	125	122	26	15	12	7
Completely Rural	65	54	12	4	1	1

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.107D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.27	0.28	0.07	0.07	0.03	0.03
GEOGRAPHIC DIVISION						
Northeast	0.64	0.68	0.13	0.13	0.06	0.06
New England	1.20	1.38	0.20	0.28	0.09	0.17
Middle Atlantic	0.76	0.79	0.16	0.15	0.08	0.06
Midwest	0.46	0.44	0.08	0.11	0.05	0.06
East North Central	0.52	0.51	0.11	0.12	0.06	0.05
West North Central	0.92	0.87	0.13	0.22	0.06	0.14
South	0.42	0.47	0.11	0.08	0.06	0.04
South Atlantic	0.65	0.70	0.17	0.11	0.09	0.04
East South Central	0.55	0.79	0.16	0.16	0.10	0.13
West South Central	0.74	0.82	0.16	0.17	0.10	0.09
West	0.71	0.72	0.19	0.22	0.09	0.05
Mountain	1.10	0.93	0.32	0.36	0.08	0.08
Pacific	0.90	0.94	0.24	0.28	0.11	0.07
COUNTY TYPE						
Large Metro	0.40	0.41	0.10	0.10	0.05	0.03
Small Metro	0.47	0.50	0.10	0.13	0.04	0.06
250K – 1 Mil. Pop.	0.55	0.58	0.12	0.16	0.04	0.08
< 250K Pop.	0.82	0.85	0.16	0.21	0.09	0.07
Nonmetro	0.52	0.58	0.12	0.10	0.04	0.05
Urbanized	0.76	1.05	0.20	0.21	0.06	0.11
Less Urbanized	0.77	0.67	0.16	0.08	0.07	0.04
Completely Rural	1.77	1.69	0.32	0.13	0.03	0.04

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.107P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.6838		0.7185		0.4076	
GEOGRAPHIC DIVISION						
Northeast	0.4300		0.6331		0.9139	
New England	0.4114		0.6058		0.1763	
Middle Atlantic	0.6723		0.3699		0.3282	
Midwest	0.0441		0.7975		0.9247	
East North Central	0.3644		0.8546		0.4857	
West North Central	0.0253		0.8510		0.5455	
South	0.0304		0.9738		0.8773	
South Atlantic	0.1450		0.4926		0.4624	
East South Central	0.0005		0.0915		0.6067	
West South Central	0.8891		0.7361		0.7063	
West	0.3233		0.6888		0.2412	
Mountain	0.0322		0.8532		0.4974	
Pacific	0.9408		0.5729		0.3140	
COUNTY TYPE						
Large Metro	0.8037		0.2058		0.0230	
Small Metro	0.9274		0.0639		0.0415	
250K – 1 Mil. Pop.	0.9301		0.1361		0.0034	
< 250K Pop.	0.9648		0.3209		0.4571	
Nonmetro	0.5840		0.4967		0.8824	
Urbanized	0.8001		0.5142		0.6888	
Less Urbanized	0.4822		0.0897		0.7953	
Completely Rural	0.7552		0.4746		0.7371	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.