

**Table 3.54C How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	131	133	226	212
<b>AGE</b>				
12-13	37	38	123	117
14-15	67	77	109	110
16-17	94	91	88	84
<b>GENDER</b>				
Male	76	82	146	137
Female	95	95	129	133
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	117	122	207	194
White	98	104	181	161
Black or African American	50	51	78	75
American Indian or Alaska Native	7	*	14	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	27	31	44	51
Two or More Races	14	16	24	20
Hispanic or Latino	58	56	94	89
<b>COUNTY TYPE</b>				
Large Metro	101	98	196	172
Small Metro	79	78	115	132
Nonmetro	52	62	83	77
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	55	55	42	46
Marijuana	48	49	33	37
Illicit Drug Other Than Marijuana <sup>2</sup>	36	37	30	33
Cigarettes	58	65	38	44
Alcohol	62	68	62	61
Binge Alcohol <sup>3</sup>	51	56	42	50
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	75	78	64	64
Marijuana	65	68	51	50
Illicit Drug Other Than Marijuana <sup>2</sup>	56	60	51	50
Cigarettes	71	79	55	55
Alcohol	91	97	88	91
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	90	90	85	82
Marijuana	77	77	58	57
Illicit Drug Other Than Marijuana <sup>2</sup>	71	76	71	68
Cigarettes	89	95	85	78
Alcohol	102	106	102	103

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.54D How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.44	0.46	0.44	0.46
<b>AGE</b>				
12-13	0.50	0.52	0.50	0.52
14-15	0.78	0.79	0.78	0.79
16-17	0.82	0.77	0.82	0.77
<b>GENDER</b>				
Male	0.57	0.61	0.57	0.61
Female	0.66	0.68	0.66	0.68
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.46	0.50	0.46	0.50
White	0.53	0.56	0.53	0.56
Black or African American	1.14	1.16	1.14	1.16
American Indian or Alaska Native	4.87	*	4.87	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.78	2.96	2.78	2.96
Two or More Races	3.30	2.80	3.30	2.80
Hispanic or Latino	1.42	1.32	1.42	1.32
<b>COUNTY TYPE</b>				
Large Metro	0.63	0.63	0.63	0.63
Small Metro	0.79	0.80	0.79	0.80
Nonmetro	0.99	1.13	0.99	1.13
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.67	0.64	0.27	0.29
Marijuana	0.61	0.59	0.22	0.24
Illicit Drug Other Than Marijuana <sup>2</sup>	0.46	0.46	0.20	0.22
Cigarettes	0.69	0.72	0.26	0.28
Alcohol	0.72	0.74	0.38	0.36
Binge Alcohol <sup>3</sup>	0.63	0.67	0.28	0.31
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.80	0.78	0.38	0.38
Marijuana	0.75	0.74	0.33	0.31
Illicit Drug Other Than Marijuana <sup>2</sup>	0.65	0.68	0.32	0.32
Cigarettes	0.78	0.82	0.35	0.34
Alcohol	0.83	0.82	0.49	0.46
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.86	0.79	0.48	0.45
Marijuana	0.84	0.79	0.37	0.34
Illicit Drug Other Than Marijuana <sup>2</sup>	0.76	0.78	0.43	0.39
Cigarettes	0.82	0.82	0.50	0.44
Alcohol	0.77	0.76	0.54	0.50

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.54P How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.9937		0.9937	
<b>AGE</b>				
12-13	0.5140		0.5140	
14-15	0.3436		0.3436	
16-17	0.1816		0.1816	
<b>GENDER</b>				
Male	0.3254		0.3254	
Female	0.3843		0.3843	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.8649		0.8649	
White	0.5209		0.5209	
Black or African American	0.4988		0.4988	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7866		0.7866	
Two or More Races	0.2526		0.2526	
Hispanic or Latino	0.7052		0.7052	
<b>COUNTY TYPE</b>				
Large Metro	0.7563		0.7563	
Small Metro	0.2471		0.2471	
Nonmetro	0.2904		0.2904	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.0068		0.2408	
Marijuana	0.0159		0.1142	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.1470		0.5612	
Cigarettes	0.2261		0.0849	
Alcohol	0.2942		0.3148	
Binge Alcohol <sup>3</sup>	0.5199		0.0162	
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.2590		0.8651	
Marijuana	0.1731		0.7984	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.6034		0.7260	
Cigarettes	0.3411		0.3737	
Alcohol	0.4594		0.7892	
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.3856		0.6439	
Marijuana	0.2079		0.8668	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.5645		0.0910	
Cigarettes	0.1731		0.0930	
Alcohol	0.2791		0.4985	

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.55C How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	110	117	235	223
<b>AGE</b>				
12-13	25	23	125	118
14-15	58	64	110	114
16-17	84	85	92	95
<b>GENDER</b>				
Male	65	69	146	144
Female	83	83	137	138
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	95	102	218	206
White	78	80	190	175
Black or African American	48	45	77	79
American Indian or Alaska Native	8	7	13	14
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	21	27	46	56
Two or More Races	13	16	23	20
Hispanic or Latino	56	53	87	89
<b>COUNTY TYPE</b>				
Large Metro	91	95	200	176
Small Metro	62	65	130	142
Nonmetro	34	43	94	89
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	56	52	39	48
Marijuana	49	47	29	36
Illicit Drug Other Than Marijuana <sup>2</sup>	34	34	31	36
Cigarettes	51	57	48	52
Alcohol	63	67	62	66
Binge Alcohol <sup>3</sup>	53	55	44	52
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	71	72	68	67
Marijuana	64	66	48	51
Illicit Drug Other Than Marijuana <sup>2</sup>	52	54	55	54
Cigarettes	61	67	64	65
Alcohol	84	89	93	98
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	84	84	90	88
Marijuana	75	74	58	60
Illicit Drug Other Than Marijuana <sup>2</sup>	64	68	79	73
Cigarettes	81	82	91	90
Alcohol	91	99	108	114

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.55D How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.40	0.43	0.40	0.43
<b>AGE</b>				
12-13	0.36	0.32	0.36	0.32
14-15	0.69	0.71	0.69	0.71
16-17	0.76	0.82	0.76	0.82
<b>GENDER</b>				
Male	0.49	0.55	0.49	0.55
Female	0.63	0.63	0.63	0.63
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.41	0.45	0.41	0.45
White	0.46	0.48	0.46	0.48
Black or African American	1.14	1.11	1.14	1.11
American Indian or Alaska Native	5.16	5.11	5.16	5.11
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.30	2.83	2.30	2.83
Two or More Races	3.10	2.90	3.10	2.90
Hispanic or Latino	1.30	1.30	1.30	1.30
<b>COUNTY TYPE</b>				
Large Metro	0.60	0.64	0.60	0.64
Small Metro	0.73	0.76	0.73	0.76
Nonmetro	0.76	0.93	0.76	0.93
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.82	0.78	0.24	0.28
Marijuana	0.76	0.74	0.18	0.21
Illicit Drug Other Than Marijuana <sup>2</sup>	0.55	0.56	0.19	0.21
Cigarettes	0.78	0.85	0.29	0.29
Alcohol	0.89	0.90	0.35	0.36
Binge Alcohol <sup>3</sup>	0.79	0.81	0.27	0.30
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.91	0.88	0.37	0.37
Marijuana	0.87	0.89	0.28	0.29
Illicit Drug Other Than Marijuana <sup>2</sup>	0.76	0.81	0.31	0.31
Cigarettes	0.86	0.93	0.38	0.36
Alcohol	0.89	0.86	0.49	0.46
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.92	0.86	0.48	0.44
Marijuana	0.94	0.91	0.34	0.33
Illicit Drug Other Than Marijuana <sup>2</sup>	0.85	0.87	0.44	0.38
Cigarettes	0.94	0.92	0.48	0.46
Alcohol	0.79	0.82	0.53	0.49

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.55P How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.1051		0.1051	
<b>AGE</b>				
12-13	0.6327		0.6327	
14-15	0.4768		0.4768	
16-17	0.0971		0.0971	
<b>GENDER</b>				
Male	0.4079		0.4079	
Female	0.1377		0.1377	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.0606		0.0606	
White	0.0978		0.0978	
Black or African American	0.2923		0.2923	
American Indian or Alaska Native	0.7533		0.7533	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.8545		0.8545	
Two or More Races	0.1474		0.1474	
Hispanic or Latino	0.8946		0.8946	
<b>COUNTY TYPE</b>				
Large Metro	0.1818		0.1818	
Small Metro	0.0253		0.0253	
Nonmetro	0.0618		0.0618	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.0841		0.4769	
Marijuana	0.1105		0.1962	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.4370		0.8224	
Cigarettes	0.6200		0.8370	
Alcohol	0.2188		0.5632	
Binge Alcohol <sup>3</sup>	0.2380		0.2690	
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.3731		0.6151	
Marijuana	0.3134		0.4734	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.6085		0.3091	
Cigarettes	0.7222		0.8292	
Alcohol	0.7610		0.9703	
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.4723		0.8876	
Marijuana	0.7221		0.7920	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.1733		0.4688	
Cigarettes	0.6494		0.1114	
Alcohol	0.7375		0.3291	

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.56C How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	165	162	188	180
<b>AGE</b>				
12-13	42	39	117	115
14-15	80	90	92	93
16-17	113	111	66	63
<b>GENDER</b>				
Male	99	98	124	121
Female	113	113	109	111
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	143	150	173	166
White	122	126	147	135
Black or African American	57	53	71	74
American Indian or Alaska Native	9	8	13	12
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	35	33	34	49
Two or More Races	16	21	21	16
Hispanic or Latino	75	64	78	78
<b>COUNTY TYPE</b>				
Large Metro	137	130	160	144
Small Metro	89	89	103	116
Nonmetro	63	69	70	68
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	60	60	35	34
Marijuana	52	52	28	27
Illicit Drug Other Than Marijuana <sup>2</sup>	41	42	23	25
Cigarettes	56	67	38	38
Alcohol	77	82	42	39
Binge Alcohol <sup>3</sup>	61	70	31	27
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	83	87	52	49
Marijuana	71	76	39	36
Illicit Drug Other Than Marijuana <sup>2</sup>	64	66	41	40
Cigarettes	72	85	50	48
Alcohol	109	121	65	60
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	102	101	66	69
Marijuana	86	85	46	45
Illicit Drug Other Than Marijuana <sup>2</sup>	82	82	56	57
Cigarettes	103	101	67	67
Alcohol	121	128	78	76

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.56D How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.45	0.47	0.45	0.47
<b>AGE</b>				
12-13	0.55	0.53	0.55	0.53
14-15	0.79	0.78	0.79	0.78
16-17	0.73	0.70	0.73	0.70
<b>GENDER</b>				
Male	0.62	0.64	0.62	0.64
Female	0.66	0.67	0.66	0.67
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.46	0.52	0.46	0.52
White	0.51	0.56	0.51	0.56
Black or African American	1.20	1.24	1.20	1.24
American Indian or Alaska Native	5.27	4.89	5.27	4.89
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	3.04	3.02	3.04	3.02
Two or More Races	3.41	3.11	3.41	3.11
Hispanic or Latino	1.57	1.34	1.57	1.34
<b>COUNTY TYPE</b>				
Large Metro	0.68	0.70	0.68	0.70
Small Metro	0.78	0.79	0.78	0.79
Nonmetro	0.99	1.10	0.99	1.10
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.54	0.52	0.28	0.27
Marijuana	0.48	0.46	0.23	0.22
Illicit Drug Other Than Marijuana <sup>2</sup>	0.39	0.38	0.19	0.20
Cigarettes	0.52	0.56	0.30	0.30
Alcohol	0.62	0.63	0.33	0.31
Binge Alcohol <sup>3</sup>	0.54	0.60	0.26	0.22
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.65	0.65	0.40	0.37
Marijuana	0.59	0.62	0.32	0.29
Illicit Drug Other Than Marijuana <sup>2</sup>	0.56	0.55	0.33	0.31
Cigarettes	0.61	0.66	0.40	0.37
Alcohol	0.67	0.69	0.50	0.44
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.70	0.67	0.49	0.50
Marijuana	0.67	0.66	0.38	0.35
Illicit Drug Other Than Marijuana <sup>2</sup>	0.67	0.62	0.43	0.42
Cigarettes	0.72	0.68	0.52	0.50
Alcohol	0.62	0.63	0.58	0.53

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 3.56P How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.3111		0.3111	
<b>AGE</b>				
12-13	0.2752		0.2752	
14-15	0.1375		0.1375	
16-17	0.2983		0.2983	
<b>GENDER</b>				
Male	0.1253		0.1253	
Female	0.9588		0.9588	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.1801		0.1801	
White	0.0310		0.0310	
Black or African American	0.6696		0.6696	
American Indian or Alaska Native	0.8667		0.8667	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0325		0.0325	
Two or More Races	0.0555		0.0555	
Hispanic or Latino	0.6594		0.6594	
<b>COUNTY TYPE</b>				
Large Metro	0.9878		0.9878	
Small Metro	0.4990		0.4990	
Nonmetro	0.0777		0.0777	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.1442		0.4277	
Marijuana	0.5230		0.1648	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.3089		0.9269	
Cigarettes	0.2951		0.0624	
Alcohol	0.3796		0.0253	
Binge Alcohol <sup>3</sup>	0.1041		0.2135	
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.7024		0.1282	
Marijuana	0.5421		0.2101	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.9111		0.6852	
Cigarettes	0.5914		0.1100	
Alcohol	0.7051		0.0590	
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.9417		0.2903	
Marijuana	0.4970		0.1170	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.4793		0.9920	
Cigarettes	0.2163		0.0131	
Alcohol	0.9876		0.0121	

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.57C How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	94	100	249	232
<b>AGE</b>				
12-13	17	18	127	119
14-15	45	53	115	122
16-17	73	77	106	102
<b>GENDER</b>				
Male	54	58	157	147
Female	74	71	146	143
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	83	90	229	211
White	70	73	195	177
Black or African American	36	32	89	90
American Indian or Alaska Native	5	5	15	15
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	17	22	49	55
Two or More Races	9	12	23	22
Hispanic or Latino	46	45	95	92
<b>COUNTY TYPE</b>				
Large Metro	76	78	214	185
Small Metro	50	54	138	153
Nonmetro	34	39	94	92
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	44	45	57	53
Marijuana	38	40	45	43
Illicit Drug Other Than Marijuana <sup>2</sup>	30	32	39	39
Cigarettes	43	49	55	58
Alcohol	53	57	71	77
Binge Alcohol <sup>3</sup>	46	50	49	59
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	54	59	86	78
Marijuana	49	53	67	62
Illicit Drug Other Than Marijuana <sup>2</sup>	42	47	67	59
Cigarettes	49	57	73	75
Alcohol	72	75	105	109
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	66	68	110	100
Marijuana	58	61	79	71
Illicit Drug Other Than Marijuana <sup>2</sup>	54	58	90	83
Cigarettes	63	70	105	99
Alcohol	75	84	124	123

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.57D How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	0.37	0.39	0.37	0.39
<b>AGE</b>				
12-13	0.25	0.27	0.25	0.27
14-15	0.57	0.61	0.57	0.61
16-17	0.78	0.80	0.78	0.80
<b>GENDER</b>				
Male	0.45	0.47	0.45	0.47
Female	0.60	0.56	0.60	0.56
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.38	0.41	0.38	0.41
White	0.42	0.44	0.42	0.44
Black or African American	0.98	0.94	0.98	0.94
American Indian or Alaska Native	3.79	4.07	3.79	4.07
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.11	2.25	2.11	2.25
Two or More Races	2.20	2.41	2.20	2.41
Hispanic or Latino	1.21	1.12	1.21	1.12
<b>COUNTY TYPE</b>				
Large Metro	0.54	0.56	0.54	0.56
Small Metro	0.64	0.69	0.64	0.69
Nonmetro	0.78	0.86	0.78	0.86
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.89	0.94	0.30	0.28
Marijuana	0.82	0.88	0.25	0.23
Illicit Drug Other Than Marijuana <sup>2</sup>	0.68	0.72	0.21	0.21
Cigarettes	0.90	0.98	0.30	0.30
Alcohol	0.98	1.07	0.35	0.38
Binge Alcohol <sup>3</sup>	0.93	1.03	0.27	0.31
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.98	1.03	0.41	0.39
Marijuana	0.93	1.01	0.35	0.33
Illicit Drug Other Than Marijuana <sup>2</sup>	0.86	0.96	0.34	0.31
Cigarettes	0.97	1.09	0.38	0.38
Alcohol	1.02	1.06	0.48	0.46
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	1.07	1.05	0.49	0.44
Marijuana	1.06	1.09	0.41	0.36
Illicit Drug Other Than Marijuana <sup>2</sup>	1.03	1.05	0.43	0.40
Cigarettes	1.02	1.13	0.49	0.46
Alcohol	0.96	1.03	0.53	0.49

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.57P How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: P Values from Tests of Differences of Percentages, 2004 Versus 2003**

(I) Demographic Characteristic and (II) Substance Use	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>			
	All/Most of Them		Few/None of Them	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	1.0000		1.0000	
<b>AGE</b>				
12-13	0.2744		0.2744	
14-15	0.6349		0.6349	
16-17	0.9454		0.9454	
<b>GENDER</b>				
Male	0.3306		0.3306	
Female	0.4327		0.4327	
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	0.5369		0.5369	
White	0.8832		0.8832	
Black or African American	0.0753		0.0753	
American Indian or Alaska Native	0.9069		0.9069	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4774		0.4774	
Two or More Races	0.5365		0.5365	
Hispanic or Latino	0.2727		0.2727	
<b>COUNTY TYPE</b>				
Large Metro	0.7542		0.7542	
Small Metro	0.4605		0.4605	
Nonmetro	0.0653		0.0653	
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	0.0336		0.9294	
Marijuana	0.1001		0.8132	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.3790		0.7722	
Cigarettes	0.6844		0.6849	
Alcohol	0.4682		0.6990	
Binge Alcohol <sup>3</sup>	0.7985		0.1989	
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	0.6221		0.5396	
Marijuana	0.5213		0.5863	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.8743		0.9526	
Cigarettes	0.7091		0.8537	
Alcohol	0.1632		0.7304	
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	0.6746		0.9539	
Marijuana	0.5400		0.3900	
Illicit Drug Other Than Marijuana <sup>2</sup>	0.8610		0.3263	
Cigarettes	0.2122		0.1036	
Alcohol	0.4340		0.3131	

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.