

Table 5.53C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	49	78	6	8	17	15	47	75
Rehabilitation Facility - Inpatient	65	60	8	10	20	16	62	57
Rehabilitation Facility - Outpatient	77	95	11	12	21	23	72	90
Mental Health Center - Outpatient	50	69	8	11	14	18	47	64
Emergency Room	23	47	7	6	12	10	20	45
Private Doctor's Office	37	31	7	9	10	10	35	29
Self-Help Group	96	99	12	12	32	28	89	93
Prison/Jail	32	36	6	5	10	10	30	34

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.53D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	2.41	3.01	2.50	2.62	2.62	2.51	4.09	4.54
Rehabilitation Facility - Inpatient	2.92	2.42	3.17	3.09	3.02	2.70	4.95	3.66
Rehabilitation Facility - Outpatient	3.07	3.06	3.56	3.48	3.08	3.24	5.18	4.60
Mental Health Center - Outpatient	2.33	2.73	2.88	3.32	2.42	2.96	3.84	4.08
Emergency Room	1.28	2.01	2.62	1.95	2.07	1.77	1.91	3.02
Private Doctor's Office	1.92	1.42	2.80	2.96	1.73	1.75	3.20	2.09
Self-Help Group	2.91	3.06	3.95	3.84	3.30	3.29	4.63	4.68
Prison/Jail	1.65	1.57	2.32	1.71	1.77	1.75	2.72	2.37

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.53P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	0.1247		0.7367		0.8478		0.1276	
Rehabilitation Facility - Inpatient	0.5390		0.4477		0.8396		0.4684	
Rehabilitation Facility - Outpatient	0.3101		0.9702		0.1296		0.6424	
Mental Health Center - Outpatient	0.2615		0.7646		0.0455		0.7038	
Emergency Room	0.0817		0.1697		0.9764		0.0264	
Private Doctor's Office	0.1917		0.7623		0.5857		0.1323	
Self-Help Group	0.1473		0.2527		0.5656		0.1878	
Prison/Jail	0.8193		0.2365		0.4735		0.8320	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.54C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group:
Standard Errors of Numbers in Thousands, 2003 and 2004**

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	58	65	8	8	11	12	56	63
Rehabilitation Facility - Inpatient	72	76	8	10	17	15	68	73
Rehabilitation Facility - Outpatient	75	110	9	12	21	24	71	107
Mental Health Center - Outpatient	52	101	8	10	15	15	49	99
Emergency Room	26	45	6	6	6	8	25	43
Private Doctor's Office	38	50	6	9	7	10	38	48
Self-Help Group	115	142	12	13	25	28	112	138
Prison/Jail	35	36	5	6	7	9	34	34

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.54D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	2.23	2.12	3.30	2.91	1.74	1.87	3.31	2.99
Rehabilitation Facility - Inpatient	2.58	2.40	3.33	3.57	2.68	2.34	3.71	3.39
Rehabilitation Facility - Outpatient	2.73	2.83	3.80	3.97	2.90	3.10	4.00	3.97
Mental Health Center - Outpatient	1.99	2.98	3.29	3.74	2.25	2.42	2.94	4.14
Emergency Room	1.09	1.51	2.71	2.36	1.00	1.36	1.58	2.12
Private Doctor's Office	1.52	1.81	2.79	3.41	1.17	1.63	2.35	2.52
Self-Help Group	2.83	3.05	4.34	4.31	2.95	3.35	4.04	4.14
Prison/Jail	1.41	1.34	2.23	2.39	1.16	1.61	2.07	1.84

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.54P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group:
P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	0.5112		0.9406		0.5520		0.6769	
Rehabilitation Facility - Inpatient	0.3236		0.2509		0.9948		0.4288	
Rehabilitation Facility - Outpatient	0.0978		0.2226		0.0615		0.3030	
Mental Health Center - Outpatient	0.0372		0.3915		0.3850		0.0732	
Emergency Room	0.0600		0.8339		0.1457		0.1203	
Private Doctor's Office	0.6071		0.2980		0.1070		0.9526	
Self-Help Group	0.9623		1.0000		0.5220		0.6977	
Prison/Jail	0.6366		0.3107		0.2092		0.9843	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.55C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	66	88	9	10	17	16	63	85
Rehabilitation Facility - Inpatient	80	88	11	12	22	19	76	84
Rehabilitation Facility - Outpatient	94	137	13	13	27	30	88	130
Mental Health Center - Outpatient	68	111	11	13	18	20	66	107
Emergency Room	35	63	10	8	14	12	31	60
Private Doctor's Office	45	61	9	11	12	13	43	59
Self-Help Group	131	157	14	15	36	34	126	151
Prison/Jail	37	50	7	7	11	11	34	48

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.55D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	1.79	2.04	2.48	2.17	1.76	1.71	2.79	2.96
Rehabilitation Facility - Inpatient	2.08	1.94	2.76	2.51	2.20	1.96	3.14	2.82
Rehabilitation Facility - Outpatient	2.34	2.41	3.03	2.76	2.36	2.57	3.55	3.42
Mental Health Center - Outpatient	1.80	2.34	2.58	2.71	1.81	2.13	2.82	3.36
Emergency Room	1.05	1.48	2.51	1.91	1.44	1.25	1.49	2.15
Private Doctor's Office	1.30	1.53	2.32	2.61	1.31	1.37	2.01	2.25
Self-Help Group	2.36	2.57	3.32	3.17	2.63	2.62	3.62	3.69
Prison/Jail	1.07	1.27	1.95	1.77	1.25	1.22	1.57	1.85

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.55P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	0.3045		0.8894		0.6529		0.3803	
Rehabilitation Facility - Inpatient	0.4055		0.5573		0.6522		0.5396	
Rehabilitation Facility - Outpatient	0.0434		0.8715		0.0176		0.1417	
Mental Health Center - Outpatient	0.1702		0.8484		0.1037		0.3568	
Emergency Room	0.0213		0.3090		0.4272		0.0149	
Private Doctor's Office	0.4386		0.7945		0.5415		0.5676	
Self-Help Group	0.5323		0.5741		0.9293		0.5144	
Prison/Jail	0.2309		0.9696		0.5355		0.2649	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.