

Table 3.18C Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	83	85	83	85
AGE				
12-13	28	30	28	30
14-15	48	49	48	49
16-17	55	58	55	58
GENDER				
Male	62	59	62	59
Female	53	54	53	54
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	71	75	71	75
White	60	60	60	60
Black or African American	32	32	32	32
American Indian or Alaska Native	5	*	5	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	15	19	15	19
Two or More Races	11	11	11	11
Hispanic or Latino	38	38	38	38
COUNTY TYPE				
Large Metro	63	69	63	69
Small Metro	45	41	45	41
Nonmetro	27	28	27	28
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	42	42	49	47
Marijuana	41	38	38	38
Illicit Drug Other Than Marijuana ²	31	32	38	35
Cigarettes	38	43	56	56
Alcohol	43	44	70	66
Binge Alcohol ³	41	40	49	54
PAST YEAR				
Illicit Drug ²	44	45	74	68
Marijuana	44	44	57	57
Illicit Drug Other Than Marijuana ²	43	41	63	58
Cigarettes	43	45	72	70
Alcohol	44	42	90	88
LIFETIME				
Illicit Drug ²	43	42	89	83
Marijuana	45	44	67	68
Illicit Drug Other Than Marijuana ²	43	42	82	74
Cigarettes	41	43	92	90
Alcohol	39	37	99	97

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.18D Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.33	0.34	0.33	0.34
AGE				
12-13	0.33	0.36	0.33	0.36
14-15	0.58	0.57	0.58	0.57
16-17	0.67	0.71	0.67	0.71
GENDER				
Male	0.49	0.46	0.49	0.46
Female	0.43	0.44	0.43	0.44
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.36	0.34	0.36
White	0.39	0.39	0.39	0.39
Black or African American	0.85	0.83	0.85	0.83
American Indian or Alaska Native	2.55	*	2.55	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.51	1.93	1.51	1.93
Two or More Races	2.64	2.51	2.64	2.51
Hispanic or Latino	0.94	0.90	0.94	0.90
COUNTY TYPE				
Large Metro	0.47	0.52	0.47	0.52
Small Metro	0.61	0.54	0.61	0.54
Nonmetro	0.63	0.67	0.63	0.67
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1.05	1.02	0.23	0.22
Marijuana	1.02	0.92	0.18	0.18
Illicit Drug Other Than Marijuana ²	0.77	0.79	0.18	0.17
Cigarettes	0.95	1.04	0.27	0.26
Alcohol	1.08	1.07	0.33	0.31
Binge Alcohol ³	1.02	0.98	0.23	0.26
PAST YEAR				
Illicit Drug ²	1.11	1.09	0.35	0.32
Marijuana	1.10	1.07	0.27	0.27
Illicit Drug Other Than Marijuana ²	1.06	1.00	0.30	0.27
Cigarettes	1.06	1.10	0.34	0.33
Alcohol	1.09	1.02	0.43	0.42
LIFETIME				
Illicit Drug ²	1.06	1.02	0.42	0.40
Marijuana	1.11	1.08	0.32	0.32
Illicit Drug Other Than Marijuana ²	1.08	1.03	0.39	0.35
Cigarettes	1.02	1.04	0.44	0.43
Alcohol	0.98	0.91	0.47	0.46

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.18P Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.6600		0.6600	
AGE				
12-13	0.1692		0.1692	
14-15	0.8667		0.8667	
16-17	0.7814		0.7814	
GENDER				
Male	0.9078		0.9078	
Female	0.3922		0.3922	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.4744		0.4744	
White	0.9162		0.9162	
Black or African American	0.6473		0.6473	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1959		0.1959	
Two or More Races	0.2872		0.2872	
Hispanic or Latino	0.6676		0.6676	
COUNTY TYPE				
Large Metro	0.2786		0.2786	
Small Metro	0.1509		0.1509	
Nonmetro	0.2700		0.2700	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.0962		0.2725	
Marijuana	0.1760		0.7373	
Illicit Drug Other Than Marijuana ²	0.2783		0.2792	
Cigarettes	0.4160		0.6780	
Alcohol	0.5923		0.4235	
Binge Alcohol ³	0.9555		0.2040	
PAST YEAR				
Illicit Drug ²	0.2474		0.1364	
Marijuana	0.1461		0.5338	
Illicit Drug Other Than Marijuana ²	0.6278		0.2670	
Cigarettes	0.2467		0.4653	
Alcohol	0.8211		0.2774	
LIFETIME				
Illicit Drug ²	0.2685		0.4727	
Marijuana	0.0719		0.5843	
Illicit Drug Other Than Marijuana ²	0.6889		0.9913	
Cigarettes	0.0025		0.0240	
Alcohol	0.3949		0.1746	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.19C Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	102	106	102	106
AGE				
12-13	59	62	59	62
14-15	55	58	55	58
16-17	53	51	53	51
GENDER				
Male	71	75	71	75
Female	67	70	67	70
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	92	91	92	91
White	68	70	68	70
Black or African American	46	42	46	42
American Indian or Alaska Native	6	*	6	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	23	24	23	24
Two or More Races	13	12	13	12
Hispanic or Latino	51	47	51	47
COUNTY TYPE				
Large Metro	76	80	76	80
Small Metro	56	61	56	61
Nonmetro	37	38	37	38
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	36	35	55	58
Marijuana	31	29	49	50
Illicit Drug Other Than Marijuana ²	26	27	41	42
Cigarettes	37	40	59	59
Alcohol	39	39	71	74
Binge Alcohol ³	32	31	57	65
PAST YEAR				
Illicit Drug ²	46	46	74	76
Marijuana	39	39	64	67
Illicit Drug Other Than Marijuana ²	38	37	64	62
Cigarettes	45	47	74	72
Alcohol	53	50	86	90
LIFETIME				
Illicit Drug ²	52	53	85	84
Marijuana	44	46	74	74
Illicit Drug Other Than Marijuana ²	47	46	75	72
Cigarettes	58	53	86	88
Alcohol	60	54	90	92

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.19D Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.42	0.43	0.42	0.43
AGE				
12-13	0.72	0.78	0.72	0.78
14-15	0.68	0.68	0.68	0.68
16-17	0.64	0.64	0.64	0.64
GENDER				
Male	0.57	0.59	0.57	0.59
Female	0.56	0.58	0.56	0.58
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.45	0.45	0.45	0.45
White	0.45	0.46	0.45	0.46
Black or African American	1.26	1.15	1.26	1.15
American Indian or Alaska Native	3.96	*	3.96	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.42	2.48	2.42	2.48
Two or More Races	3.37	2.76	3.37	2.76
Hispanic or Latino	1.29	1.15	1.29	1.15
COUNTY TYPE				
Large Metro	0.58	0.61	0.58	0.61
Small Metro	0.78	0.81	0.78	0.81
Nonmetro	0.87	0.92	0.87	0.92
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.58	0.57	0.30	0.32
Marijuana	0.50	0.47	0.27	0.27
Illicit Drug Other Than Marijuana ²	0.43	0.44	0.22	0.23
Cigarettes	0.61	0.64	0.32	0.32
Alcohol	0.64	0.63	0.39	0.40
Binge Alcohol ³	0.52	0.50	0.31	0.35
PAST YEAR				
Illicit Drug ²	0.75	0.74	0.40	0.41
Marijuana	0.63	0.64	0.35	0.36
Illicit Drug Other Than Marijuana ²	0.61	0.60	0.35	0.34
Cigarettes	0.72	0.77	0.40	0.39
Alcohol	0.85	0.81	0.47	0.49
LIFETIME				
Illicit Drug ²	0.85	0.86	0.46	0.45
Marijuana	0.71	0.74	0.40	0.40
Illicit Drug Other Than Marijuana ²	0.76	0.74	0.41	0.39
Cigarettes	0.93	0.87	0.47	0.48
Alcohol	0.97	0.87	0.49	0.50

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.19P Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.7598		0.7598	
AGE				
12-13	0.4706		0.4706	
14-15	0.5017		0.5017	
16-17	0.4959		0.4959	
GENDER				
Male	0.6094		0.6094	
Female	0.9256		0.9256	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.8100		0.8100	
White	0.1810		0.1810	
Black or African American	0.0486		0.0486	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7801		0.7801	
Two or More Races	0.0738		0.0738	
Hispanic or Latino	0.7273		0.7273	
COUNTY TYPE				
Large Metro	0.7626		0.7626	
Small Metro	0.9349		0.9349	
Nonmetro	0.1080		0.1080	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3512		0.1950	
Marijuana	0.4875		0.5498	
Illicit Drug Other Than Marijuana ²	0.2188		0.3696	
Cigarettes	0.0689		0.6802	
Alcohol	0.0970		0.5272	
Binge Alcohol ³	0.3397		0.0849	
PAST YEAR				
Illicit Drug ²	0.1405		0.2953	
Marijuana	0.3183		0.4962	
Illicit Drug Other Than Marijuana ²	0.1143		0.7540	
Cigarettes	0.0557		0.8950	
Alcohol	0.1296		0.7691	
LIFETIME				
Illicit Drug ²	0.2842		0.5260	
Marijuana	0.2395		0.5567	
Illicit Drug Other Than Marijuana ²	0.4135		0.7839	
Cigarettes	0.0007		0.1440	
Alcohol	0.0550		0.6729	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.