

**Table 6.70A Substance Dependence or Abuse in the Past Year among Persons Aged 12 Older, by Past Year Major Depressive Episode (MDE):
Numbers in Thousands, 2004**

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	7,862	1,845	5,904
Marijuana	4,963	903	3,998
Illicit Drug Other Than Marijuana ⁴	3,930	1,256	2,601
Alcohol	18,941	3,251	15,531
Illicit Drug or Alcohol ⁴	23,197	4,253	18,724
Both Illicit Drug and Alcohol ⁴	3,606	843	2,711
DEPENDENCE³			
Illicit Drug ⁴	5,185	1,423	3,659
Marijuana	2,969	561	2,355
Illicit Drug Other Than Marijuana ⁴	2,764	1,040	1,653
Alcohol	8,427	2,125	6,210
Illicit Drug or Alcohol ⁴	12,241	3,076	8,998
Both Illicit Drug and Alcohol ⁴	1,371	472	871

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. Therefore, estimates in the Total column are not comparable to similar estimates in other detailed tables. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 12 or older, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.70B Substance Dependence or Abuse in the Past Year among Persons Aged 12 Older, by Past Year Major Depressive Episode (MDE): Percentages, 2004

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	3.3	9.6	2.7
Marijuana	2.1	4.7	1.8
Illicit Drug Other Than Marijuana ⁴	1.6	6.5	1.2
Alcohol	7.9	16.8	7.1
Illicit Drug or Alcohol ⁴	9.6	22.0	8.6
Both Illicit Drug and Alcohol ⁴	1.5	4.4	1.2
DEPENDENCE³			
Illicit Drug ⁴	2.2	7.4	1.7
Marijuana	1.2	2.9	1.1
Illicit Drug Other Than Marijuana ⁴	1.1	5.4	0.8
Alcohol	3.5	11.0	2.8
Illicit Drug or Alcohol ⁴	5.1	15.9	4.1
Both Illicit Drug and Alcohol ⁴	0.6	2.4	0.4

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. Therefore, estimates in the Total column are not comparable to similar estimates in other detailed tables. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 12 or older, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.71A Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Numbers in Thousands, 2004

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	1,347	324	993
Marijuana	979	217	736
Illicit Drug Other Than Marijuana ⁴	584	166	408
Alcohol	1,517	274	1,214
Illicit Drug or Alcohol ⁴	2,228	444	1,741
Both Illicit Drug and Alcohol ⁴	635	153	466
DEPENDENCE³			
Illicit Drug ⁴	737	197	520
Marijuana	508	125	366
Illicit Drug Other Than Marijuana ⁴	323	102	213
Alcohol	535	125	397
Illicit Drug or Alcohol ⁴	1,075	258	790
Both Illicit Drug and Alcohol ⁴	197	63	127

*Low precision; no estimate reported.

¹ Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 6.71B Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Percentages, 2004

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	5.3	14.5	4.4
Marijuana	3.9	9.7	3.3
Illicit Drug Other Than Marijuana ⁴	2.3	7.5	1.8
Alcohol	6.0	12.3	5.4
Illicit Drug or Alcohol ⁴	8.8	20.0	7.7
Both Illicit Drug and Alcohol ⁴	2.5	6.9	2.1
DEPENDENCE³			
Illicit Drug ⁴	2.9	8.8	2.3
Marijuana	2.0	5.6	1.6
Illicit Drug Other Than Marijuana ⁴	1.3	4.6	0.9
Alcohol	2.1	5.6	1.8
Illicit Drug or Alcohol ⁴	4.3	11.6	3.5
Both Illicit Drug and Alcohol ⁴	0.8	2.8	0.6

*Low precision; no estimate reported.

¹ Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

**Table 6.72A Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE):
Numbers in Thousands, 2004**

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	6,515	1,521	4,911
Marijuana	3,984	686	3,262
Illicit Drug Other Than Marijuana ⁴	3,346	1,090	2,193
Alcohol	17,424	2,977	14,317
Illicit Drug or Alcohol ⁴	20,969	3,808	16,983
Both Illicit Drug and Alcohol ⁴	2,971	690	2,245
DEPENDENCE³			
Illicit Drug ⁴	4,448	1,227	3,139
Marijuana	2,461	436	1,989
Illicit Drug Other Than Marijuana ⁴	2,441	938	1,440
Alcohol	7,892	2,000	5,813
Illicit Drug or Alcohol ⁴	11,166	2,818	8,208
Both Illicit Drug and Alcohol ⁴	1,174	409	744

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. Therefore, estimates in the Total column are not comparable to similar estimates in other detailed tables. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 18 or older, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.72B Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Percentages, 2004

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	3.0	8.9	2.5
Marijuana	1.9	4.0	1.7
Illicit Drug Other Than Marijuana ⁴	1.6	6.4	1.1
Alcohol	8.1	17.4	7.3
Illicit Drug or Alcohol ⁴	9.7	22.3	8.7
Both Illicit Drug and Alcohol ⁴	1.4	4.0	1.1
DEPENDENCE³			
Illicit Drug ⁴	2.1	7.2	1.6
Marijuana	1.1	2.6	1.0
Illicit Drug Other Than Marijuana ⁴	1.1	5.5	0.7
Alcohol	3.7	11.7	3.0
Illicit Drug or Alcohol ⁴	5.2	16.5	4.2
Both Illicit Drug and Alcohol ⁴	0.5	2.4	0.4

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. Therefore, estimates in the Total column are not comparable to similar estimates in other detailed tables. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 18 or older, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).