

Table 1.1A (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	41,417	41,381	16,461	15,895	24,956	25,486
18	850	772	327	272	523	500
19	702	794	235	268	467	527
20	808	857	303	384	505	473
21	800	775	299	324	501	451
22	744	777	320	330	424	448
23	755	763	261	269	494	495
24	775	800	320	330	455	470
25	717	817	252	309	465	508
26-29	3,487	3,666	1,450	1,399	2,037	2,266
30-34	4,392	3,954	1,733	1,543	2,659	2,411
35-39	4,015	4,119	1,577	1,471	2,438	2,648
40-44	4,270	3,865	1,641	1,349	2,629	2,516
45-49	4,484	4,333	1,903	1,718	2,581	2,616
50-54	3,684	4,299	1,327	1,751	2,357	2,548
55-59	3,649	3,248	1,297	1,280	2,351	1,968
60-64	2,537	2,871	1,160	1,128	1,378	1,742
65 or Older	4,748	4,671	2,057	1,772	2,691	2,900

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.1B (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	18.1	17.8	14.8	14.2	21.1	21.1
18	18.0	16.3	12.8	11.1	24.0	21.9
19	16.1	18.5	10.6	12.4	21.8	24.6
20	17.8	19.1	12.8 ^b	17.6	23.2	20.5
21	18.8	17.7	14.1	14.7	23.6	20.9
22	18.0	18.1	15.2	15.0	20.9	21.2
23	18.7	19.1	12.8	14.3	24.7	23.5
24	19.0	19.2	16.1	15.3	21.8	23.3
25	18.2	20.7	13.3	16.0	22.7	25.2
26-29	20.9	21.5	17.1	16.4	24.9	26.7
30-34	22.1	20.4	17.8	16.5	26.3	24.1
35-39	20.8	20.9	16.5	15.1	24.9	26.6
40-44	20.8	19.0	16.1	14.0	25.6	23.4
45-49	20.2	20.1	17.7	15.9	22.5	24.3
50-54	16.8	18.6	12.4	16.0	20.8	21.1
55-59	18.9	17.2	14.2	13.8	23.2	20.3
60-64	15.4	15.9	14.3	12.8	16.5	18.7
65 or Older	12.2	11.6	12.1	10.1	12.3	12.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.2A (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	41,417	41,381	6,151	6,356	20,648	19,936	14,618	15,089
GENDER								
Male	16,461	15,895	2,317	2,485	8,304 ^a	7,479	5,841	5,931
Female	24,956	25,486	3,835	3,871	12,344	12,457	8,777	9,158
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	36,580	36,793	5,144	5,219	18,046	17,543	13,390	14,031
White	29,704	29,552	3,940	3,867	14,449	13,976	11,314	11,710
Black or African American	4,520	4,364	746	745	2,361	2,235	1,413	1,384
American Indian or Alaska Native	187 ^a	357	31	38	87	146	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	1,425	1,473	234 ^b	386	801	693	390	394
Two or More Races	584	847	167	165	249	373	*	*
Hispanic or Latino	4,837	4,589	1,007	1,137	2,602	2,394	1,228	1,058
CURRENT EMPLOYMENT								
Full-Time	17,465	16,838	1,899	2,117	11,440	10,531	4,126	4,190
Part-Time	6,205	6,523	1,896	1,750	2,882	3,038	1,426	1,735
Unemployed	3,367	3,181	849 ^a	1,013	1,783	1,466	735	702
Other ¹	14,380	14,839	1,506	1,476	4,543	4,900	8,331	8,462

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.2B (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	18.1	17.8	18.1	18.5	20.9	20.3	15.1	15.0
GENDER								
Male	14.8	14.2	13.4	14.5	17.1	15.6	13.0	12.7
Female	21.1	21.1	22.8	22.6	24.8	24.9	17.0	17.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	18.5	18.5	18.7	19.2	22.1	21.9	15.2	15.4
White	19.0	19.0	19.4	19.7	23.3	23.4	15.4	15.4
Black or African American	16.9	16.3	15.3	15.9	19.2	18.5	14.9	13.9
American Indian or Alaska Native	17.4 ^a	27.7	17.2	17.4	18.1 ^a	30.3	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	13.7	13.1	16.3	20.5	15.0	11.9	10.7	11.2
Two or More Races	22.0	25.8	30.4	23.2	23.8	29.6	*	*
Hispanic or Latino	15.2	13.5	15.3	16.1	15.4	13.3	14.7	11.9
CURRENT EMPLOYMENT								
Full-Time	15.3	14.5	15.3 ^a	17.0	17.4 ^a	16.0	11.4	11.2
Part-Time	18.7	20.1	20.0	18.7	23.6	26.3	12.5	15.0
Unemployed	22.7	23.4	18.6 ^b	22.6	26.8	24.9	20.4	21.7
Other ¹	21.4	20.9	19.9	18.5	32.3	33.3	18.3	17.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.3A (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	41,417	41,381	6,151	6,356	20,648	19,936	14,618	15,089
GEOGRAPHIC REGION								
Northeast	7,890 ^a	6,966	1,145	1,093	3,959 ^b	3,250	2,786	2,624
Midwest	9,369	9,020	1,362	1,473	4,475	4,546	3,533	3,000
South	14,656	15,362	2,092	2,104	7,241	7,281	5,322	5,978
West	9,502	10,033	1,553	1,686	4,973	4,860	2,977	3,487
COUNTY TYPE								
Large Metro	21,449	20,781	3,301	3,337	11,041 ^a	9,802	7,106	7,642
Small Metro	13,127	13,668	2,062	2,132	6,519	6,674	4,546	4,862
250K – 1 Mil. Pop.	8,874	9,045	1,362	1,358	4,368	4,481	3,145	3,205
< 250K Pop.	4,252	4,623	700	774	2,151	2,193	1,401	1,657
Nonmetro	6,842	6,932	788	887	3,088	3,460	2,966	2,585
Urbanized	2,963	2,986	338 ^a	448	1,420	1,551	1,204	987
Less Urbanized	3,305	3,318	388	378	1,461	1,647	1,456	1,293
Completely Rural	574	628	63	61	207	262	305	306
POVERTY LEVEL¹								
Less Than 100%	7,323 ^a	8,428	1,572 ^a	1,816	3,367 ^b	4,179	2,384	2,433
100-199%	9,756	9,813	1,517	1,620	4,645	4,573	3,595	3,619
200% or More	24,187	23,005	2,912	2,784	12,636 ^b	11,184	8,639	9,037
GOVERNMENT ASSISTANCE²								
Yes	10,905 ^b	12,505	1,636	1,789	5,608 ^a	6,443	3,661	4,273
No	30,512	28,876	4,515	4,567	15,040 ^b	13,494	10,957	10,816
HEALTH INSURANCE³								
Private	23,693	22,565	3,159	3,364	12,131 ^a	10,940	8,403	8,261
Medicaid/CHIP ⁴	6,084	6,664	1,038	1,069	2,799 ^a	3,305	2,246	2,291
Other ⁵	9,815	9,727	481	479	2,212	1,964	7,123	7,285
No Coverage	7,863	8,095	1,645	1,667	4,562	4,785	1,656	1,643

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.3B (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	18.1	17.8	18.1	18.5	20.9	20.3	15.1	15.0
GEOGRAPHIC REGION								
Northeast	18.7 ^a	16.3	18.9	17.9	22.2 ^b	18.5	15.1	13.9
Midwest	18.7	18.0	18.2 ^a	20.1	21.3	22.0	16.4 ^a	13.5
South	17.4	17.9	16.8	16.7	20.0	20.0	15.1	16.2
West	17.9	18.6	19.1	20.5	21.1	20.7	14.0	15.7
COUNTY TYPE								
Large Metro	17.5	16.8	18.2	18.1	20.2 ^a	18.1	14.3	15.0
Small Metro	18.8	18.8	18.5	19.1	21.9	22.2	15.6	15.4
250K – 1 Mil. Pop.	19.1	18.4	19.4	19.2	21.7	21.8	16.3	14.9
< 250K Pop.	18.1	19.6	17.1	19.0	22.5	23.2	14.3	16.4
Nonmetro	18.7	19.1	16.4	18.7	21.9	24.8	16.7	14.7
Urbanized	19.1	19.8	16.0 ^a	20.3	23.6	25.4	16.2	14.5
Less Urbanized	18.7	19.1	16.6	18.1	21.0	25.1	17.3	14.8
Completely Rural	16.9	16.3	17.9	13.6	17.8	20.1	16.1	14.6
POVERTY LEVEL¹								
Less Than 100%	24.7	25.8	18.2	19.7	26.8	28.5	28.2	27.6
100-199%	20.5	20.5	18.0	18.7	22.3	22.5	19.6	19.3
200% or More	16.0	15.2	18.1	18.0	19.4 ^a	17.7	12.4	12.4
GOVERNMENT ASSISTANCE²								
Yes	27.1	27.9	21.3	20.7	30.1	31.2	26.2	27.5
No	16.1	15.4	17.1	17.8	18.8 ^a	17.4	13.3	12.8
HEALTH INSURANCE³								
Private	15.7	14.9	17.5	17.8	18.8	17.4	12.3	11.8
Medicaid/CHIP ⁴	28.8	28.7	20.4	19.7	30.8	32.3	32.3	30.2
Other ⁵	18.1	17.4	21.0	21.5	33.0	30.2	15.7	15.5
No Coverage	20.4	21.3	17.5	19.2	21.7	22.2	20.5	21.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.