

Table 1.46A Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	8,724	8,540	4,158	3,771	4,566	4,770
18	406	384	186	179	220	205
19	356	379	138	133	218	245
20	305	342	133	171	172	170
21	279	314	136	156	143	158
22	266	255	119	107	147	147
23	250	242	104	107	147	136
24	238	209	120	94	119	115
25	157	205	75	101	82	104
26-29	742	765	376	332	366	432
30-34	755 ^a	536	325	273	430 ^a	264
35-39	593 ^a	822	249	282	344 ^a	541
40-44	790	680	402 ^a	211	389	469
45-49	1,125 ^a	784	520 ^a	316	605	467
50-54	668	931	273	474	395	457
55-59	698	656	340	244	358	412
60-64	435	401	269	236	166	165
65 or Older	660	636	392	353	267	283

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.46B Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	3.8	3.7	3.8	3.4	3.9	4.0
18	8.6	8.2	7.3	7.4	10.1	9.0
19	8.2	8.9	6.2	6.2	10.2	11.5
20	6.8	7.6	5.7	7.9	7.9	7.4
21	6.6	7.2	6.5	7.1	6.7	7.4
22	6.5	6.0	5.7	4.9	7.3	7.0
23	6.2	6.1	5.1	5.7	7.4	6.5
24	5.9	5.0	6.1	4.4	5.7	5.7
25	4.0	5.2	4.0	5.3	4.0	5.2
26-29	4.5	4.5	4.4	3.9	4.5	5.1
30-34	3.8 ^a	2.8	3.3	2.9	4.3 ^a	2.6
35-39	3.1 ^a	4.2	2.6	2.9	3.5 ^a	5.4
40-44	3.9	3.4	4.0 ^a	2.2	3.8	4.4
45-49	5.1 ^a	3.6	4.9 ^a	2.9	5.3	4.4
50-54	3.0	4.0	2.6	4.3	3.5	3.8
55-59	3.6	3.5	3.7	2.6	3.6	4.3
60-64	2.6	2.2	3.3	2.7	2.0	1.8
65 or Older	1.7	1.6	2.3	2.0	1.2	1.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.47A Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Numbers in Thousands, 2010 and 2011

Demographic/Health Characteristic	Had Serious Thoughts of Suicide (2010)	Had Serious Thoughts of Suicide (2011)	Made Any Suicide Plans (2010)	Made Any Suicide Plans (2011)	Attempted Suicide (2010)	Attempted Suicide (2011)
TOTAL	8,724	8,540	2,542	2,406	1,122	1,135
AGE						
18-25	2,257	2,329	661	663	393	415
26-49	4,006	3,587	1,013	1,076	399	443
50 or Older	2,461	2,624	867	667	329	278
GENDER						
Male	4,158	3,771	1,211	1,125	541	437
Female	4,566	4,770	1,331	1,281	581	698
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	7,966	7,691	2,327	2,147	978	959
White	6,294	6,140	1,751	1,666	686	629
Black or African American	1,083	885	394 ^a	237	224	179
American Indian or Alaska Native	81	169	14	*	13	*
Native Hawaiian or Other Pacific Islander	30	*	0	2	0	2
Asian	335	322	117	111	24	97
Two or More Races	142	141	51	45	30	23
Hispanic or Latino	758	849	215	259	143	176
HEALTH INSURANCE¹						
Private	4,685	4,203	1,187	959	543	350
Medicaid/CHIP ²	1,408	1,526	603	588	330	405
Other ³	1,988	1,672	824 ^a	520	372	200
No Coverage	1,846	2,067	523	606	234	347
CURRENT EMPLOYMENT						
Full-Time	3,402	3,019	630	657	269	250
Part-Time	1,496	1,639	380	316	155	242
Unemployed	993	908	391	335	131	175
Other ⁴	2,833	2,974	1,141	1,098	566	469

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.47B Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Percentages, 2010 and 2011

Demographic/Health Characteristic	Had Serious Thoughts of Suicide (2010)	Had Serious Thoughts of Suicide (2011)	Made Any Suicide Plans (2010)	Made Any Suicide Plans (2011)	Attempted Suicide (2010)	Attempted Suicide (2011)
TOTAL	3.8	3.7	1.1	1.0	0.5	0.5
AGE						
18-25	6.7	6.8	1.9	1.9	1.2	1.2
26-49	4.1	3.7	1.0	1.1	0.4	0.5
50 or Older	2.6	2.6	0.9	0.7	0.3	0.3
GENDER						
Male	3.8	3.4	1.1	1.0	0.5	0.4
Female	3.9	4.0	1.1	1.1	0.5	0.6
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4.0	3.9	1.2	1.1	0.5	0.5
White	4.0	4.0	1.1	1.1	0.4	0.4
Black or African American	4.1	3.3	1.5 ^a	0.9	0.8	0.7
American Indian or Alaska Native	7.5	13.1	1.3	*	1.2	*
Native Hawaiian or Other Pacific Islander	4.6	*	0.0	0.2	0.1	0.2
Asian	3.2	2.9	1.1	1.0	0.2	0.9
Two or More Races	5.4	4.4	1.9	1.4	1.1	0.7
Hispanic or Latino	2.4	2.5	0.7	0.8	0.5	0.5
HEALTH INSURANCE¹						
Private	3.1	2.8	0.8	0.6	0.4	0.2
Medicaid/CHIP ²	6.7	6.6	2.9	2.6	1.6	1.8
Other ³	3.7	3.0	1.5 ^a	0.9	0.7	0.4
No Coverage	4.8	5.5	1.4	1.6	0.6	0.9
CURRENT EMPLOYMENT						
Full-Time	3.0	2.6	0.6	0.6	0.2	0.2
Part-Time	4.5	5.1	1.1	1.0	0.5	0.7
Unemployed	6.7	6.7	2.7	2.5	0.9	1.3
Other ⁴	4.2	4.2	1.7	1.6	0.8	0.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.48A Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Numbers in Thousands, 2010 and 2011

Demographic/Health Characteristic	Attempted Suicide (2010)	Attempted Suicide (2011)	Got Medical Attention for Suicide Attempt (2010)	Got Medical Attention for Suicide Attempt (2011)	Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010)	Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011)
TOTAL	1,122	1,135	754	633	574	442
AGE						
18-25	393	415	168	168	98	99
26-49	399	443	305	248	223	173
50 or Older	329	278	281	216	253	170
GENDER						
Male	541	437	340	262	271	189
Female	581	698	414	370	303	252
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	978	959	682	567	542	396
White	686	629	467	377	394	254
Black or African American	224	179	180	74	134	44
American Indian or Alaska Native	13	*	6	*	3	*
Native Hawaiian or Other Pacific Islander	0	2	*	*	*	*
Asian	24	97	13	81	3	65
Two or More Races	30	23	17	9	8	7
Hispanic or Latino	143	176	72	66	32	46
HEALTH INSURANCE¹						
Private	543	350	408 ^b	159	341 ^b	109
Medicaid/CHIP ²	330	405	247	260	182	192
Other ³	372	200	300	153	267	103
No Coverage	234	347	90	195	50	136
CURRENT EMPLOYMENT						
Full-Time	269	250	158	112	116	63
Part-Time	155	242	95	127	66	113
Unemployed	131	175	62	86	46	55
Other ⁴	566	469	440	308	346	210

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.48B Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Percentages, 2010 and 2011

Demographic/Health Characteristic	Attempted Suicide (2010)	Attempted Suicide (2011)	Got Medical Attention for Suicide Attempt (2010)	Got Medical Attention for Suicide Attempt (2011)	Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010)	Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011)
TOTAL	0.5	0.5	0.3	0.3	0.3	0.2
AGE						
18-25	1.2	1.2	0.5	0.5	0.3	0.3
26-49	0.4	0.5	0.3	0.3	0.2	0.2
50 or Older	0.3	0.3	0.3	0.2	0.3	0.2
GENDER						
Male	0.5	0.4	0.3	0.2	0.2	0.2
Female	0.5	0.6	0.4	0.3	0.3	0.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5	0.5	0.3	0.3	0.3	0.2
White	0.4	0.4	0.3	0.2	0.3	0.2
Black or African American	0.8	0.7	0.7	0.3	0.5	0.2
American Indian or Alaska Native	1.2	*	0.6	*	0.3	*
Native Hawaiian or Other Pacific Islander	0.1	0.2	*	*	*	*
Asian	0.2	0.9	0.1	0.7	0.0	0.6
Two or More Races	1.1	0.7	0.6	0.3	0.3	0.2
Hispanic or Latino	0.5	0.5	0.2	0.2	0.1	0.1
HEALTH INSURANCE¹						
Private	0.4	0.2	0.3 ^b	0.1	0.2 ^b	0.1
Medicaid/CHIP ²	1.6	1.8	1.2	1.1	0.9	0.8
Other ³	0.7	0.4	0.6	0.3	0.5	0.2
No Coverage	0.6	0.9	0.2	0.5	0.1	0.4
CURRENT EMPLOYMENT						
Full-Time	0.2	0.2	0.1	0.1	0.1	0.1
Part-Time	0.5	0.7	0.3	0.4	0.2	0.3
Unemployed	0.9	1.3	0.4	0.6	0.3	0.4
Other ⁴	0.8	0.7	0.7	0.4	0.5	0.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.