

Table 1.4A (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	7,865 ^b	6,813	2,182	2,060	4,477 ^b	3,629	1,206	1,124
GENDER								
Male	4,131 ^a	3,459	1,025	984	2,487 ^b	1,863	619	612
Female	3,734	3,354	1,157	1,076	1,990	1,766	586	512
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6,816 ^a	5,945	1,814	1,677	3,897 ^b	3,199	1,105	1,069
White	5,410	4,835	1,417	1,316	3,174 ^a	2,686	819	833
Black or African American	1,024 ^a	729	247	199	527	384	251	145
American Indian or Alaska Native	79	120	18	19	33	32	*	*
Native Hawaiian or Other Pacific Islander	14	22	*	*	*	*	*	*
Asian	155	118	56	87	99	29	*	3
Two or More Races	133	121	69	42	61	59	*	*
Hispanic or Latino	1,048	868	368	384	580	430	101	54
CURRENT EMPLOYMENT								
Full-Time	3,308	2,957	704	705	2,362	1,986	242	265
Part-Time	1,399	1,137	678 ^a	537	580	530	140	69
Unemployed	969	855	372	374	467	393	129	88
Other ¹	2,190	1,865	428	444	1,068 ^b	720	694	702

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.4B (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	3.4 ^b	2.9	6.4	6.0	4.5 ^b	3.7	1.2	1.1
GENDER								
Male	3.7 ^b	3.1	5.9	5.7	5.1 ^b	3.9	1.4	1.3
Female	3.2	2.8	6.9	6.3	4.0	3.5	1.1	1.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.5 ^b	3.0	6.6	6.2	4.8 ^a	4.0	1.3	1.2
White	3.5	3.1	7.0	6.7	5.1	4.5	1.1	1.1
Black or African American	3.8 ^a	2.7	5.1	4.2	4.3	3.2	2.6	1.5
American Indian or Alaska Native	7.4	9.3	9.8	8.8	6.7	6.7	*	*
Native Hawaiian or Other Pacific Islander	2.1	2.5	*	*	*	*	*	*
Asian	1.5	1.1	3.9	4.6	1.9	0.5	*	0.1
Two or More Races	5.0	3.7	12.6 ^a	5.9	5.8	4.7	*	*
Hispanic or Latino	3.3	2.6	5.6	5.4	3.4	2.4	1.2	0.6
CURRENT EMPLOYMENT								
Full-Time	2.9	2.6	5.7	5.6	3.6	3.0	0.7	0.7
Part-Time	4.2	3.5	7.1 ^a	5.7	4.7	4.6	1.2	0.6
Unemployed	6.5	6.3	8.2	8.3	7.0	6.7	3.6	2.7
Other ¹	3.3 ^a	2.6	5.6	5.6	7.6 ^b	4.9	1.5	1.5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.5A (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	7,865 ^b	6,813	2,182	2,060	4,477 ^b	3,629	1,206	1,124
GEOGRAPHIC REGION								
Northeast	1,603 ^a	1,250	442	374	900	687	261	189
Midwest	1,642	1,664	474	467	829	849	339	348
South	2,497	2,132	675	619	1,475 ^a	1,158	347	355
West	2,122	1,767	590	601	1,273 ^a	935	259	232
COUNTY TYPE								
Large Metro	4,352 ^a	3,735	1,177	1,143	2,534 ^a	2,003	641	590
Small Metro	2,466	2,261	751	683	1,339	1,189	376	390
250K – 1 Mil. Pop.	1,696	1,481	512	444	994	785	189	251
< 250K Pop.	770	780	239	238	344	404	187	138
Nonmetro	1,047	817	254	235	604	437	189	145
Urbanized	563	443	117	135	362 ^a	216	84	92
Less Urbanized	415	306	112	82	212	180	91	45
Completely Rural ¹	69	68	25	18	30	42	14	7
POVERTY LEVEL¹								
Less Than 100%	1,619	1,643	556	575	818	769	244	299
100-199%	1,796	1,580	521	490	975	835	300	255
200% or More	4,407 ^b	3,539	1,062	944	2,684 ^b	2,025	661	570
GOVERNMENT ASSISTANCE²								
Yes	2,434	2,143	535	522	1,500	1,214	400	406
No	5,431 ^a	4,671	1,647	1,538	2,978 ^a	2,415	806	718
HEALTH INSURANCE³								
Private	3,938 ^a	3,392	1,089	1,168	2,288 ^a	1,782	561	441
Medicaid/CHIP ⁴	1,291	1,217	315	274	769	594	207	349
Other ⁵	1,220	931	204	162	510 ^a	320	507	449
No Coverage	1,980	1,776	636	530	1,155	1,084	189	162

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.5B (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	3.4 ^b	2.9	6.4	6.0	4.5 ^b	3.7	1.2	1.1
GEOGRAPHIC REGION								
Northeast	3.8 ^a	2.9	7.3	6.1	5.1	3.9	1.4	1.0
Midwest	3.3	3.3	6.3	6.4	4.0	4.1	1.6	1.6
South	3.0 ^a	2.5	5.4	4.9	4.1 ^a	3.2	1.0	1.0
West	4.0	3.3	7.3	7.3	5.4 ^a	4.0	1.2	1.0
COUNTY TYPE								
Large Metro	3.5 ^a	3.0	6.5	6.2	4.6 ^a	3.7	1.3	1.2
Small Metro	3.5	3.1	6.8	6.1	4.5	4.0	1.3	1.2
250K – 1 Mil. Pop.	3.7	3.0	7.3	6.3	4.9	3.8	1.0	1.2
< 250K Pop.	3.3	3.3	5.8	5.9	3.6	4.3	1.9	1.4
Nonmetro	2.9	2.2	5.3	4.9	4.3	3.1	1.1	0.8
Urbanized	3.6	2.9	5.5	6.1	6.0 ^a	3.5	1.1	1.4
Less Urbanized	2.3	1.8	4.8	3.9	3.0	2.7	1.1	0.5
Completely Rural	2.0	1.8	7.2	4.1	2.6	3.2	0.7	0.4
POVERTY LEVEL¹								
Less Than 100%	5.5	5.0	6.4	6.2	6.5	5.2	2.9	3.4
100-199%	3.8	3.3	6.2	5.7	4.7	4.1	1.6	1.4
200% or More	2.9 ^b	2.3	6.6	6.1	4.1 ^b	3.2	0.9	0.8
GOVERNMENT ASSISTANCE²								
Yes	6.0 ^b	4.8	7.0	6.0	8.1 ^b	5.9	2.9	2.6
No	2.9 ^a	2.5	6.2	6.0	3.7 ^a	3.1	1.0	0.8
HEALTH INSURANCE³								
Private	2.6 ^a	2.2	6.0	6.2	3.5 ^a	2.8	0.8	0.6
Medicaid/CHIP ⁴	6.1	5.2	6.2	5.1	8.4 ^a	5.8	3.0	4.6
Other ⁵	2.3	1.7	8.9	7.3	7.6 ^a	4.9	1.1	1.0
No Coverage	5.1	4.7	6.8	6.1	5.5	5.0	2.3	2.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.