

Table 1.60A Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	11,018	10,888	4,373	4,521	6,645	6,367
18	439	407	172	149	267	258
19	342	405	125	146	217	259
20	435	384	173	173	262	211
21	344	311	119	142	225	169
22	324	300	134	110	190	190
23	277	275	97	117	180	157
24	301	297	132	149	169	149
25	231	257	97	104	134	153
26-29	952	1,137	398	459	554	678
30-34	1,014	915	457	432	557	483
35-39	978	878	343	302	635	577
40-44	837	922	291	401	546	521
45-49	1,197	1,185	560	521	637	664
50-54	1,016	1,248	352	549	664	699
55-59	903	720	243	207	661	513
60-64	613	558	305	278	308	280
65 or Older	815	689	376	283	438	407

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.60B Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	4.8	4.7	3.9	4.0	5.6	5.3
18	9.3	8.6	6.8	6.1	12.3	11.3
19	7.8	9.4	5.6	6.7	10.2	12.1
20	9.6	8.6	7.3	7.9	12.1	9.2
21	8.1	7.1	5.6	6.4	10.6	7.8
22	7.9	7.0	6.4	5.0	9.4	9.0
23	6.9	6.9	4.8	6.2	9.0	7.5
24	7.4	7.1	6.6	6.9	8.1	7.4
25	5.9	6.5	5.1	5.4	6.5	7.6
26-29	5.7	6.7	4.7	5.4	6.8	8.0
30-34	5.1	4.7	4.7	4.6	5.5	4.8
35-39	5.1	4.5	3.6	3.1	6.5	5.8
40-44	4.1	4.5	2.8	4.2	5.3	4.9
45-49	5.4	5.5	5.2	4.8	5.5	6.2
50-54	4.6	5.4	3.3	5.0	5.9	5.8
55-59	4.7	3.8	2.7	2.2	6.5	5.3
60-64	3.7	3.1	3.8	3.2	3.7	3.0
65 or Older	2.1	1.7	2.2	1.6	2.0	1.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.61A Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Numbers in Thousands, 2010 and 2011

Demographic/Health Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	11,018	10,888	2,694	2,635	4,978	5,037	3,346	3,215
GENDER								
Male	4,373	4,521	1,049	1,090	2,049	2,114	1,276	1,317
Female	6,645	6,367	1,645	1,545	2,929	2,923	2,071	1,899
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	9,225	9,457	2,177	2,138	4,177	4,437	2,871	2,881
White	7,159	7,172	1,579	1,500	3,302	3,386	2,279	2,286
Black or African American	1,508	1,490	387	408	677	708	443	374
American Indian or Alaska Native	41	101	12	19	24	36	*	*
Native Hawaiian or Other Pacific Islander	50	*	*	*	*	*	*	*
Asian	259	311	103	144	101	125	55	*
Two or More Races	208	260	81	54	50 ^a	122	*	83
Hispanic or Latino	1,793	1,431	517	497	801	600	475	334
HEALTH INSURANCE¹								
Private	4,575	4,180	1,087	1,185	2,115	1,798	1,373	1,197
Medicaid/CHIP ²	2,739	2,928	624	597	1,255	1,497	860	834
Other ³	2,470	2,564	219	188	703	749	1,549	1,628
No Coverage	2,627	2,707	852	757	1,228	1,470	547	480
CURRENT EMPLOYMENT								
Full-Time	3,543	3,476	771	772	2,154	2,053	619	650
Part-Time	1,584	1,735	727	677	658	734	200	324
Unemployed	1,261	1,131	475	525	566	392	220	213
Other ⁴	4,630	4,546	721	661	1,601	1,858	2,308	2,028

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.61B Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Percentages, 2010 and 2011

Demographic/Health Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	4.8	4.7	7.9	7.7	5.1	5.1	3.5	3.2
GENDER								
Male	3.9	4.0	6.1	6.3	4.2	4.4	2.8	2.8
Female	5.6	5.3	9.8	9.0	5.9	5.8	4.0	3.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	4.7	4.8	7.9	7.8	5.1	5.5	3.3	3.2
White	4.6	4.6	7.8	7.7	5.3	5.7	3.1	3.0
Black or African American	5.7	5.6	8.0	8.7	5.5	5.8	4.7	3.8
American Indian or Alaska Native	3.9	7.8	6.5	8.7	5.1	7.4	*	*
Native Hawaiian or Other Pacific Islander	7.5	*	*	*	*	*	*	*
Asian	2.5	2.8	7.2	7.6	1.9	2.2	1.5	*
Two or More Races	7.8	7.9	14.8 ^a	7.6	4.8	9.7	*	6.4
Hispanic or Latino	5.6 ^a	4.2	7.9	7.1	4.7	3.3	5.7	3.7
HEALTH INSURANCE¹								
Private	3.0	2.8	6.0	6.3	3.3	2.9	2.0	1.7
Medicaid/CHIP ²	13.0	12.6	12.3	11.0	13.8	14.6	12.4	11.0
Other ³	4.6	4.6	9.6	8.4	10.5	11.5	3.4	3.5
No Coverage	6.8	7.1	9.1	8.7	5.8	6.8	6.8	6.2
CURRENT EMPLOYMENT								
Full-Time	3.1	3.0	6.2	6.2	3.3	3.1	1.7	1.7
Part-Time	4.8	5.3	7.6	7.2	5.4	6.4	1.7	2.8
Unemployed	8.5	8.3	10.4	11.7	8.5	6.7	6.1	6.6
Other ⁴	6.9	6.4	9.5	8.3	11.4	12.6	5.1	4.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.