

Table 1.6A (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Numbers in Thousands, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	9,334	9,011	3,351	3,218	5,983	5,793
18	192	142	74	56	118	86
19	134	178	37	50	97	128
20	166	198	48	69	118	129
21	184	180	57	74	127	106
22	176	121	67 ^a	29	109	92
23	182	164	51	60	131	104
24	151	157	58	46	93	111
25	148	156	53	62	96	94
26-29	709	890	260	354	449	536
30-34	1,150	936	438	390	712	546
35-39	897	1,029	289	306	608	723
40-44	1,082	1,021	394	280	688	740
45-49	1,293	1,075	526	360	767	715
50-54	1,023	1,322	268 ^a	578	755	743
55-59	913	625	241	181	671	443
60-64	511	547	261	258	249	289
65 or Older	422	271	228	64	194	207

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.6B (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Percentages, 2010 and 2011

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
TOTAL	4.1	3.9	3.0	2.9	5.1	4.8
18	4.1	3.0	2.9	2.3	5.4	3.8
19	3.1	4.1	1.7	2.3	4.5	6.0
20	3.7	4.4	2.0	3.1	5.4	5.6
21	4.3	4.1	2.7	3.4	6.0	4.9
22	4.3 ^a	2.8	3.2 ^b	1.3	5.4	4.4
23	4.5	4.1	2.5	3.2	6.6	4.9
24	3.7	3.8	2.9	2.1	4.5	5.5
25	3.8	3.9	2.8	3.2	4.7	4.7
26-29	4.3	5.2	3.1	4.2	5.5	6.3
30-34	5.8	4.8	4.5	4.2	7.0	5.4
35-39	4.6	5.2	3.0	3.1	6.2	7.3
40-44	5.3	5.0	3.9	2.9	6.7	6.9
45-49	5.8	5.0	4.9	3.3	6.7	6.6
50-54	4.7	5.7	2.5 ^a	5.3	6.7	6.1
55-59	4.7	3.3	2.6	2.0	6.6	4.6
60-64	3.1	3.0	3.2	2.9	3.0	3.1
65 or Older	1.1	0.7	1.3	0.4	0.9	0.9

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.7A (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	9,334	9,011	1,334	1,296	5,132	4,951	2,868	2,764
GENDER								
Male	3,351	3,218	444	446	1,908	1,690	999	1,082
Female	5,983	5,793	890	850	3,224	3,260	1,869	1,682
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	8,304	8,163	1,089	1,090	4,573	4,467	2,642	2,606
White	6,743	6,899	851	846	3,534	3,827	2,359	2,225
Black or African American	1,028 ^a	743	150	125	752 ^b	441	126	176
American Indian or Alaska Native	87	126	9	5	*	44	*	*
Native Hawaiian or Other Pacific Islander	*	*	3	*	*	*	*	*
Asian	232	214	25	61	164	86	*	*
Two or More Races	196	151	51	40	76	50	*	62
Hispanic or Latino	1,030	848	245	206	558	483	226	158
CURRENT EMPLOYMENT								
Full-Time	3,499	3,099	386	378	2,301	2,084	813	637
Part-Time	1,357	1,497	409	409	700	812	248	276
Unemployed	926	737	198	202	526	412	201	122
Other ¹	3,551	3,679	341	307	1,605	1,643	1,606	1,729

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.7B (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	4.1	3.9	3.9	3.8	5.2	5.0	3.0	2.8
GENDER								
Male	3.0	2.9	2.6	2.6	3.9	3.5	2.2	2.3
Female	5.1	4.8	5.3	5.0	6.5	6.5	3.6	3.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	4.2	4.1	4.0	4.0	5.6	5.6	3.0	2.9
White	4.3	4.4	4.2	4.3	5.7	6.4	3.2	2.9
Black or African American	3.9 ^a	2.8	3.1	2.7	6.1 ^b	3.6	1.3	1.8
American Indian or Alaska Native	8.1	9.8	4.8	2.5	*	9.2	*	*
Native Hawaiian or Other Pacific Islander	*	*	2.1	*	*	*	*	*
Asian	2.2	1.9	1.7	3.2	3.1	1.5	*	*
Two or More Races	7.4	4.6	9.4	5.6	7.3	4.0	*	4.7
Hispanic or Latino	3.2	2.5	3.7	2.9	3.3	2.7	2.7	1.8
CURRENT EMPLOYMENT								
Full-Time	3.1	2.7	3.1	3.0	3.5	3.2	2.2	1.7
Part-Time	4.1	4.6	4.3	4.4	5.7	7.0	2.2	2.4
Unemployed	6.3	5.4	4.4	4.5	7.9	7.0	5.6	3.8
Other ¹	5.3	5.2	4.5	3.9	11.4	11.2	3.5	3.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.8A (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	9,334	9,011	1,334	1,296	5,132	4,951	2,868	2,764
GEOGRAPHIC REGION								
Northeast	1,651	1,436	258	204	950	772	442	461
Midwest	2,276	2,109	273	308	1,157	1,216	846	585
South	3,113	3,108	455	449	1,713	1,715	945	944
West	2,293	2,357	347	336	1,312	1,248	634	774
COUNTY TYPE								
Large Metro	4,700	4,153	720	649	2,670 ^a	2,190	1,310	1,314
Small Metro	2,972	3,268	455	499	1,681	1,761	836	1,008
250K – 1 Mil. Pop.	2,091	2,092	314	302	1,192	1,195	585	595
< 250K Pop.	880 ^a	1,176	141	197	489	566	251	413
Nonmetro	1,662	1,590	160	148	781	1,000	721	442
Urbanized	758	686	52	76	369	417	338	194
Less Urbanized	700	765	92	59	359	502	250	204
Completely Rural	203	138	17	12	53	82	*	45
POVERTY LEVEL¹								
Less Than 100%	2,075	2,481	329	366	1,132	1,324	614	791
100-199%	2,242	2,199	369	319	1,232	1,261	641	619
200% or More	4,987 ^a	4,293	607	574	2,767	2,366	1,613	1,354
GOVERNMENT ASSISTANCE²								
Yes	3,093	3,501	420	337	1,754	2,033	920	1,132
No	6,240	5,509	914	960	3,378	2,917	1,948	1,633
HEALTH INSURANCE³								
Private	4,765 ^a	3,967	673	713	2,545	2,210	1,547 ^a	1,044
Medicaid/CHIP ⁴	1,694	2,033	208	200	933 ^a	1,219	553	614
Other ⁵	2,204	1,941	126	102	889 ^a	646	1,188	1,193
No Coverage	1,909	1,972	368	320	1,210	1,217	330	435

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.8B (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	4.1	3.9	3.9	3.8	5.2	5.0	3.0	2.8
GEOGRAPHIC REGION								
Northeast	3.9	3.4	4.3	3.3	5.3	4.4	2.4	2.4
Midwest	4.6	4.2	3.6	4.2	5.5	5.9	3.9	2.6
South	3.7	3.6	3.7	3.6	4.7	4.7	2.7	2.6
West	4.3	4.4	4.3	4.1	5.6	5.3	3.0	3.5
COUNTY TYPE								
Large Metro	3.8	3.4	4.0	3.5	4.9	4.1	2.6	2.6
Small Metro	4.2	4.5	4.1	4.5	5.7	5.9	2.9	3.2
250K – 1 Mil. Pop.	4.5	4.3	4.5	4.3	5.9	5.8	3.0	2.8
< 250K Pop.	3.7 ^a	5.0	3.4 ^a	4.9	5.1	6.0	2.6	4.1
Nonmetro	4.5	4.4	3.3	3.1	5.5 ^a	7.2	4.1	2.5
Urbanized	4.9	4.5	2.4	3.4	6.1	6.8	4.5	2.9
Less Urbanized	4.0	4.4	3.9	2.8	5.2 ^a	7.6	3.0	2.3
Completely Rural	6.0	3.6	4.8	2.8	4.5	6.3	*	2.1
POVERTY LEVEL¹								
Less Than 100%	7.0	7.6	3.8	4.0	9.0	9.0	7.3	9.0
100-199%	4.7	4.6	4.4	3.7	5.9	6.2	3.5	3.3
200% or More	3.3 ^a	2.8	3.8	3.7	4.2	3.8	2.3	1.9
GOVERNMENT ASSISTANCE²								
Yes	7.7	7.8	5.5 ^b	3.9	9.4	9.8	6.6	7.3
No	3.3	2.9	3.5	3.7	4.2	3.8	2.4	1.9
HEALTH INSURANCE³								
Private	3.2 ^b	2.6	3.7	3.8	3.9	3.5	2.3 ^b	1.5
Medicaid/CHIP ⁴	8.0	8.7	4.1	3.7	10.3	11.9	7.9	8.1
Other ⁵	4.1	3.5	5.5	4.6	13.3 ^a	9.9	2.6	2.5
No Coverage	4.9	5.2	3.9	3.7	5.7	5.6	4.1	5.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.