

Table 1.9A (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	2,388	2,123	570	529	1,508 ^a	1,153	310	441
GENDER								
Male	1,069	932	207	207	736 ^a	516	125	208
Female	1,319	1,191	363	322	772	637	185	233
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	2,160	1,893	457	448	1,399 ^a	1,036	304	409
White	1,713	1,617	361	351	1,115	918	237	347
Black or African American	322 ^a	165	49	49	222 ^a	92	51	24
American Indian or Alaska Native	39	40	*	*	15	*	*	*
Native Hawaiian or Other Pacific Islander	4	*	*	*	*	*	*	*
Asian	20	25	10	25	10	*	*	*
Two or More Races	61	36	26	9	35	12	*	*
Hispanic or Latino	228	230	113	81	108	117	6	32
CURRENT EMPLOYMENT								
Full-Time	908 ^b	601	167	140	669 ^a	410	72	51
Part-Time	423	448	201	162	194	229	28	58
Unemployed	287	315	74	104	165	158	*	54
Other ¹	769	759	127	124	480	357	162	278

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.9B (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	1.0	0.9	1.7	1.5	1.5 ^a	1.2	0.3	0.4
GENDER								
Male	1.0	0.8	1.2	1.2	1.5 ^a	1.1	0.3	0.4
Female	1.1	1.0	2.2	1.9	1.5	1.3	0.4	0.4
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.1	1.0	1.7	1.6	1.7 ^a	1.3	0.3	0.4
White	1.1	1.0	1.8	1.8	1.8	1.5	0.3	0.5
Black or African American	1.2 ^a	0.6	1.0	1.0	1.8 ^a	0.8	0.5	0.2
American Indian or Alaska Native	3.7	3.1	*	*	3.2	*	*	*
Native Hawaiian or Other Pacific Islander	0.7	*	*	*	*	*	*	*
Asian	0.2	0.2	0.7	1.3	0.2	*	*	*
Two or More Races	2.3	1.1	4.7	1.2	3.4	1.0	*	*
Hispanic or Latino	0.7	0.7	1.7	1.1	0.6	0.7	0.1	0.4
CURRENT EMPLOYMENT								
Full-Time	0.8 ^b	0.5	1.3	1.1	1.0 ^a	0.6	0.2	0.1
Part-Time	1.3	1.4	2.1	1.7	1.6	2.0	0.2	0.5
Unemployed	1.9	2.3	1.6	2.3	2.5	2.7	*	1.7
Other ¹	1.1	1.1	1.7	1.6	3.4	2.4	0.4	0.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.10A (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	2,388	2,123	570	529	1,508 ^a	1,153	310	441
GEOGRAPHIC REGION								
Northeast	422	314	137 ^a	83	271	187	14	45
Midwest	566	499	109	123	289	229	167	146
South	770	722	160	164	531	418	79	140
West	630	588	163	159	417	319	50	110
COUNTY TYPE								
Large Metro	1,237	1,025	308	286	790 ^a	546	139	192
Small Metro	756	864	198	202	470	451	88	211
250K – 1 Mil. Pop.	523	580	135	125	377	324	11 ^b	130
< 250K Pop.	234	285	63	77	94	127	77	81
Nonmetro	394 ^a	234	63	41	248	155	83	37
Urbanized	179	102	15	24	142	64	22	14
Less Urbanized	179	107	35	16	92	74	52	17
Completely Rural ¹	36	26	13	2	14	17	*	7
POVERTY LEVEL¹								
Less Than 100%	557	664	126	147	347	381	83	135
100-199%	541	460	176 ^a	114	317	249	48	97
200% or More	1,282 ^a	983	260	251	844 ^b	523	178	209
GOVERNMENT ASSISTANCE²								
Yes	895	789	169	122	619	483	107	184
No	1,493	1,334	401	407	889	670	203	257
HEALTH INSURANCE³								
Private	1,104	894	263	311	668	450	173	133
Medicaid/CHIP ⁴	434	514	87	78	292	272	55	164
Other ⁵	401	386	66	38	258 ^a	139	78 ^a	210
No Coverage	653	532	176 ^a	118	428	352	48	62

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.10B (REVISED) Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	1.0	0.9	1.7	1.5	1.5 ^a	1.2	0.3	0.4
GEOGRAPHIC REGION								
Northeast	1.0	0.7	2.3 ^a	1.4	1.5	1.1	0.1	0.2
Midwest	1.1	1.0	1.5	1.7	1.4	1.1	0.8	0.7
South	0.9	0.8	1.3	1.3	1.5	1.1	0.2	0.4
West	1.2	1.1	2.0	1.9	1.8	1.4	0.2	0.5
COUNTY TYPE								
Large Metro	1.0	0.8	1.7	1.6	1.4 ^a	1.0	0.3	0.4
Small Metro	1.1	1.2	1.8	1.8	1.6	1.5	0.3	0.7
250K – 1 Mil. Pop.	1.1	1.2	1.9	1.8	1.9	1.6	0.1 ^b	0.6
< 250K Pop.	1.0	1.2	1.5	1.9	1.0	1.3	0.8	0.8
Nonmetro	1.1 ^a	0.6	1.3	0.9	1.8	1.1	0.5	0.2
Urbanized	1.2	0.7	0.7	1.1	2.4	1.0	0.3	0.2
Less Urbanized	1.0	0.6	1.5	0.7	1.3	1.1	0.6	0.2
Completely Rural	1.1	0.7	3.7	0.4	1.2	1.3	*	0.3
POVERTY LEVEL¹								
Less Than 100%	1.9	2.0	1.5	1.6	2.8	2.6	1.0	1.5
100-199%	1.1	1.0	2.1 ^a	1.3	1.5	1.2	0.3	0.5
200% or More	0.8 ^a	0.6	1.6	1.6	1.3 ^a	0.8	0.3	0.3
GOVERNMENT ASSISTANCE²								
Yes	2.2	1.8	2.2 ^a	1.4	3.3	2.3	0.8	1.2
No	0.8	0.7	1.5	1.6	1.1	0.9	0.2	0.3
HEALTH INSURANCE³								
Private	0.7	0.6	1.5	1.6	1.0	0.7	0.3	0.2
Medicaid/CHIP ⁴	2.1	2.2	1.7	1.4	3.2	2.7	0.8	2.2
Other ⁵	0.7	0.7	2.9	1.7	3.8 ^a	2.1	0.2	0.4
No Coverage	1.7	1.4	1.9	1.4	2.0	1.6	0.6	0.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.