

Table 1.24C (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	616	594	510	452	302	260	240	258	308	286	479	460
AGE												
18-25	93	101	73	81	45	45	35	38	41	49	69	73
26-49	361	356	305	280	183	168	149	151	168	182	245	268
50 or Older	506	471	382	348	226	194	188	198	248	212	402	366
GENDER												
Male	379	364	292	272	177	159	139	146	180	165	275	292
Female	480	456	404	372	234	206	200	205	246	231	372	339
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	584	565	474	445	275	252	226	246	294	276	466	437
White	606	619	439	420	243	234	212	217	287	262	417	403
Black or African American	195	167	132	121	76	66	74	58	76	86	140	104
American Indian or Alaska Native	29	55	*	*	*	*	*	*	*	*	17	12
Native Hawaiian or Other Pacific Islander	*	9	*	*	*	*	*	*	*	*	*	8
Asian	113	136	62	73	*	*	*	*	29	24	95	113
Two or More Races	98	87	*	*	*	*	*	*	*	*	67	35
Hispanic or Latino	193	195	176	124	*	61	88	77	92	74	108	153
CURRENT EMPLOYMENT												
Full-Time	426	420	285	270	173	132	132	154	181	173	312	310
Part-Time	224	223	156	165	86	102	82	83	102	108	163	151
Unemployed	159	142	138	104	83	54	*	72	78	49	83	95
Other ¹	457	401	344	288	192	198	169	167	211	179	302	283

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.24D (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.27	0.26	0.89	0.82	1.67	1.70	1.75	1.77	1.11	1.09	0.24	0.22
AGE												
18-25	0.27	0.30	0.93	0.98	2.32	2.27	1.75	1.86	1.15	1.24	0.23	0.24
26-49	0.37	0.36	1.07	1.09	2.05	2.20	2.26	2.14	1.31	1.56	0.30	0.32
50 or Older	0.52	0.47	1.93	1.75	3.74	3.60	3.99	3.80	2.38	2.01	0.47	0.40
GENDER												
Male	0.34	0.33	1.44	1.37	3.17	2.85	3.09	2.91	1.65	1.60	0.28	0.29
Female	0.41	0.38	1.11	1.09	1.88	2.00	2.03	2.16	1.53	1.50	0.38	0.34
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.30	0.28	0.94	0.87	1.73	1.71	1.86	1.84	1.19	1.16	0.27	0.25
White	0.34	0.34	1.05	1.00	1.90	1.79	2.08	2.06	1.40	1.35	0.31	0.29
Black or African American	0.68	0.59	2.39	2.41	5.01	5.52	5.74	5.47	2.66	2.85	0.62	0.45
American Indian or Alaska Native	2.65	3.64	*	*	*	*	*	*	*	*	2.02	1.31
Native Hawaiian or Other Pacific Islander	*	1.09	*	*	*	*	*	*	*	*	*	1.18
Asian	1.05	1.15	4.03	4.33	*	*	*	*	2.97	3.32	1.03	1.12
Two or More Races	3.21	2.44	*	*	*	*	*	*	*	*	2.99	1.44
Hispanic or Latino	0.61	0.58	2.88	2.33	*	5.68	5.37	5.30	3.27	2.63	0.39	0.51
CURRENT EMPLOYMENT												
Full-Time	0.35	0.34	1.27	1.23	2.63	2.90	2.65	2.69	1.52	1.56	0.31	0.30
Part-Time	0.63	0.63	1.87	1.92	3.84	4.10	3.98	4.11	2.49	2.57	0.58	0.55
Unemployed	0.99	0.97	2.96	2.67	4.99	5.20	*	5.65	4.22	2.92	0.71	0.88
Other ¹	0.60	0.52	1.68	1.53	2.83	2.48	3.22	3.14	2.26	2.02	0.53	0.48

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.24P (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.7149		0.1902		0.2936		0.5684		0.4849		0.3630	
AGE												
18-25	0.2678		0.8104		0.6354		0.6554		0.3661		0.3300	
26-49	0.9944		0.1614		0.2106		0.1293		0.6330		0.0722	
50 or Older	0.5146		0.5601		0.8814		0.6948		0.4880		0.7396	
GENDER												
Male	0.3940		0.8438		0.7524		0.2051		0.6775		0.1369	
Female	0.2329		0.0453		0.2502		0.0559		0.4981		0.9642	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.9858		0.4366		0.6101		0.4555		0.7067		0.5182	
White	0.6257		0.3787		0.6382		0.4046		0.4644		0.1574	
Black or African American	0.1818		0.8685		0.9831		0.2205		0.1400		0.1136	
American Indian or Alaska Native	0.5008		*		*		*		*		0.1435	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.4306		0.7503		*		*		0.6360		0.4164	
Two or More Races	0.6056		*		*		*		*		0.1478	
Hispanic or Latino	0.4529		0.0543		*		0.9870		0.3064		0.1593	
CURRENT EMPLOYMENT												
Full-Time	0.4832		0.1497		0.0144		0.7161		0.8495		0.4664	
Part-Time	0.3239		0.5418		0.9592		0.5732		0.3063		0.8630	
Unemployed	0.6196		0.2284		0.0503		*		0.3351		0.0726	
Other ¹	0.4712		0.5120		0.2707		0.4810		0.2493		0.9288	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.25C (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	616	594	510	452	302	260	240	258	308	286	479	460
GEOGRAPHIC REGION												
Northeast	267	262	205	200	112	100	111	104	127	126	201	187
Midwest	233	237	195	194	130	113	81	105	116	105	183	184
South	389	384	318	286	169	149	153	163	201	192	291	298
West	355	299	281	230	169	147	126	135	164	133	265	241
COUNTY TYPE												
Large Metro	529	507	378	342	213	181	171	189	237	221	351	342
Small Metro	407	382	286	250	144	150	143	147	162	138	285	263
250K – 1 Mil. Pop.	341	308	246	204	127	119	113	121	141	104	235	214
< 250K Pop.	227	246	140	153	67	89	84	79	79	93	161	155
Nonmetro	271	266	193	192	149	105	91	85	122	119	174	162
Urbanized	176	182	117	129	*	66	*	*	75	88	118	116
Less Urbanized	181	192	130	125	*	76	67	61	88	74	116	122
Completely Rural	115	69	*	*	*	*	*	*	*	*	60	39
POVERTY LEVEL¹												
Less Than 100%	247	250	208	200	141	152	104	100	110	95	136	132
100-199%	307	266	231	208	120	113	136	121	148	141	201	166
200% or More	581	587	378	359	224	181	172	201	247	230	422	421
GOVERNMENT ASSISTANCE²												
Yes	346	321	270	265	160	181	139	133	156	146	208	175
No	615	598	430	373	248	192	196	220	270	243	433	428
HEALTH INSURANCE³												
Private	563	563	375	357	220	163	181	200	232	234	413	403
Medicaid/CHIP ⁴	260	245	220	198	141	140	109	99	118	105	140	138
Other ⁵	394	362	291	262	148	145	143	142	197	168	277	252
No Coverage	210	196	175	150	113	98	81	88	112	75	105	118

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.25D (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.27	0.26	0.89	0.82	1.67	1.70	1.75	1.77	1.11	1.09	0.24	0.22
GEOGRAPHIC REGION												
Northeast	0.63	0.62	2.00	2.07	3.65	4.02	4.00	3.90	2.67	2.74	0.56	0.49
Midwest	0.47	0.47	1.57	1.49	3.05	2.62	3.10	3.08	1.96	1.97	0.42	0.41
South	0.46	0.45	1.62	1.44	3.08	3.13	3.19	2.99	2.02	1.96	0.39	0.39
West	0.67	0.56	1.98	1.78	3.47	3.61	3.89	3.96	2.50	2.14	0.59	0.52
COUNTY TYPE												
Large Metro	0.39	0.37	1.29	1.25	2.40	2.67	2.40	2.59	1.65	1.64	0.33	0.31
Small Metro	0.48	0.44	1.54	1.31	2.82	2.60	3.27	2.85	1.88	1.72	0.45	0.40
250K – 1 Mil. Pop.	0.61	0.53	1.87	1.61	3.52	3.34	4.16	3.42	2.36	2.02	0.56	0.48
< 250K Pop.	0.77	0.82	2.49	2.39	4.26	4.22	5.11	5.02	2.94	3.23	0.73	0.72
Nonmetro	0.66	0.57	2.04	1.95	4.05	3.45	4.06	4.00	2.86	2.59	0.57	0.48
Urbanized	0.96	0.87	3.02	3.01	*	5.67	*	*	4.23	3.99	0.86	0.79
Less Urbanized	0.89	0.82	2.91	2.75	*	4.70	6.00	5.57	4.03	3.69	0.78	0.73
Completely Rural	2.63	1.68	*	*	*	*	*	*	*	*	1.88	1.13
POVERTY LEVEL¹												
Less Than 100%	0.75	0.68	2.08	1.83	3.52	3.31	4.39	3.59	2.69	2.29	0.59	0.52
100-199%	0.60	0.54	1.79	1.66	3.59	3.32	3.40	3.55	2.51	2.28	0.52	0.43
200% or More	0.33	0.33	1.16	1.13	2.26	2.49	2.36	2.49	1.46	1.43	0.31	0.30
GOVERNMENT ASSISTANCE²												
Yes	0.73	0.62	1.76	1.56	2.94	2.74	3.39	2.99	2.56	2.14	0.67	0.52
No	0.29	0.27	1.06	0.97	2.08	2.20	2.10	2.13	1.27	1.26	0.26	0.25
HEALTH INSURANCE³												
Private	0.33	0.32	1.17	1.11	2.17	2.55	2.35	2.34	1.41	1.47	0.31	0.29
Medicaid/CHIP ⁴	1.05	0.93	2.54	2.24	3.60	3.17	4.52	4.14	3.50	3.08	0.89	0.79
Other ⁵	0.66	0.60	2.17	2.07	4.07	3.50	4.64	4.39	2.86	2.47	0.59	0.52
No Coverage	0.53	0.50	1.80	1.61	3.90	3.50	3.60	3.38	2.37	1.76	0.34	0.39

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.25P (REVISED) Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.7149		0.1902		0.2936		0.5684		0.4849		0.3630	
GEOGRAPHIC REGION												
Northeast	0.3608		0.3610		0.4424		0.8338		0.0681		0.4433	
Midwest	0.4861		0.7597		0.6599		0.1992		0.7483		0.2024	
South	0.7303		0.3484		0.5858		0.3465		0.8220		0.3152	
West	0.4189		0.0342		0.7165		0.6205		0.0168		0.8323	
COUNTY TYPE												
Large Metro	0.6831		0.2490		0.4005		0.7368		0.6289		0.3378	
Small Metro	0.7170		0.8989		0.6422		0.6419		0.8364		0.6820	
250K – 1 Mil. Pop.	0.1828		0.7601		0.4907		0.8337		0.5920		0.2450	
< 250K Pop.	0.1924		0.8333		0.9110		0.2478		0.7096		0.3154	
Nonmetro	0.7754		0.3119		0.5325		0.7681		0.5721		0.2596	
Urbanized	0.8895		0.2328		*		*		0.5696		0.3471	
Less Urbanized	0.4384		0.9415		*		0.5382		0.7680		0.3231	
Completely Rural	0.3796		*		*		*		*		0.6605	
POVERTY LEVEL¹												
Less Than 100%	0.8990		0.2481		0.8426		0.1128		0.3931		0.6229	
100-199%	0.9516		0.9385		0.9627		0.2077		0.3156		0.8898	
200% or More	0.5956		0.3022		0.2219		0.3010		0.2868		0.4129	
GOVERNMENT ASSISTANCE²												
Yes	0.2787		0.1348		0.6028		0.0162		0.4437		0.5451	
No	0.8753		0.4558		0.0685		0.3827		0.7033		0.2270	
HEALTH INSURANCE³												
Private	0.3917		0.2887		0.0200		0.6884		0.6981		0.6207	
Medicaid/CHIP ⁴	0.7111		0.9144		0.9094		0.4142		0.7120		0.5892	
Other ⁵	0.7136		0.5541		0.1139		0.8520		0.8074		0.5659	
No Coverage	0.5740		0.0473		0.4973		0.6143		0.0199		0.3921	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.26C (REVISED) Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	154	148	104	130	72	104	39	60	58	53	118	65
AGE												
18-25	31	31	21	26	14	16	10	13	13	16	22	17
26-49	84	88	79	76	56	59	32	41	37	27	35	43
50 or Older	128	107	64	98	43	77	22	42	43	43	111	46
GENDER												
Male	117	106	73	86	51	70	27	41	36	29	98	58
Female	100	101	75	97	51	75	29	44	45	44	66	29
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	144	139	93	121	66	95	32	54	47	50	115	61
White	96	117	75	99	55	90	28	31	34	29	59	57
Black or African American	76	58	42	49	31	18	8	28	25	36	63	22
American Indian or Alaska Native	7	*	*	*	*	*	*	*	*	*	4	*
Native Hawaiian or Other Pacific Islander	*	1	*	*	*	*	*	*	*	*	*	1
Asian	82	41	*	40	*	*	*	*	*	18	*	6
Two or More Races	13	10	11	10	*	*	*	*	1	2	7	3
Hispanic or Latino	58	45	50	41	28	27	24	26	35	17	30	18
HEALTH INSURANCE¹												
Private	80	74	64	60	44	49	23	24	34	25	47	44
Medicaid/CHIP ²	121	90	72	84	47	66	32	37	38	36	97	34
Other ³	116	92	60	79	46	56	18	38	33	42	105	47
No Coverage	37	59	29	54	23	34	12	34	14	24	23	22
CURRENT EMPLOYMENT												
Full-Time	53	66	40	59	31	41	22	40	11	15	35	30
Part-Time	36	54	35	54	20	49	7	6	25	22	8	11
Unemployed	34	35	28	30	19	24	11	17	17	8	19	18
Other ⁴	135	114	84	99	58	77	30	42	48	44	111	53

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.26D (REVISED) Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.07	0.06	0.25	0.31	0.77	1.11	0.39	0.57	0.26	0.24	0.06	0.03
AGE												
18-25	0.09	0.09	0.35	0.40	1.06	1.19	0.58	0.78	0.42	0.46	0.08	0.06
26-49	0.09	0.09	0.38	0.38	1.04	1.17	0.64	0.78	0.35	0.27	0.04	0.06
50 or Older	0.13	0.11	0.44	0.63	1.50	2.61	0.65	1.20	0.51	0.48	0.13	0.05
GENDER												
Male	0.11	0.09	0.44	0.53	1.50	2.06	0.74	1.13	0.39	0.32	0.10	0.06
Female	0.08	0.08	0.30	0.37	0.84	1.25	0.46	0.64	0.35	0.33	0.07	0.03
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.07	0.07	0.25	0.33	0.79	1.12	0.36	0.58	0.24	0.26	0.07	0.04
White	0.06	0.07	0.25	0.33	0.82	1.23	0.39	0.41	0.22	0.19	0.05	0.05
Black or African American	0.28	0.22	0.92	1.10	2.93	2.44	0.93	2.77	0.96	1.32	0.28	0.10
American Indian or Alaska Native	0.63	*	*	*	*	*	*	*	*	*	0.47	*
Native Hawaiian or Other Pacific Islander	*	0.12	*	*	*	*	*	*	*	*	*	0.14
Asian	0.78	0.36	*	2.66	*	*	*	*	*	2.39	*	0.06
Two or More Races	0.48	0.32	1.88	1.18	*	*	*	*	0.43	0.43	0.32	0.14
Hispanic or Latino	0.18	0.13	1.03	0.86	2.71	3.08	1.83	2.32	1.35	0.63	0.11	0.06
HEALTH INSURANCE¹												
Private	0.05	0.05	0.27	0.26	0.91	1.18	0.42	0.40	0.25	0.20	0.04	0.03
Medicaid/CHIP ²	0.55	0.38	1.13	1.22	2.73	2.97	1.98	2.36	1.30	1.12	0.64	0.21
Other ³	0.21	0.17	0.61	0.80	2.04	2.70	0.92	1.82	0.59	0.73	0.24	0.10
No Coverage	0.10	0.15	0.37	0.66	1.18	1.71	0.62	1.57	0.35	0.60	0.07	0.07
CURRENT EMPLOYMENT												
Full-Time	0.05	0.06	0.23	0.35	0.89	1.30	0.52	0.88	0.11	0.17	0.04	0.03
Part-Time	0.11	0.17	0.56	0.81	1.50	3.05	0.47	0.38	0.73	0.63	0.03	0.04
Unemployed	0.23	0.26	0.83	0.94	2.07	3.15	1.32	1.93	1.07	0.52	0.16	0.17
Other ⁴	0.20	0.16	0.58	0.65	1.63	1.98	0.87	1.18	0.64	0.58	0.21	0.09

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.26P (REVISED) Received Inpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.9935		0.1320		0.1090		0.2670		0.7491		0.0994	
AGE												
18-25	0.8172		0.2614		0.9605		0.3099		0.1907		0.2484	
26-49	0.8603		0.9782		0.5231		0.9604		0.2600		0.5358	
50 or Older	0.8743		0.0691		0.0794		0.1196		0.9341		0.0588	
GENDER												
Male	0.9956		0.3451		0.4066		0.4907		0.9702		0.4708	
Female	0.9939		0.2249		0.1419		0.2990		0.6862		0.0443	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.6406		0.0583		0.0860		0.2650		0.7496		0.1568	
White	0.1798		0.0942		0.0526		0.8732		0.7031		0.9740	
Black or African American	0.5561		0.4896		0.8926		0.1651		0.5662		0.1537	
American Indian or Alaska Native	*		*		*		*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.4963		*		*		*		*		*	
Two or More Races	0.6915		0.6925		*		*		0.8852		0.6243	
Hispanic or Latino	0.2563		0.6391		0.9248		0.6626		0.2305		0.2941	
HEALTH INSURANCE¹												
Private	0.3458		0.5232		0.8567		0.8489		0.4864		0.6606	
Medicaid/CHIP ²	0.5740		0.3818		0.4153		0.5411		0.8231		0.0999	
Other ³	0.4372		0.2413		0.4570		0.1133		0.7400		0.0651	
No Coverage	0.0713		0.0705		0.1398		0.4828		0.3924		0.7743	
CURRENT EMPLOYMENT												
Full-Time	0.6496		0.2894		0.3786		0.7311		0.3686		0.5714	
Part-Time	0.4278		0.5218		0.3436		0.5684		0.7989		0.9796	
Unemployed	0.8490		0.9844		0.4849		0.7882		0.2633		0.7796	
Other ⁴	0.5333		0.3515		0.4749		0.1740		0.7547		0.0864	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Inpatient Mental Health Treatment/Counseling is defined as having received inpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.27C (REVISED) Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	448	437	368	348	244	214	183	190	194	212	274	279
AGE												
18-25	70	76	58	65	38	38	25	32	34	38	44	45
26-49	273	275	222	219	146	134	109	117	119	142	155	176
50 or Older	337	337	274	271	180	161	146	146	148	151	219	201
GENDER												
Male	273	265	213	216	149	124	106	110	120	129	173	171
Female	340	325	283	274	184	173	150	149	152	164	205	209
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	417	418	336	339	216	210	168	182	184	198	266	267
White	409	418	305	316	188	193	159	156	172	189	248	246
Black or African American	119	123	104	97	54	63	53	*	69	57	56	74
American Indian or Alaska Native	21	35	*	*	*	*	*	*	*	*	9	10
Native Hawaiian or Other Pacific Islander	*	8	*	*	*	*	*	*	*	*	*	7
Asian	57	96	34	53	*	*	*	*	12	19	45	77
Two or More Races	76	76	*	*	*	*	*	*	*	11	33	19
Hispanic or Latino	158	132	149	101	*	47	72	56	60	68	64	84
HEALTH INSURANCE¹												
Private	384	371	278	273	175	139	141	146	155	179	239	230
Medicaid/CHIP ²	181	191	161	166	112	119	78	92	86	77	79	84
Other ³	240	250	203	207	119	126	113	104	116	120	131	136
No Coverage	143	131	119	108	82	69	62	62	57	59	73	75
CURRENT EMPLOYMENT												
Full-Time	301	274	206	198	145	98	93	112	112	134	197	179
Part-Time	146	159	105	135	63	89	56	65	66	80	102	85
Unemployed	123	106	103	85	61	39	*	*	38	47	69	63
Other ⁴	286	283	248	223	157	166	130	122	143	126	145	179

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.27D (REVISED) Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.20	0.19	0.78	0.74	1.89	1.78	1.57	1.55	0.82	0.90	0.14	0.14
AGE												
18-25	0.21	0.22	0.82	0.84	2.30	2.20	1.35	1.69	1.02	0.98	0.15	0.15
26-49	0.28	0.28	0.92	0.98	2.13	2.17	1.91	1.91	1.05	1.34	0.19	0.22
50 or Older	0.35	0.34	1.63	1.60	4.48	4.14	3.63	3.42	1.63	1.57	0.26	0.23
GENDER												
Male	0.25	0.24	1.16	1.22	3.36	3.08	2.66	2.59	1.19	1.35	0.18	0.18
Female	0.29	0.27	0.98	0.93	2.18	2.12	1.90	1.90	1.12	1.17	0.21	0.22
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.21	0.21	0.81	0.80	1.96	1.87	1.67	1.65	0.87	0.95	0.16	0.16
White	0.24	0.25	0.90	0.93	2.14	2.06	1.86	1.76	1.00	1.14	0.19	0.19
Black or African American	0.44	0.45	2.08	2.09	4.46	5.81	4.93	*	2.51	2.05	0.25	0.32
American Indian or Alaska Native	1.91	2.65	*	*	*	*	*	*	*	*	1.07	1.08
Native Hawaiian or Other Pacific Islander	*	1.00	*	*	*	*	*	*	*	*	*	1.04
Asian	0.55	0.83	2.45	3.45	*	*	*	*	1.31	2.53	0.50	0.78
Two or More Races	2.65	2.19	*	*	*	*	*	*	*	2.61	1.56	0.78
Hispanic or Latino	0.50	0.39	2.63	2.07	*	5.04	4.74	4.52	2.26	2.45	0.24	0.29
HEALTH INSURANCE¹												
Private	0.24	0.23	1.04	1.03	2.61	2.56	2.17	2.06	1.08	1.27	0.18	0.17
Medicaid/CHIP ²	0.79	0.77	2.18	2.09	4.43	3.69	4.25	4.42	2.80	2.36	0.52	0.50
Other ³	0.43	0.44	1.79	1.85	4.20	4.24	4.23	4.08	1.94	1.97	0.29	0.29
No Coverage	0.37	0.34	1.41	1.26	3.66	3.11	2.98	2.70	1.37	1.43	0.24	0.25
CURRENT EMPLOYMENT												
Full-Time	0.25	0.23	1.08	1.04	3.01	2.64	2.10	2.24	1.08	1.31	0.20	0.18
Part-Time	0.43	0.46	1.51	1.77	3.86	4.32	3.36	3.67	1.79	2.10	0.37	0.32
Unemployed	0.79	0.75	2.64	2.39	5.36	4.59	*	*	2.39	2.81	0.60	0.60
Other ⁴	0.41	0.40	1.46	1.37	3.20	2.94	3.08	2.84	1.76	1.58	0.27	0.31

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.27P (REVISED) Received Outpatient Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.8610		0.5653		0.5330		0.4355		0.2713		0.9776	
AGE												
18-25	0.1085		0.3903		0.7531		0.1348		0.7175		0.2096	
26-49	0.9489		0.8576		0.9624		0.3877		0.5055		0.8165	
50 or Older	0.9929		0.6460		0.3991		0.5088		0.3666		0.6478	
GENDER												
Male	0.9537		0.3233		0.8710		0.3626		0.3161		0.5967	
Female	0.9006		0.8513		0.3417		0.0842		0.5985		0.6995	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.6063		0.3543		0.1972		0.4212		0.3632		0.8266	
White	0.5471		0.3062		0.3547		0.3483		0.2161		0.8534	
Black or African American	0.7816		0.8148		0.0564		*		0.8272		0.9347	
American Indian or Alaska Native	0.7342		*		*		*		*		0.4974	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.3109		0.6618		*		*		0.3809		0.3145	
Two or More Races	0.6654		*		*		*		*		0.1085	
Hispanic or Latino	0.4924		0.3776		*		0.8262		0.3616		0.3364	
HEALTH INSURANCE¹												
Private	0.6843		0.8517		0.6267		0.5079		0.1228		0.9472	
Medicaid/CHIP ²	0.2494		0.1177		0.1082		0.4451		0.7108		0.9037	
Other ³	0.4498		0.2010		0.0507		0.3383		0.0925		0.8958	
No Coverage	0.4874		0.2800		0.7453		0.4730		0.2886		0.8569	
CURRENT EMPLOYMENT												
Full-Time	0.2837		0.9261		0.0963		0.8010		0.1171		0.3562	
Part-Time	0.3975		0.1443		0.1712		0.9338		0.4169		0.2838	
Unemployed	0.9702		0.5906		0.3928		*		0.9324		0.6493	
Other ⁴	0.4114		0.8287		0.1231		0.2950		0.8236		0.1275	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.28C (REVISED) Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	557	570	488	428	284	249	225	243	292	262	412	427
AGE												
18-25	82	86	64	67	42	39	30	34	36	41	58	64
26-49	324	328	285	255	176	157	140	136	158	168	203	235
50 or Older	468	449	369	334	212	187	179	192	234	197	357	349
GENDER												
Male	333	339	269	248	153	150	129	134	168	150	237	262
Female	451	433	387	351	227	199	192	195	230	214	333	315
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	531	537	453	418	253	242	213	232	280	251	403	398
White	554	568	428	393	235	224	202	204	271	237	374	371
Black or African American	169	139	113	114	67	65	64	*	64	79	124	77
American Indian or Alaska Native	28	54	*	*	*	*	*	*	*	*	16	9
Native Hawaiian or Other Pacific Islander	*	8	*	*	*	*	*	*	*	*	*	7
Asian	63	106	50	61	*	*	*	*	20	21	39	85
Two or More Races	71	85	27	*	*	*	*	*	*	*	66	31
Hispanic or Latino	186	183	168	117	115	58	84	68	80	71	101	139
HEALTH INSURANCE¹												
Private	495	511	353	334	199	158	167	190	217	208	361	372
Medicaid/CHIP ²	229	229	208	189	139	132	107	94	101	98	99	125
Other ³	369	347	282	255	146	143	137	137	190	160	247	241
No Coverage	195	172	163	130	109	88	79	71	102	68	100	100
CURRENT EMPLOYMENT												
Full-Time	366	374	262	247	153	124	122	142	170	154	271	279
Part-Time	206	205	144	152	82	89	78	79	89	104	147	136
Unemployed	142	129	125	100	81	53	54	69	73	47	70	78
Other ⁴	427	381	334	286	190	195	165	162	195	171	266	259

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.28D (REVISED) Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.24	0.25	0.90	0.82	1.80	1.80	1.72	1.75	1.09	1.03	0.21	0.21
AGE												
18-25	0.24	0.25	0.89	0.92	2.31	2.22	1.61	1.72	1.07	1.13	0.20	0.22
26-49	0.33	0.33	1.07	1.05	2.15	2.26	2.17	2.07	1.29	1.47	0.25	0.29
50 or Older	0.49	0.45	1.94	1.77	4.10	3.76	3.95	3.82	2.30	1.97	0.42	0.39
GENDER												
Male	0.30	0.30	1.36	1.29	3.27	3.01	2.96	2.86	1.57	1.49	0.25	0.27
Female	0.38	0.36	1.14	1.07	2.01	2.08	2.12	2.13	1.48	1.44	0.34	0.32
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.27	0.27	0.95	0.86	1.86	1.84	1.86	1.83	1.18	1.09	0.24	0.23
White	0.32	0.32	1.07	0.98	1.98	1.96	2.09	2.02	1.38	1.27	0.29	0.28
Black or African American	0.60	0.50	2.17	2.33	4.97	5.61	5.41	*	2.33	2.67	0.55	0.34
American Indian or Alaska Native	2.53	3.62	*	*	*	*	*	*	*	*	1.85	1.00
Native Hawaiian or Other Pacific Islander	*	0.99	*	*	*	*	*	*	*	*	*	1.08
Asian	0.59	0.91	3.26	3.74	*	*	*	*	2.09	2.84	0.43	0.86
Two or More Races	2.46	2.39	4.81	*	*	*	*	*	*	*	2.96	1.28
Hispanic or Latino	0.59	0.54	2.83	2.30	6.00	5.50	5.21	5.04	2.92	2.55	0.37	0.46
HEALTH INSURANCE¹												
Private	0.30	0.30	1.17	1.09	2.45	2.57	2.30	2.31	1.39	1.37	0.27	0.27
Medicaid/CHIP ²	0.97	0.88	2.51	2.25	3.91	3.69	4.58	4.27	3.10	2.92	0.65	0.72
Other ³	0.63	0.59	2.15	2.08	4.07	3.74	4.70	4.52	2.80	2.43	0.53	0.50
No Coverage	0.49	0.43	1.73	1.47	3.98	3.51	3.50	2.94	2.22	1.61	0.33	0.33
CURRENT EMPLOYMENT												
Full-Time	0.30	0.31	1.24	1.20	2.91	2.89	2.51	2.58	1.48	1.47	0.27	0.27
Part-Time	0.58	0.59	1.84	1.86	3.96	4.35	4.00	4.05	2.28	2.51	0.53	0.51
Unemployed	0.90	0.89	2.86	2.62	5.41	5.23	5.04	5.84	4.04	2.76	0.60	0.74
Other ⁴	0.57	0.51	1.70	1.57	2.91	2.66	3.26	3.23	2.16	1.98	0.48	0.44

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.28P (REVISED) Received Prescription Medication as a Type of Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Past Year Level of Mental Illness, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic/Health Characteristic	Total (2010)	Total (2011)	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
TOTAL	0.7278		0.2543		0.2888		0.4716		0.7397		0.3945	
AGE												
18-25	0.2212		0.8983		0.3427		0.4674		0.6179		0.1417	
26-49	0.6741		0.1593		0.1964		0.0647		0.8863		0.1784	
50 or Older	0.7203		0.7445		0.9586		0.7013		0.6813		0.8960	
GENDER												
Male	0.1651		0.8015		0.8388		0.4784		0.9861		0.0347	
Female	0.1172		0.0649		0.1930		0.1118		0.5945		0.5480	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.9201		0.5666		0.7185		0.4553		0.8731		0.5203	
White	0.7760		0.2389		0.2605		0.3858		0.4733		0.1531	
Black or African American	0.3035		0.4306		0.3318		*		0.0540		0.0374	
American Indian or Alaska Native	0.4010		*		*		*		*		0.1380	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.2837		0.9943		*		*		0.4560		0.1366	
Two or More Races	0.5716		*		*		*		*		0.1855	
Hispanic or Latino	0.3376		0.0415		0.0119		0.6827		0.6247		0.2209	
HEALTH INSURANCE¹												
Private	0.2843		0.3225		0.0825		0.8124		0.8997		0.8864	
Medicaid/CHIP ²	0.4322		1.0000		0.7027		0.2634		0.3931		0.1336	
Other ³	0.9831		0.6658		0.1784		0.9489		0.8398		0.9494	
No Coverage	0.3368		0.0524		0.3075		0.3953		0.1083		0.7793	
CURRENT EMPLOYMENT												
Full-Time	0.3164		0.0533		0.0270		0.6420		0.3559		0.4361	
Part-Time	0.2743		0.3643		0.6506		0.6485		0.0711		0.9022	
Unemployed	0.4936		0.5352		0.1319		0.1476		0.6200		0.0953	
Other ⁴	0.5656		0.7121		0.3693		0.3367		0.6188		0.8914	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Prescription Medication Mental Health Treatment/Counseling is defined as having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

³ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

⁴ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.