

**Table 1.33C (REVISED) Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2010 and 2011**

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment or Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment Only <sup>1</sup>		Substance Use Treatment at a Specialty Facility Only <sup>2</sup>		Mental Health Treatment and Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment and Substance Use Treatment at a Specialty Facility <sup>1,2</sup>
	(2010)	(2011)	(2010)	(2011)	(2010)	(2011)	(2010)	(2011)
<b>TOTAL</b>	622	603	609	591	117	98	103	106
<b>DEPENDENCE OR ABUSE</b>	241	215	209	191	78	64	88	75
Any Mental Illness	195	165	168	144	43	42	85	70
Serious Mental Illness	138	121	114	105	32	27	67	51
Moderate Mental Illness	89	70	79	62	17	19	37	25
Mild Mental Illness	108	88	98	75	23	26	39	41
No Mental Illness	149	134	127	124	65	46	21	22
<b>NO DEPENDENCE OR ABUSE</b>	652	648	651	639	81	72	52	74
Any Mental Illness	465	439	462	430	50	35	45	57
Serious Mental Illness	268	227	266	223	1	13	26	35
Moderate Mental Illness	223	249	221	247	25	11	25	31
Mild Mental Illness	293	276	290	272	44	31	27	32
No Mental Illness	460	445	457	439	65	63	25	47

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>2</sup> Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.33D (REVISED) Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Percentages, 2010 and 2011**

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment or Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment Only <sup>1</sup>	Mental Health Treatment Only <sup>1</sup>	Substance Use Treatment at a Specialty Facility Only <sup>2</sup>	Substance Use Treatment at a Specialty Facility Only <sup>2</sup>	Mental Health Treatment and Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment and Substance Use Treatment at a Specialty Facility <sup>1,2</sup>
	(2010)	(2011)	(2010)	(2011)	(2010)	(2011)	(2010)	(2011)
<b>TOTAL</b>	0.27	0.26	0.27	0.25	0.05	0.04	0.04	0.05
<b>DEPENDENCE OR ABUSE</b>	0.97	0.99	0.88	0.91	0.38	0.33	0.42	0.39
Any Mental Illness	1.74	1.80	1.68	1.74	0.54	0.60	1.02	1.00
Serious Mental Illness	2.63	3.14	3.23	3.38	1.30	1.22	2.47	2.28
Moderate Mental Illness	3.42	3.33	3.21	3.14	0.81	1.19	1.71	1.54
Mild Mental Illness	2.49	2.48	2.47	2.22	0.69	0.83	1.08	1.28
No Mental Illness	1.05	1.02	0.92	0.96	0.50	0.38	0.17	0.18
<b>NO DEPENDENCE OR ABUSE</b>	0.28	0.27	0.28	0.27	0.04	0.03	0.02	0.03
Any Mental Illness	1.00	0.96	1.00	0.95	0.15	0.10	0.13	0.16
Serious Mental Illness	2.06	1.97	2.06	1.99	0.02	0.18	0.38	0.50
Moderate Mental Illness	1.99	1.98	1.97	1.99	0.32	0.13	0.33	0.35
Mild Mental Illness	1.24	1.21	1.23	1.20	0.23	0.16	0.14	0.17
No Mental Illness	0.25	0.23	0.25	0.23	0.04	0.04	0.01	0.03

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>2</sup> Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.33P (REVISED) Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment or Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment Only <sup>1</sup>	Mental Health Treatment Only <sup>1</sup>	Substance Use Treatment at a Specialty Facility Only <sup>2</sup>	Substance Use Treatment at a Specialty Facility Only <sup>2</sup>	Mental Health Treatment and Substance Use Treatment at a Specialty Facility <sup>1,2</sup>	Mental Health Treatment and Substance Use Treatment at a Specialty Facility <sup>1,2</sup>
	(2010)	(2011)	(2010)	(2011)	(2010)	(2011)	(2010)	(2011)
<b>TOTAL</b>	0.4887		0.7350		0.0641		0.8613	
<b>DEPENDENCE OR ABUSE</b>	0.3463		0.7659		0.5029		0.3964	
Any Mental Illness	0.3710		0.3913		0.3353		0.5511	
Serious Mental Illness	0.3004		0.5860		0.8064		0.5342	
Moderate Mental Illness	0.9309		0.8540		0.6688		0.4615	
Mild Mental Illness	0.6230		0.3441		0.3194		0.8292	
No Mental Illness	0.7394		0.2528		0.1146		0.9306	
<b>NO DEPENDENCE OR ABUSE</b>	0.9279		0.9423		0.1362		0.1422	
Any Mental Illness	0.2935		0.3110		0.1871		0.3898	
Serious Mental Illness	0.5765		0.4751		0.3423		0.6714	
Moderate Mental Illness	0.3533		0.4093		0.1038		0.5640	
Mild Mental Illness	0.5345		0.5946		0.3579		0.6171	
No Mental Illness	0.5684		0.5707		0.3695		0.1873	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

<sup>2</sup> Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.