

Table 1.34C Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Type of Mental Health Treatment/Counseling ¹	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	113	71	19	13	31	47	107	51
Outpatient	252	236	44	54	162	172	180	152
Prescription Medication	474	469	65	70	258	263	396	383
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	33	35	11	8	24	22	20	24
Inpatient and Prescription Medication	49	62	12	12	27	33	39	51
Outpatient and Prescription Medication	372	373	53	55	225	213	293	287
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	87	104	18	24	61	63	56	75

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.34D Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Type of Mental Health Treatment/Counseling ¹	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	0.36	0.22	0.52	0.33	0.21	0.33	0.80	0.39
Outpatient	0.72	0.70	1.04	1.17	0.98	1.08	1.28	1.09
Prescription Medication	1.08	1.04	1.33	1.34	1.28	1.34	2.03	2.00
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	0.11	0.11	0.30	0.21	0.17	0.15	0.15	0.18
Inpatient and Prescription Medication	0.15	0.20	0.33	0.32	0.19	0.23	0.29	0.39
Outpatient and Prescription Medication	0.98	0.94	1.16	1.16	1.27	1.16	1.85	1.79
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	0.28	0.33	0.47	0.59	0.42	0.43	0.43	0.56

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.34P Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Type of Mental Health Treatment/Counseling ¹	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	0.1624		0.0537		0.4960		0.1249	
Outpatient	0.4882		0.6605		0.3656		0.9820	
Prescription Medication	0.7702		0.5989		0.9532		0.8302	
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	0.9019		0.4358		0.9408		0.5636	
Inpatient and Prescription Medication	0.4787		0.6543		0.8066		0.2513	
Outpatient and Prescription Medication	0.7833		0.7581		0.3734		0.7846	
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	0.2148		0.0480		0.8020		0.3708	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.