

Table 1.35C Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Location of Treatment/Counseling ¹	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
Outpatient Mental Health Clinic or Center	197	221	33	37	112	145	163	165
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	357	330	60	64	237	220	247	245
Doctor's Office - Not Part of a Clinic	208	186	25	29	117	116	173	151
Outpatient Medical Clinic	110	129	17	16	70	72	84	106
Partial Day Hospital or Day Treatment Program	53	59	8	15	38	19	37	53
School or University Setting/Clinic/Center ²	16	14	12	13	10	7	*	*
Some Other Place ³	67	63	10	14	28	36	61	49

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

¹ Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

² Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location was the most commonly reported other location for receiving outpatient treatment/counseling.

³ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.35D Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Location of Treatment/Counseling ¹	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
Outpatient Mental Health Clinic or Center	1.18	1.26	1.49	1.46	1.38	1.64	2.65	2.64
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	1.46	1.39	1.79	1.77	1.71	1.89	3.12	2.99
Doctor's Office - Not Part of a Clinic	1.21	1.08	1.20	1.26	1.39	1.34	2.74	2.39
Outpatient Medical Clinic	0.71	0.79	0.86	0.76	0.88	0.91	1.50	1.77
Partial Day Hospital or Day Treatment Program	0.35	0.37	0.41	0.66	0.50	0.25	0.67	0.92
School or University Setting/Clinic/Center ²	0.10	0.10	0.63	0.56	0.13	0.09	*	*
Some Other Place ³	0.44	0.41	0.51	0.68	0.36	0.47	1.09	0.89

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

¹ Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

² Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location was the most commonly reported other location for receiving outpatient treatment/counseling.

³ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.35P Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Location of Treatment/Counseling ¹	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
Outpatient Mental Health Clinic or Center	0.3349		0.8645		0.3164		0.6677	
Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic	0.7457		0.7067		0.8372		0.6350	
Doctor's Office - Not Part of a Clinic	0.3907		0.4316		0.2349		0.7644	
Outpatient Medical Clinic	0.4210		0.2048		0.9676		0.2274	
Partial Day Hospital or Day Treatment Program	0.9525		0.1759		0.0185		0.2402	
School or University Setting/Clinic/Center ²	0.9381		0.7925		0.5252		*	
Some Other Place ³	0.6398		0.3092		0.3100		0.7695	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

¹ Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

² Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location was the most commonly reported other location for receiving outpatient treatment/counseling.

³ Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.