

Table 1.37C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	358	338	286	244	223	223
AGE						
18-25	80	85	54	55	64	71
26-49	234	246	185	180	147	174
50 or Older	247	196	203	158	153	114
GENDER						
Male	193	185	140	130	137	133
Female	289	279	238	207	171	176
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	320	323	251	235	205	205
White	305	280	235	206	191	178
Black or African American	101	102	71	65	73	79
American Indian or Alaska Native	22	34	*	*	11	10
Native Hawaiian or Other Pacific Islander	5	8	*	*	5	8
Asian	42	72	*	*	33	53
Two or More Races	40	76	*	*	25	17
Hispanic or Latino	156	101	130	70	92	80
CURRENT EMPLOYMENT						
Full-Time	222	215	157	144	148	156
Part-Time	151	125	112	93	99	83
Unemployed	114	95	78	64	83	68
Other ³	210	190	184	163	106	103

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.37D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.16	0.15	0.84	0.72	0.11	0.11
AGE						
18-25	0.24	0.25	1.20	1.12	0.20	0.22
26-49	0.24	0.25	1.11	1.10	0.18	0.21
50 or Older	0.26	0.20	1.47	1.13	0.18	0.13
GENDER						
Male	0.17	0.17	1.26	1.13	0.14	0.13
Female	0.24	0.23	1.04	0.91	0.18	0.18
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.16	0.16	0.81	0.74	0.12	0.12
White	0.19	0.18	0.87	0.75	0.15	0.14
Black or African American	0.37	0.38	2.86	3.12	0.29	0.32
American Indian or Alaska Native	1.97	2.50	*	*	1.16	0.84
Native Hawaiian or Other Pacific Islander	0.74	1.00	*	*	0.75	1.02
Asian	0.40	0.62	*	*	0.34	0.49
Two or More Races	1.45	2.18	*	*	1.13	0.65
Hispanic or Latino	0.49	0.30	4.07	2.68	0.31	0.25
CURRENT EMPLOYMENT						
Full-Time	0.19	0.18	1.12	1.06	0.15	0.15
Part-Time	0.44	0.38	2.08	1.76	0.34	0.30
Unemployed	0.75	0.66	3.40	2.90	0.64	0.57
Other ³	0.31	0.27	1.44	1.24	0.19	0.17

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.37P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.2524		0.7539		0.2077	
AGE						
18-25	0.9927		0.4770		0.9379	
26-49	0.5959		0.9568		0.4085	
50 or Older	0.0428		0.7135		0.0079	
GENDER						
Male	0.9944		0.6222		0.8476	
Female	0.1441		1.0000		0.0727	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8799		0.5713		0.4011	
White	0.4979		0.9130		0.2473	
Black or African American	0.9172		0.7005		0.7547	
American Indian or Alaska Native	0.7404		*		0.8714	
Native Hawaiian or Other Pacific Islander	0.9579		*		0.8770	
Asian	0.0711		*		0.2136	
Two or More Races	0.2516		*		0.2490	
Hispanic or Latino	0.0096		0.0118		0.2513	
CURRENT EMPLOYMENT						
Full-Time	0.4256		0.5716		0.7362	
Part-Time	0.2532		0.3244		0.2350	
Unemployed	0.4535		0.3812		0.9187	
Other ³	0.5703		0.8537		0.3657	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.38C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	358	338	286	244	223	223
GEOGRAPHIC REGION						
Northeast	116	131	82	90	91	89
Midwest	141	125	114	104	87	71
South	227	206	174	146	151	134
West	203	196	169	141	115	133
COUNTY TYPE						
Large Metro	274	245	218	172	170	168
Small Metro	191	199	134	140	130	125
250K – 1 Mil. Pop.	158	169	117	116	107	103
< 250K Pop.	107	108	67	75	71	69
Nonmetro	147	134	115	101	81	73
Urbanized	111	89	90	65	57	53
Less Urbanized	91	84	72	70	52	42
Completely Rural	33	32	23	24	19	20
POVERTY LEVEL³						
Less Than 100%	180	166	142	125	107	104
100-199%	154	142	123	119	97	84
200% or More	265	257	198	179	174	170
GOVERNMENT ASSISTANCE⁴						
Yes	195	200	154	161	122	115
No	304	281	234	195	187	189
HEALTH INSURANCE⁵						
Private	262	253	200	178	162	166
Medicaid/CHIP ⁶	152	135	136	125	73	52
Other ⁷	165	141	128	126	109	62
No Coverage	163	162	112	104	116	126

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.38D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.16	0.15	0.84	0.72	0.11	0.11
GEOGRAPHIC REGION						
Northeast	0.28	0.31	1.26	1.44	0.25	0.25
Midwest	0.28	0.25	1.40	1.25	0.20	0.17
South	0.27	0.24	1.49	1.25	0.21	0.18
West	0.38	0.36	2.16	1.85	0.25	0.28
COUNTY TYPE						
Large Metro	0.22	0.20	1.28	1.04	0.16	0.16
Small Metro	0.26	0.26	1.18	1.17	0.21	0.20
250K – 1 Mil. Pop.	0.33	0.33	1.51	1.50	0.27	0.24
< 250K Pop.	0.42	0.44	1.90	1.91	0.34	0.34
Nonmetro	0.38	0.37	2.07	1.79	0.26	0.24
Urbanized	0.67	0.59	3.61	2.70	0.43	0.42
Less Urbanized	0.48	0.48	2.73	2.57	0.33	0.29
Completely Rural	0.89	0.82	3.88	4.68	0.65	0.57
POVERTY LEVEL³						
Less Than 100%	0.58	0.48	2.48	1.95	0.42	0.37
100-199%	0.32	0.30	1.73	1.69	0.24	0.21
200% or More	0.17	0.17	0.93	0.84	0.13	0.13
GOVERNMENT ASSISTANCE⁴						
Yes	0.46	0.43	1.72	1.63	0.37	0.31
No	0.16	0.15	0.93	0.79	0.12	0.11
HEALTH INSURANCE⁵						
Private	0.17	0.16	0.94	0.83	0.12	0.13
Medicaid/CHIP ⁶	0.69	0.57	2.51	2.06	0.44	0.30
Other ⁷	0.30	0.26	1.47	1.49	0.24	0.13
No Coverage	0.42	0.42	2.69	2.74	0.33	0.36

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.38P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.2524		0.7539		0.2077	
GEOGRAPHIC REGION						
Northeast	0.8805		0.2953		0.6801	
Midwest	0.8329		0.6838		0.1885	
South	0.0941		0.2079		0.1788	
West	0.9154		0.9280		0.6739	
COUNTY TYPE						
Large Metro	0.0514		0.1977		0.1988	
Small Metro	0.4688		0.1124		0.7551	
250K – 1 Mil. Pop.	0.8315		0.4130		0.5275	
< 250K Pop.	0.0936		0.0853		0.7064	
Nonmetro	0.6715		0.6357		0.7255	
Urbanized	0.6810		0.2715		0.4392	
Less Urbanized	0.9628		0.7060		0.2622	
Completely Rural	0.7806		0.4550		0.4835	
POVERTY LEVEL³						
Less Than 100%	0.8723		0.8732		0.7943	
100-199%	1.0000		0.7524		0.5883	
200% or More	0.0935		0.3499		0.1842	
GOVERNMENT ASSISTANCE⁴						
Yes	0.6717		0.5190		0.5099	
No	0.1213		0.3523		0.1938	
HEALTH INSURANCE⁵						
Private	0.1607		0.2116		0.5768	
Medicaid/CHIP ⁶	0.9688		0.2041		0.0156	
Other ⁷	0.0897		0.6870		0.0015	
No Coverage	0.3709		0.5928		0.2709	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.39C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	322	298	269	219	186	191
AGE						
18-25	74	77	48	48	52	54
26-49	211	224	174	161	119	152
50 or Older	227	179	189	146	129	98
GENDER						
Male	176	158	126	122	127	103
Female	260	251	227	185	129	158
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	291	285	236	214	176	177
White	281	246	224	188	170	153
Black or African American	80	96	62	62	51	73
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	22	59	*	*	14	*
Two or More Races	28	*	*	*	*	14
Hispanic or Latino	131	85	120	53	53	69
CURRENT EMPLOYMENT						
Full-Time	192	185	144	127	124	126
Part-Time	135	114	104	87	82	76
Unemployed	98	83	71	55	68	62
Other ³	195	178	178	152	86	97

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.39D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.70	0.66	1.28	1.16	0.74	0.74
AGE						
18-25	0.93	0.93	1.79	1.71	1.05	1.06
26-49	0.90	0.95	1.59	1.61	0.97	1.18
50 or Older	1.44	1.13	2.51	2.03	1.55	1.13
GENDER						
Male	0.98	0.95	2.02	2.00	1.09	0.97
Female	0.92	0.89	1.55	1.43	0.95	1.05
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.72	0.70	1.27	1.21	0.80	0.79
White	0.84	0.76	1.37	1.25	0.99	0.92
Black or African American	1.69	2.03	4.21	4.46	1.54	2.18
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.54	3.66	*	*	1.18	*
Two or More Races	4.92	*	*	*	*	3.29
Hispanic or Latino	2.42	1.73	5.49	4.11	1.63	1.92
CURRENT EMPLOYMENT						
Full-Time	1.00	0.99	1.89	1.82	1.10	1.08
Part-Time	1.84	1.59	3.30	2.87	1.96	1.81
Unemployed	2.50	2.31	4.49	4.15	2.96	2.70
Other ³	1.23	1.13	2.13	1.94	1.16	1.17

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.39P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.7397		0.8753		0.9138	
AGE						
18-25	0.4652		0.2180		0.9301	
26-49	0.1084		0.5557		0.0183	
50 or Older	0.0856		0.6755		0.0284	
GENDER						
Male	0.5978		0.6664		0.7716	
Female	0.3789		0.6451		0.7983	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9284		0.7213		0.9958	
White	0.4660		0.8873		0.4602	
Black or African American	0.4581		0.9193		0.1940	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0452		*		*	
Two or More Races	*		*		*	
Hispanic or Latino	0.2135		0.1721		0.7436	
CURRENT EMPLOYMENT						
Full-Time	0.9414		0.6826		0.4951	
Part-Time	0.1085		0.1665		0.2621	
Unemployed	0.3559		0.1511		0.9060	
Other ³	0.9582		0.8401		0.8855	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.40C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	322	298	269	219	186	191
GEOGRAPHIC REGION						
Northeast	110	104	79	80	76	61
Midwest	133	115	110	95	70	67
South	198	189	156	130	129	126
West	183	173	162	127	84	112
COUNTY TYPE						
Large Metro	250	213	209	155	146	140
Small Metro	155	171	115	123	104	109
250K – 1 Mil. Pop.	129	145	99	102	90	89
< 250K Pop.	87	96	59	66	51	62
Nonmetro	130	126	112	94	61	70
Urbanized	101	87	88	65	45	52
Less Urbanized	76	76	66	61	34	39
Completely Rural	32	28	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	153	155	132	115	78	101
100-199%	145	135	121	113	83	78
200% or More	236	217	184	155	147	136
GOVERNMENT ASSISTANCE⁴						
Yes	173	186	143	151	105	109
No	270	242	221	173	154	157
HEALTH INSURANCE⁵						
Private	228	216	188	155	128	138
Medicaid/CHIP ⁶	143	124	133	115	54	44
Other ⁷	151	132	121	119	91	58
No Coverage	140	147	99	99	95	112

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.40D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.70	0.66	1.28	1.16	0.74	0.74
GEOGRAPHIC REGION						
Northeast	1.24	1.40	2.17	2.38	1.55	1.57
Midwest	1.24	1.16	2.17	1.96	1.31	1.29
South	1.20	1.14	2.20	1.97	1.39	1.29
West	1.69	1.54	3.25	2.97	1.46	1.59
COUNTY TYPE						
Large Metro	1.02	0.94	1.96	1.73	1.04	1.06
Small Metro	1.06	1.13	1.75	1.86	1.34	1.32
250K – 1 Mil. Pop.	1.32	1.45	2.16	2.34	1.72	1.62
< 250K Pop.	1.74	1.93	2.94	3.11	2.00	2.22
Nonmetro	1.76	1.61	3.16	2.79	1.62	1.61
Urbanized	3.11	2.51	5.39	4.46	2.81	2.69
Less Urbanized	2.10	2.11	4.05	3.74	1.79	2.00
Completely Rural	4.45	4.06	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	1.78	1.57	3.17	2.63	1.77	1.84
100-199%	1.35	1.26	2.53	2.48	1.38	1.30
200% or More	0.89	0.86	1.58	1.48	1.00	0.95
GOVERNMENT ASSISTANCE⁴						
Yes	1.39	1.31	2.32	2.22	1.69	1.45
No	0.81	0.77	1.52	1.38	0.81	0.87
HEALTH INSURANCE⁵						
Private	0.89	0.85	1.57	1.47	0.92	1.00
Medicaid/CHIP ⁶	2.03	1.68	3.42	2.77	1.78	1.36
Other ⁷	1.45	1.31	2.41	2.35	1.64	1.09
No Coverage	1.56	1.57	3.49	3.78	1.60	1.66

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.40P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.7397		0.8753		0.9138	
GEOGRAPHIC REGION						
Northeast	0.3308		0.3627		0.8228	
Midwest	0.6976		0.7867		0.8946	
South	0.2490		0.2596		0.8104	
West	0.7952		0.8444		0.7560	
COUNTY TYPE						
Large Metro	0.1961		0.2114		0.8766	
Small Metro	0.1546		0.0803		0.6838	
250K – 1 Mil. Pop.	0.4408		0.2612		0.9276	
< 250K Pop.	0.1695		0.1374		0.5473	
Nonmetro	0.7016		0.8018		0.9956	
Urbanized	0.4293		0.3733		0.7447	
Less Urbanized	0.5552		0.5289		0.8674	
Completely Rural	0.4365		*		*	
POVERTY LEVEL³						
Less Than 100%	0.5857		0.5429		0.5008	
100-199%	0.8940		0.9038		0.7624	
200% or More	0.2689		0.4706		0.5370	
GOVERNMENT ASSISTANCE⁴						
Yes	0.6683		0.5088		0.4406	
No	0.6749		0.4119		0.6598	
HEALTH INSURANCE⁵						
Private	0.6343		0.2089		0.3842	
Medicaid/CHIP ⁶	0.9507		0.3282		0.1011	
Other ⁷	0.2117		0.9316		0.0236	
No Coverage	0.2791		0.1148		0.3775	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.41C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	226	204	200	164	100	112
AGE						
18-25	45	50	34	36	29	29
26-49	152	148	126	115	77	86
50 or Older	158	124	144	108	*	*
GENDER						
Male	108	100	85	76	66	63
Female	192	178	174	144	73	94
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	201	199	174	161	95	106
White	187	173	163	144	91	89
Black or African American	59	59	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	*	46	*	*	*	*
CURRENT EMPLOYMENT						
Full-Time	122	118	109	84	53	77
Part-Time	74	69	61	63	*	28
Unemployed	67	62	*	*	*	*
Other ³	154	139	143	125	55	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.41D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	1.81	1.72	2.34	2.18	2.79	2.83
AGE						
18-25	2.27	2.35	2.98	3.15	3.41	3.23
26-49	2.20	2.13	2.66	2.60	3.78	3.76
50 or Older	4.29	3.75	5.12	4.48	*	*
GENDER						
Male	2.73	2.72	3.53	3.63	4.48	3.98
Female	2.22	2.19	2.73	2.57	3.50	3.97
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1.85	1.81	2.34	2.25	3.11	3.01
White	2.11	1.92	2.55	2.35	3.76	3.31
Black or African American	4.69	5.60	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	*	5.06	*	*	*	*
CURRENT EMPLOYMENT						
Full-Time	2.83	2.71	3.88	3.60	3.76	4.20
Part-Time	3.97	4.10	5.17	5.61	*	5.13
Unemployed	5.48	5.14	*	*	*	*
Other ³	3.17	2.95	3.85	3.47	5.34	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.41P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.6566		0.8588		0.4575	
AGE						
18-25	0.5774		0.5945		0.7729	
26-49	0.7687		0.8222		0.2770	
50 or Older	0.8412		0.7186		*	
GENDER						
Male	0.3455		0.5204		0.4016	
Female	0.9259		0.8616		0.7893	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.4080		0.6725		0.3154	
White	0.9008		0.9505		0.8116	
Black or African American	0.3991		*		*	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	*		*		*	
Two or More Races	*		*		*	
Hispanic or Latino	*		*		*	
CURRENT EMPLOYMENT						
Full-Time	0.5396		0.9225		0.2041	
Part-Time	0.4193		0.8587		*	
Unemployed	0.0413		*		*	
Other ³	0.8632		0.6723		*	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.42C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	226	204	200	164	100	112
GEOGRAPHIC REGION						
Northeast	70	67	52	54	*	*
Midwest	100	81	93	73	37	37
South	124	121	107	94	62	68
West	133	122	120	94	52	*
COUNTY TYPE						
Large Metro	180	141	159	104	80	93
Small Metro	91	116	81	96	47	56
250K – 1 Mil. Pop.	79	98	72	80	39	46
< 250K Pop.	48	64	*	55	*	*
Nonmetro	90	87	81	76	*	32
Urbanized	*	59	*	*	*	*
Less Urbanized	*	53	*	*	*	*
Completely Rural	*	*	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	131	123	119	106	51	60
100-199%	95	89	81	73	50	52
200% or More	144	140	127	108	66	81
GOVERNMENT ASSISTANCE⁴						
Yes	135	139	110	128	78	64
No	174	151	158	113	65	92
HEALTH INSURANCE⁵						
Private	139	136	124	104	57	76
Medicaid/CHIP ⁶	116	93	112	89	*	*
Other ⁷	102	100	81	86	*	*
No Coverage	102	91	84	70	58	62

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.42D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	1.81	1.72	2.34	2.18	2.79	2.83
GEOGRAPHIC REGION						
Northeast	3.61	3.88	4.08	5.09	*	*
Midwest	3.21	2.86	3.84	3.71	5.59	4.61
South	3.03	3.08	4.22	4.09	4.49	4.58
West	4.23	3.89	5.40	4.71	5.89	*
COUNTY TYPE						
Large Metro	2.73	2.69	3.54	3.33	4.10	4.47
Small Metro	2.50	2.81	3.17	3.33	4.64	4.64
250K – 1 Mil. Pop.	3.00	3.62	3.75	4.45	5.48	5.57
< 250K Pop.	4.82	4.57	*	5.29	*	*
Nonmetro	4.35	3.87	5.85	5.12	*	4.87
Urbanized	*	5.45	*	*	*	*
Less Urbanized	*	5.64	*	*	*	*
Completely Rural	*	*	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	3.95	3.59	4.96	4.57	5.89	5.44
100-199%	3.29	3.25	4.21	4.25	5.37	5.11
200% or More	2.41	2.57	3.03	3.11	3.86	4.26
GOVERNMENT ASSISTANCE⁴						
Yes	3.11	2.90	3.88	3.64	5.47	4.95
No	2.22	2.20	2.89	2.76	3.03	3.48
HEALTH INSURANCE⁵						
Private	2.36	2.53	2.96	3.07	3.78	4.12
Medicaid/CHIP ⁶	4.76	3.69	5.83	4.53	*	*
Other ⁷	3.84	4.11	4.27	4.60	*	*
No Coverage	3.62	3.56	5.11	5.66	5.12	4.81

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.42P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	0.6566		0.8588		0.4575	
GEOGRAPHIC REGION						
Northeast	0.8474		0.2519		*	
Midwest	0.9891		0.8037		0.5969	
South	0.7685		0.6427		0.2171	
West	0.7956		0.9336		*	
COUNTY TYPE						
Large Metro	0.1870		0.0478		0.5553	
Small Metro	0.0121		0.0057		0.6230	
250K – 1 Mil. Pop.	0.0566		0.0307		0.7381	
< 250K Pop.	0.1192		*		*	
Nonmetro	0.8207		0.7771		*	
Urbanized	*		*		*	
Less Urbanized	*		*		*	
Completely Rural	*		*		*	
POVERTY LEVEL³						
Less Than 100%	0.7350		0.8439		0.8582	
100-199%	0.8105		0.7501		0.4660	
200% or More	0.6456		0.8319		0.5260	
GOVERNMENT ASSISTANCE⁴						
Yes	0.6761		0.6175		0.1148	
No	0.5070		0.6221		0.0347	
HEALTH INSURANCE⁵						
Private	0.3316		0.5084		0.3075	
Medicaid/CHIP ⁶	0.4172		0.8307		*	
Other ⁷	0.8786		0.7442		*	
No Coverage	0.6452		0.8674		0.4793	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.