

Table 1.43C Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2010 and 2011

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	363	340	286	244	223	223
Could Not Afford Cost	250	228	213	167	140	156
Might Cause Neighbors/Community to Have Negative Opinion	101	80	70	60	77	51
Might Have Negative Effect on Job	107	76	85	52	78	55
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	96	84	61	56	74	63
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	170	109	150	86	84	66
Did Not Know Where to Go for Services	143	119	95	97	110	68
Concerned about Confidentiality	99	60	74	45	74	35
Concerned about Being Committed/Having to Take Medicine	100	83	87	69	47	43
Did Not Feel Need for Treatment	89	84	60	61	68	54
Could Handle the Problem Without Treatment	174	165	115	112	129	116
Treatment Would Not Help	99	94	72	67	72	64
Did Not Have Time	124	128	93	99	83	79
Did Not Want Others to Find Out	91	65	50	43	76	48
No Transportation/Inconvenient	45	56	40	53	21	23
Some Other Reason ⁴	102	127	71	99	72	80

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.43D Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2010 and 2011

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	0.00	0.00	0.00	0.00	0.00	0.00
Could Not Afford Cost	1.56	1.55	2.30	2.20	2.17	2.16
Might Cause Neighbors/Community to Have Negative Opinion	0.87	0.72	1.13	1.01	1.42	1.01
Might Have Negative Effect on Job	0.92	0.70	1.37	0.88	1.42	1.10
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.86	0.76	1.02	0.94	1.37	1.25
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	1.34	0.97	2.11	1.40	1.53	1.29
Did Not Know Where to Go for Services	1.18	1.08	1.48	1.60	1.89	1.35
Concerned about Confidentiality	0.87	0.55	1.21	0.77	1.35	0.74
Concerned about Being Committed/Having to Take Medicine	0.88	0.74	1.40	1.13	0.89	0.89
Did Not Feel Need for Treatment	0.77	0.77	0.99	1.06	1.25	1.08
Could Handle the Problem Without Treatment	1.38	1.34	1.76	1.72	2.04	2.03
Treatment Would Not Help	0.86	0.85	1.17	1.16	1.32	1.25
Did Not Have Time	1.05	1.10	1.51	1.58	1.53	1.49
Did Not Want Others to Find Out	0.79	0.59	0.84	0.73	1.37	0.98
No Transportation/Inconvenient	0.40	0.51	0.67	0.88	0.41	0.47
Some Other Reason ⁴	0.88	1.11	1.17	1.58	1.32	1.57

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.43P Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	N/A		N/A		N/A	
Could Not Afford Cost	0.8058		0.1285		0.0283	
Might Cause Neighbors/Community to Have Negative Opinion	0.4144		0.9226		0.2835	
Might Have Negative Effect on Job	0.0398		0.0436		0.4575	
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.5472		0.6685		0.5922	
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	0.0203		0.0107		0.6309	
Did Not Know Where to Go for Services	0.1825		0.8964		0.0636	
Concerned about Confidentiality	0.0042		0.0919		0.0218	
Concerned about Being Committed/Having to Take Medicine	0.3449		0.4025		0.6002	
Did Not Feel Need for Treatment	0.9684		0.6514		0.6064	
Could Handle the Problem Without Treatment	0.5137		0.7073		0.2417	
Treatment Would Not Help	0.7730		0.9554		0.7236	
Did Not Have Time	0.7854		0.8890		0.8127	
Did Not Want Others to Find Out	0.2629		0.7859		0.0927	
No Transportation/Inconvenient	0.4196		0.3678		0.9144	
Some Other Reason ⁴	0.1828		0.0885		0.9679	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.44C (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2010 and 2011

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	322	298	269	219	186	191
Could Not Afford Cost	228	205	200	153	121	140
Might Cause Neighbors/Community to Have Negative Opinion	94	78	70	59	65	49
Might Have Negative Effect on Job	108	68	85	51	68	44
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	92	71	60	54	70	46
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	155	94	145	82	62	46
Did Not Know Where to Go for Services	128	105	88	85	91	60
Concerned about Confidentiality	88	55	70	44	53	30
Concerned about Being Committed/Having to Take Medicine	98	81	87	68	42	42
Did Not Feel Need for Treatment	75	71	54	54	52	47
Could Handle the Problem Without Treatment	148	143	106	105	101	97
Treatment Would Not Help	88	89	70	67	59	58
Did Not Have Time	113	116	87	94	72	68
Did Not Want Others to Find Out	75	61	49	42	57	44
No Transportation/Inconvenient	44	54	39	51	19	22
Some Other Reason ⁴	98	119	71	98	68	68

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Any Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.44D (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2010 and 2011

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	0.00	0.00	0.00	0.00	0.00	0.00
Could Not Afford Cost	1.79	1.78	2.51	2.49	2.53	2.53
Might Cause Neighbors/Community to Have Negative Opinion	1.04	0.87	1.29	1.17	1.79	1.31
Might Have Negative Effect on Job	1.18	0.78	1.56	1.03	1.84	1.22
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	1.04	0.81	1.15	1.06	1.88	1.23
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	1.56	1.06	2.32	1.57	1.67	1.24
Did Not Know Where to Go for Services	1.36	1.22	1.57	1.69	2.27	1.62
Concerned about Confidentiality	0.98	0.64	1.32	0.89	1.47	0.84
Concerned about Being Committed/Having to Take Medicine	1.11	0.91	1.60	1.31	1.21	1.16
Did Not Feel Need for Treatment	0.84	0.83	1.03	1.12	1.45	1.26
Could Handle the Problem Without Treatment	1.54	1.49	1.88	1.92	2.40	2.30
Treatment Would Not Help	1.00	1.02	1.31	1.35	1.63	1.53
Did Not Have Time	1.25	1.25	1.61	1.76	1.95	1.73
Did Not Want Others to Find Out	0.84	0.70	0.94	0.86	1.55	1.18
No Transportation/Inconvenient	0.50	0.62	0.76	1.01	0.56	0.63
Some Other Reason ⁴	1.08	1.29	1.33	1.83	1.83	1.80

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Any Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.44P (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	N/A		N/A		N/A	
Could Not Afford Cost	0.9257		0.1840		0.1193	
Might Cause Neighbors/Community to Have Negative Opinion	0.6502		0.9459		0.5067	
Might Have Negative Effect on Job	0.0385		0.0799		0.2428	
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.2412		0.6946		0.1534	
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	0.0080		0.0180		0.2689	
Did Not Know Where to Go for Services	0.1892		0.8660		0.0441	
Concerned about Confidentiality	0.0119		0.1086		0.0398	
Concerned about Being Committed/Having to Take Medicine	0.3163		0.4062		0.5890	
Did Not Feel Need for Treatment	0.9872		0.8787		0.7780	
Could Handle the Problem Without Treatment	0.8813		0.6736		0.8146	
Treatment Would Not Help	0.5973		0.7759		0.6710	
Did Not Have Time	0.9012		0.7719		0.8431	
Did Not Want Others to Find Out	0.7821		0.6872		0.3569	
No Transportation/Inconvenient	0.6208		0.5250		0.9033	
Some Other Reason ⁴	0.2879		0.0711		0.5524	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Any Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.45C (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Numbers in Thousands, 2010 and 2011

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	226	204	200	164	100	112
Could Not Afford Cost	153	139	138	119	67	84
Might Cause Neighbors/Community to Have Negative Opinion	67	46	49	39	47	25
Might Have Negative Effect on Job	65	51	54	40	37	31
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	69	42	54	37	43	21
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	125	63	119	58	37	25
Did Not Know Where to Go for Services	78	84	65	73	44	43
Concerned about Confidentiality	57	38	53	32	19	17
Concerned about Being Committed/Having to Take Medicine	69	71	60	62	32	32
Did Not Feel Need for Treatment	39	47	33	40	21	25
Could Handle the Problem Without Treatment	83	100	63	85	50	50
Treatment Would Not Help	61	59	47	51	38	30
Did Not Have Time	57	69	41	53	41	45
Did Not Want Others to Find Out	28	35	21	31	19	16
No Transportation/Inconvenient	36	46	33	46	15	16
Some Other Reason ⁴	59	80	49	58	32	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Serious Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.45D (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: Standard Errors of Percentages, 2010 and 2011

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	0.00	0.00	0.00	0.00	0.00	0.00
Could Not Afford Cost	2.64	2.68	3.31	3.47	4.11	4.54
Might Cause Neighbors/Community to Have Negative Opinion	1.69	1.15	1.72	1.46	3.95	2.07
Might Have Negative Effect on Job	1.61	1.28	1.91	1.50	3.12	2.44
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	1.69	1.07	1.86	1.37	3.67	1.68
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	2.66	1.52	3.40	2.06	3.15	1.99
Did Not Know Where to Go for Services	1.85	2.10	2.21	2.63	3.64	3.32
Concerned about Confidentiality	1.45	0.97	1.86	1.21	1.79	1.40
Concerned about Being Committed/Having to Take Medicine	1.74	1.68	2.10	2.15	2.81	2.52
Did Not Feel Need for Treatment	1.00	1.22	1.19	1.56	1.94	1.97
Could Handle the Problem Without Treatment	1.97	2.27	2.14	2.88	3.82	3.73
Treatment Would Not Help	1.52	1.51	1.65	1.98	3.36	2.37
Did Not Have Time	1.45	1.68	1.45	1.94	3.50	3.33
Did Not Want Others to Find Out	0.75	0.90	0.77	1.18	1.74	1.29
No Transportation/Inconvenient	0.92	1.14	1.17	1.63	1.37	1.28
Some Other Reason ⁴	1.43	1.86	1.70	2.02	2.67	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Serious Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.45P (REVISED) Detailed Reasons for Not Receiving Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness and an Unmet Need for Mental Health Treatment in the Past Year, by Receipt of Past Year Mental Health Treatment: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Reason Did Not Receive Treatment/Counseling ¹	Total ²		MENTAL HEALTH TREATMENT/COUNSELING ³			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL POPULATION	N/A		N/A		N/A	
Could Not Afford Cost	0.9870		0.3558		0.1713	
Might Cause Neighbors/Community to Have Negative Opinion	0.4446		0.8794		0.2765	
Might Have Negative Effect on Job	0.1672		0.2001		0.5450	
Health Insurance Does Not Cover Any Mental Health Treatment/Counseling	0.0900		0.2068		0.2545	
Health Insurance Does Not Pay Enough for Mental Health Treatment/Counseling	0.0031		0.0062		0.3781	
Did Not Know Where to Go for Services	0.9094		0.6996		0.5526	
Concerned about Confidentiality	0.0382		0.1025		0.1493	
Concerned about Being Committed/Having to Take Medicine	0.8236		0.9484		0.5585	
Did Not Feel Need for Treatment	0.9528		0.9952		0.9949	
Could Handle the Problem Without Treatment	0.1109		0.0532		0.9936	
Treatment Would Not Help	0.5350		0.3752		0.7654	
Did Not Have Time	0.2923		0.2113		1.0000	
Did Not Want Others to Find Out	0.8655		0.2653		0.1370	
No Transportation/Inconvenient	0.2264		0.2004		0.9444	
Some Other Reason ⁴	0.3016		0.3316		*	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

¹ Respondents could indicate multiple reasons; thus, these response categories are not mutually exclusive.

² Estimates in the Total column represent reasons for not receiving mental health treatment/counseling for all persons aged 18 or older with Serious Mental Illness and an unmet need for treatment, including those with unknown mental health treatment/counseling information.

³ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

⁴ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Treatment/Counseling were classified as not having received treatment for Some Other Reason.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.