

Table 1.4C (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	283	247	74	77	216	190	158	138
GENDER								
Male	203	179	53	51	162	136	117	101
Female	196	163	55	55	144	130	110	86
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	261	233	65	67	199	173	145	136
White	237	219	62	65	187	164	125	122
Black or African American	104	75	29	24	77	57	67	46
American Indian or Alaska Native	23	47	5	6	10	15	*	*
Native Hawaiian or Other Pacific Islander	6	9	*	*	*	*	*	*
Asian	42	28	15	19	35	20	*	3
Two or More Races	25	29	14	9	20	23	*	*
Hispanic or Latino	122	88	34	36	97	75	63	25
CURRENT EMPLOYMENT								
Full-Time	177	164	41	54	161	142	58	68
Part-Time	109	98	45	40	81	83	56	33
Unemployed	97	72	32	32	67	57	59	31
Other ¹	173	139	37	42	111	75	126	106

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.4D (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.12	0.11	0.22	0.22	0.22	0.19	0.16	0.14
GENDER								
Male	0.18	0.16	0.31	0.30	0.33	0.28	0.26	0.22
Female	0.17	0.13	0.32	0.32	0.29	0.26	0.21	0.16
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.13	0.12	0.24	0.25	0.24	0.22	0.16	0.15
White	0.15	0.14	0.28	0.29	0.29	0.27	0.17	0.16
Black or African American	0.38	0.27	0.56	0.48	0.61	0.47	0.70	0.46
American Indian or Alaska Native	2.10	3.23	2.81	2.38	2.08	2.84	*	*
Native Hawaiian or Other Pacific Islander	0.95	1.09	*	*	*	*	*	*
Asian	0.40	0.25	0.94	0.98	0.66	0.34	*	0.08
Two or More Races	0.97	0.88	2.46	1.27	1.88	1.77	*	*
Hispanic or Latino	0.38	0.26	0.52	0.51	0.57	0.41	0.76	0.28
CURRENT EMPLOYMENT								
Full-Time	0.15	0.14	0.32	0.39	0.24	0.21	0.16	0.18
Part-Time	0.33	0.30	0.45	0.40	0.63	0.70	0.49	0.29
Unemployed	0.63	0.52	0.66	0.70	0.97	0.93	1.60	0.94
Other ¹	0.25	0.20	0.46	0.48	0.76	0.50	0.27	0.22

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.4P (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.0013		0.1979		0.0019		0.5658	
GENDER								
Male	0.0085		0.6298		0.0032		0.8529	
Female	0.0727		0.1762		0.2430		0.5019	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0073		0.2017		0.0111		0.7243	
White	0.0711		0.5335		0.0913		0.9512	
Black or African American	0.0158		0.2493		0.1412		0.1626	
American Indian or Alaska Native	0.6084		0.7803		0.9853		*	
Native Hawaiian or Other Pacific Islander	0.7864		*		*		*	
Asian	0.3495		0.6230		0.0668		*	
Two or More Races	0.3011		0.0160		0.6699		*	
Hispanic or Latino	0.1108		0.8283		0.1393		0.4809	
CURRENT EMPLOYMENT								
Full-Time	0.0943		0.9816		0.0559		0.8664	
Part-Time	0.0861		0.0175		0.8669		0.2683	
Unemployed	0.7562		0.8492		0.7944		0.6389	
Other ¹	0.0497		0.9122		0.0024		0.8479	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.5C (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	283	247	74	77	216	190	158	138
GEOGRAPHIC REGION								
Northeast	122	106	31	34	97	83	76	51
Midwest	109	106	26	27	77	78	77	66
South	156	137	41	41	127	110	77	81
West	161	143	44	49	117	106	89	65
COUNTY TYPE								
Large Metro	214	204	61	69	168	154	115	113
Small Metro	165	142	47	47	123	107	93	74
250K – 1 Mil. Pop.	141	117	37	38	110	88	75	61
< 250K Pop.	88	76	31	28	57	59	56	39
Nonmetro	96	70	24	22	70	54	61	38
Urbanized	69	54	15	19	58	35	34	34
Less Urbanized	64	41	15	11	37	36	49	17
Completely Rural	20	19	8	4	15	17	10	4
POVERTY LEVEL¹								
Less Than 100%	124	119	42	48	94	84	62	68
100-199%	139	107	38	36	96	86	89	56
200% or More	219	190	52	57	178	151	114	100
GOVERNMENT ASSISTANCE²								
Yes	164	140	37	37	123	104	98	89
No	234	210	71	75	187	160	123	106
HEALTH INSURANCE³								
Private	193	174	55	67	164	135	97	86
Medicaid/CHIP ⁴	128	107	29	27	93	76	79	73
Other ⁵	127	106	26	23	69	59	104	84
No Coverage	137	126	42	39	112	108	61	50

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.5D (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.12	0.11	0.22	0.22	0.22	0.19	0.16	0.14
GEOGRAPHIC REGION								
Northeast	0.29	0.25	0.52	0.55	0.55	0.47	0.41	0.27
Midwest	0.22	0.21	0.35	0.37	0.37	0.38	0.36	0.30
South	0.19	0.16	0.33	0.32	0.35	0.30	0.22	0.22
West	0.30	0.26	0.55	0.60	0.50	0.45	0.42	0.30
COUNTY TYPE								
Large Metro	0.17	0.16	0.31	0.34	0.29	0.28	0.23	0.22
Small Metro	0.23	0.19	0.37	0.37	0.39	0.34	0.32	0.24
250K – 1 Mil. Pop.	0.29	0.22	0.48	0.49	0.51	0.41	0.38	0.28
< 250K Pop.	0.37	0.33	0.62	0.54	0.56	0.61	0.58	0.39
Nonmetro	0.25	0.19	0.46	0.43	0.47	0.38	0.34	0.22
Urbanized	0.43	0.34	0.67	0.77	0.91	0.56	0.45	0.50
Less Urbanized	0.35	0.23	0.61	0.49	0.52	0.55	0.57	0.20
Completely Rural	0.55	0.50	2.02	1.06	1.21	1.31	0.55	0.20
POVERTY LEVEL¹								
Less Than 100%	0.41	0.35	0.44	0.44	0.72	0.57	0.73	0.77
100-199%	0.29	0.22	0.43	0.40	0.45	0.42	0.48	0.30
200% or More	0.14	0.12	0.31	0.34	0.26	0.23	0.16	0.14
GOVERNMENT ASSISTANCE²								
Yes	0.39	0.30	0.46	0.41	0.62	0.49	0.69	0.56
No	0.12	0.11	0.25	0.26	0.23	0.20	0.15	0.12
HEALTH INSURANCE³								
Private	0.13	0.11	0.28	0.32	0.24	0.21	0.14	0.12
Medicaid/CHIP ⁴	0.57	0.45	0.55	0.48	0.95	0.74	1.11	0.94
Other ⁵	0.24	0.19	1.09	0.96	0.98	0.89	0.23	0.18
No Coverage	0.34	0.32	0.43	0.43	0.51	0.49	0.74	0.64

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.5P (REVISED) Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic/Socioeconomic Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
TOTAL	0.0013		0.1979		0.0019		0.5658	
GEOGRAPHIC REGION								
Northeast	0.0210		0.1008		0.1002		0.4069	
Midwest	0.9281		0.9476		0.7628		0.9788	
South	0.0399		0.2523		0.0452		0.9496	
West	0.0704		0.9777		0.0314		0.7469	
COUNTY TYPE								
Large Metro	0.0207		0.5494		0.0149		0.6833	
Small Metro	0.1641		0.2362		0.2890		0.8843	
250K – 1 Mil. Pop.	0.0925		0.1431		0.0898		0.7027	
< 250K Pop.	0.9605		0.9763		0.4251		0.4502	
Nonmetro	0.0541		0.5854		0.0582		0.5445	
Urbanized	0.1984		0.5898		0.0178		0.7298	
Less Urbanized	0.1679		0.2602		0.6844		0.3485	
Completely Rural	0.6980		0.1795		0.7079		0.5419	
POVERTY LEVEL¹								
Less Than 100%	0.4350		0.7174		0.1664		0.6471	
100-199%	0.2025		0.3896		0.3476		0.6257	
200% or More	0.0015		0.2810		0.0063		0.4482	
GOVERNMENT ASSISTANCE²								
Yes	0.0096		0.1236		0.0045		0.7874	
No	0.0160		0.5005		0.0382		0.5151	
HEALTH INSURANCE³								
Private	0.0222		0.6988		0.0232		0.3020	
Medicaid/CHIP ⁴	0.2264		0.1157		0.0223		0.2739	
Other ⁵	0.0546		0.2566		0.0431		0.5736	
No Coverage	0.3424		0.2790		0.5228		0.8165	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.