

**Table 1.64C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2002-2011**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
TOTAL	570	561	554	573	578	605	646	603	616	594
AGE										
18-25	78	89	85	88	93	90	92	90	93	101
26-49	361	354	338	338	373	348	340	359	361	356
50 or Older	424	425	423	449	421	473	523	489	506	471
GENDER										
Male	318	319	327	344	335	361	374	366	379	364
Female	474	448	443	435	452	448	503	466	480	456
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	554	527	552	541	550	568	616	563	584	565
White	555	580	559	555	575	584	658	620	606	619
Black or African American	153	169	175	178	171	144	204	181	195	167
American Indian or Alaska Native	40	32	35	37	25	29	32	*	29	55
Native Hawaiian or Other Pacific Islander	10	*	*	*	25	*	*	*	*	9
Asian	124	94	83	67	102	73	96	71	113	136
Two or More Races	60	65	52	59	93	56	96	72	98	87
Hispanic or Latino	153	163	156	170	161	185	167	190	193	195

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 1.64D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Percentages, 2002-2011**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
TOTAL	0.27	0.26	0.26	0.26	0.26	0.27	0.29	0.27	0.27	0.26
AGE										
18-25	0.25	0.28	0.26	0.27	0.28	0.28	0.28	0.27	0.27	0.30
26-49	0.36	0.35	0.34	0.34	0.37	0.35	0.34	0.36	0.37	0.36
50 or Older	0.54	0.53	0.51	0.53	0.48	0.53	0.57	0.52	0.52	0.47
GENDER										
Male	0.32	0.31	0.32	0.33	0.32	0.34	0.35	0.34	0.34	0.33
Female	0.43	0.41	0.40	0.39	0.40	0.39	0.43	0.40	0.41	0.38
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.30	0.28	0.29	0.29	0.29	0.30	0.32	0.29	0.30	0.28
White	0.35	0.33	0.33	0.33	0.33	0.35	0.37	0.34	0.34	0.34
Black or African American	0.59	0.64	0.69	0.67	0.64	0.54	0.73	0.63	0.68	0.59
American Indian or Alaska Native	3.12	3.02	2.96	3.05	2.52	2.62	3.11	*	2.65	3.64
Native Hawaiian or Other Pacific Islander	1.49	*	*	*	2.99	*	*	*	*	1.09
Asian	1.47	1.02	0.92	0.74	1.07	0.77	0.94	0.71	1.05	1.15
Two or More Races	2.65	2.74	2.29	2.42	3.62	2.25	3.42	2.57	3.21	2.44
Hispanic or Latino	0.61	0.64	0.58	0.62	0.56	0.63	0.55	0.62	0.61	0.58

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 1.64P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
TOTAL	0.0754	0.2055	0.0218	0.0640	0.0510	0.3814	0.6630	0.4892	0.7149	
AGE										
18-25	0.0228	0.4486	0.1169	0.5867	0.1592	0.0095	0.3410	0.5656	0.2678	
26-49	0.4632	0.4864	0.3029	0.0491	0.1110	0.2895	0.1170	0.6056	0.9944	
50 or Older	0.0963	0.2174	0.0325	0.3505	0.2528	0.9377	0.5169	0.6495	0.5146	
GENDER										
Male	0.0090	0.0022	0.0114	0.0262	0.0368	0.1479	0.2666	0.1623	0.3940	
Female	0.7318	0.4864	0.3282	0.5229	0.3742	0.9410	0.7524	0.8063	0.2329	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.0080	0.0416	0.0047	0.0122	0.0230	0.2260	0.6059	0.3432	0.9858	
White	0.0001	0.0056	0.0004	0.0016	0.0070	0.3739	0.3519	0.2726	0.6257	
Black or African American	0.3302	0.3028	0.3482	0.1432	0.7572	0.2712	0.2492	0.8784	0.1818	
American Indian or Alaska Native	0.7751	0.4294	0.4331	0.8428	0.3124	0.3090	0.5013	*	0.5008	
Native Hawaiian or Other Pacific Islander	0.4279	*	*	*	0.1536	*	*	*	*	
Asian	0.3198	0.2875	0.2364	0.0715	0.5935	0.0711	0.1942	0.0327	0.4306	
Two or More Races	0.9053	0.7251	0.9127	0.6097	0.2108	0.9075	0.5131	0.4047	0.6056	
Hispanic or Latino	0.2902	0.5012	0.8591	0.4936	0.8072	0.9368	0.5796	0.9400	0.4529	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

NOTE: Because of revisions to the logical editing of the outpatient mental health treatment/counseling data, beginning with the 2004 NSDUH and retroactively applied to 2002 and 2003, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in NSDUH reports prior to the 2004 National Findings Report. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.