

Table 1.68C Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2011

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011
TOTAL	481	474	469	500	483	489	519
AGE							
18-25	104	118	111	106	110	120	117
26-49	326	334	314	317	334	322	336
50 or Older	318	321	330	377	315	339	344
GENDER							
Male	279	309	306	309	297	303	323
Female	384	352	366	381	379	378	387
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	427	440	431	472	451	447	474
White	392	417	410	473	438	420	411
Black or African American	194	167	179	165	165	179	156
American Indian or Alaska Native	48	72	36	17	24	31	50
Native Hawaiian or Other Pacific Islander	*	30	15	*	26	*	*
Asian	87	107	83	117	75	84	130
Two or More Races	51	93	47	62	49	79	81
Hispanic or Latino	191	192	195	180	169	199	201

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2011.

Table 1.68D Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2011

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011
TOTAL	0.22	0.22	0.21	0.22	0.21	0.21	0.22
AGE							
18-25	0.32	0.36	0.34	0.32	0.33	0.35	0.34
26-49	0.33	0.33	0.31	0.32	0.34	0.33	0.34
50 or Older	0.37	0.37	0.37	0.41	0.33	0.35	0.34
GENDER							
Male	0.27	0.29	0.29	0.28	0.27	0.27	0.29
Female	0.34	0.31	0.32	0.33	0.32	0.32	0.32
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.22	0.23	0.22	0.24	0.23	0.23	0.24
White	0.25	0.25	0.25	0.28	0.27	0.25	0.26
Black or African American	0.70	0.59	0.66	0.59	0.57	0.61	0.54
American Indian or Alaska Native	3.80	4.72	3.07	1.79	2.27	2.68	3.50
Native Hawaiian or Other Pacific Islander	*	3.56	2.48	*	3.56	*	*
Asian	0.94	1.12	0.86	1.13	0.74	0.83	1.09
Two or More Races	2.21	3.57	1.99	2.34	1.91	2.67	2.28
Hispanic or Latino	0.69	0.66	0.66	0.59	0.54	0.63	0.59

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2011.

Table 1.68P Serious Psychological Distress (SPD) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2005-2010

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011
TOTAL	0.1200	0.0324	0.5499	0.4066	0.6957	0.5745	
AGE							
18-25	0.2083	0.7525	0.9404	0.2109	0.9781	0.6623	
26-49	0.9346	0.0937	0.8353	0.6481	0.5234	0.9875	
50 or Older	0.4422	0.5680	0.7689	0.5024	0.5812	0.7122	
GENDER							
Male	0.5567	0.3559	0.6547	0.5269	0.3814	0.9579	
Female	0.0130	0.0371	0.2276	0.1039	0.2068	0.4105	
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.6733	0.2012	0.9295	0.8400	0.9244	0.7554	
White	0.7510	0.4102	0.7828	0.5649	0.4505	0.9747	
Black or African American	0.1106	0.1240	0.2450	0.5613	0.8111	0.2715	
American Indian or Alaska Native	0.3900	0.1041	0.5796	0.1170	0.4034	0.3955	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	
Asian	0.2803	0.7769	0.1430	0.7961	0.0445	0.1632	
Two or More Races	0.5743	0.1654	0.3590	0.3182	0.3235	0.4473	
Hispanic or Latino	0.0032	0.0238	0.1274	0.1135	0.2379	0.0446	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale in the past year.

NOTE: Estimates for 2005, 2006, and 2007 are based on an adjusted SPD variable and may differ from estimates published in prior NSDUH reports. See Section B.4.5 in Appendix B of the Results from the 2008 National Survey on Drug Use and Health: National Findings.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2011.